

QH 1  
.S95  
n2.35

# SYLLOGEUS

NATIONAL MUSEUM OF NATURAL SCIENCES

MUSÉE NATIONAL DES SCIENCES NATURELLES



No. 35

Brian W. Coad

## A BIBLIOGRAPHY OF THE STICKLEBACKS

(GASTEROSTEIDAE: OSTEICHTHYES)



MUSÉES NATIONAUX DU CANADA

OTTAWA

NATIONAL MUSEUMS OF CANADA

SYLLOGEUS is a publication of the National Museum of Natural Sciences, National Museums of Canada, designed to permit the rapid dissemination of information pertaining to those disciplines and educational functions for which the National Museum of Natural Sciences is responsible. In the interests of making information available quickly, normal publishing procedures have been abbreviated.

Articles are published in English, in French, or in both languages, and the issues appear at irregular intervals. A complete list of the titles issued since the beginning of the series (1972) and individual copies of this number are available by mail from the National Museum of Natural Sciences, Ottawa, Canada. K1A 0M8

La collection SYLLOGEUS, publiée par le Musée national des sciences naturelles, Musées nationaux du Canada, a pour but de diffuser rapidement le résultat des travaux dans les domaines scientifique et éducatif qui sont sous la direction du Musée national des sciences naturelles. Pour assurer la prompte distribution de cette publication, on a abrégé les étapes de la rédaction.

Les articles sont publiés en français, en anglais ou dans les deux langues, et ils paraissent irrégulièrement. On peut obtenir par commande postale la liste des titres de tous les articles publiés depuis le début de la collection (1972) et des copies individuelles de ce numéro, au Musée national des sciences naturelles, Ottawa, Canada. K1A 0M8

Syllogeus series No. 35  
(c) National Museums of Canada 1981  
Printed in Canada  
ISSN 0704-576X

Série Syllogeus n° 35  
(c) Musées nationaux du Canada 1981  
Imprimé au Canada

A Bibliography of the Sticklebacks (Gasterosteidae: Osteichthyes)

Brian W. Coad  
Associate Curator  
Ichthyology Section  
National Museum of Natural Sciences  
National Museums of Canada  
Ottawa, Ontario  
Canada  
K1A 0M8

Syllogeus No. 35

National Museum of Natural Sciences      Musée national des sciences naturelles  
National Museums of Canada              Musées nationaux du Canada

1981

Digitized by the Internet Archive  
in 2011 with funding from  
California Academy of Sciences Library

<http://www.archive.org/details/syllogeus35nati>

#### ABSTRACT

A bibliography of the sticklebacks (Gasterosteidae: Osteichthyes) was compiled from 18 abstracting journals and books in order to provide a convenient list of works up to the end of 1979. The list comprises over 2,000 references.

#### RÉSUMÉ

L'auteur a compilé une bibliographie sur les épinoches (Gasterosteidae: Osteichthyes) à partir de 18 ouvrages différents afin de réunir en une liste pratique les publications parues jusqu'à la fin de 1979. On y retrouve plus de 2 000 références.

## INTRODUCTION

The sticklebacks comprise a small family of fishes distributed in fresh and salt waters of the northern hemisphere. They have been studied extensively for several reasons despite their lack of economic or sporting importance. Certain species show a range of morphological variation apparently governed by selective and environmental factors thus making them interesting subjects for evolutionary investigations. In northern waters they are often an important element in the fish fauna and their ecology has been extensively investigated. Their small size and ease of maintenance in aquaria make them convenient fishes for experimental studies on the physiology and biochemistry of both them and their parasites, and their complex reproductive behaviour has attracted the attention of ethologists. The taxonomy of stickleback parasites has also received attention.

A recent review of the sticklebacks by Wootton (1976) gives a bibliography of 496 references constituting 26% of the number cited here. Works on this family are widely scattered in the literature and the present bibliography aims to provide a convenient list to alleviate the tiresome and expensive literature search facing workers new to the family.

It is hoped that all major and most minor works on sticklebacks are covered up to the end of 1979 in the bibliography. General works on the fish fauna of a geographical area are not exhaustively included in this survey of the literature. The author would be grateful if errors of omission and commission are brought to his attention.

## SOURCES

References were obtained from the following abstracting journals and books for the years cited: -

1. Zoological Record to 1975.
2. Biological Abstracts and Bioresearch Index - to 1980.
3. Aquatic Biology Abstracts, 1969-1971; which became Aquatic Sciences and Fisheries Abstracts, 1971-1980.
4. Dissertation Abstracts, 1938-1969; which became Dissertation Abstracts International, 1969-1980.
5. Current references in fish research, vol. 1-5, 1976-1980. (V. A. Cvancara, Ed.).
6. Dean, B. 1916-1923. A bibliography of fishes. Am. Mus. Nat. Hist. 3 vols.
7. Reed, C.F. 1955. Index to Copeia 1913-1954. Science Press, Lancaster, Pennsylvania.
8. Reed, C.F. 1965. Index to Copeia. Supplement 1955-1964. Paul M. Harrod Co., Towson, Maryland.
9. Carter, N.M. 1968. Index and list of titles, Fisheries Research Board of Canada and associated publications, 1904-1964. Bull. Fish. Res. Bd. Canada, 164: xviii + 649 p.
10. Carter, N.M. 1973. Index and list of titles, Fisheries Research Board of Canada and associated publications, 1965-1972. Misc. Spec. Publ. Fish. Res. Bd. Canada, 18: vi + 588 p.
11. Romanov, N.S. 1966. Annotated bibliography of Far Eastern Aquatic Fauna, Flora and Fisheries. Israel Program for Scientific Translations, Jerusalem, 391 p.
12. Romanov, N.S. 1968. Annotated bibliography on fisheries of the southern basins of the U.S.S.R. (1918-1953). Israel Program for Scientific Translations, Jerusalem, 400 p.
13. Bertin, L. 1925. Recherches bionomiques, biométriques et systématiques sur les épinoches. (Gastérostéidés). Ann. Inst. Océanogr. Monaco, 2: 1-204.
14. Dawson, C.E. 1964. A bibliography of anomalies of fishes. Gulf Coast Res. Lab. 1 (6): 308-399.
15. Schwartz, F.J. 1972. World literature to fish hybrids with an analysis by family, species and hybrid. Publ. Gulf Coast Res. Lab. Mus. 3: 328 p.
16. Hureau, J.C. and Monod, Th. 1973. Checklist of the fishes of the north-eastern Atlantic and of the Mediterranean, 2 vols. UNESCO, Paris.

17. Wootton, R.J. 1976. The Biology of the Sticklebacks. Academic Press, London, x + 387 p.
18. Bosgoed, D.M. 1873. Bibliotheca Ichthyologica et Piscatoria. Harlem xxvi + 474 p.

The references are listed alphabetically by author and papers by the same author are listed chronologically where this is known.

The key words used in the search were: -

*Apeltes*

*Culaea*

*Eucalia*

*Gasterosteus*

Gasterosteidae

*Pungitius*

*Pygosteus*

*Spinachia*

Stickleback



- Abdel'-Malek, S.A. 1963a. Nutrition of adult threespine stickleback (*Gasterosteus aculeatus* L.) in the Kandalaksha Bay of the White Sea. Nauchn. Dokl. Vyssh. Shk. Biol. Nauki, 3: 31-36. In Russian.
- Abdel'-Malek, S.A. 1963b. On the diurnal feeding rhythm in the threespine stickleback (*Gasterosteus aculeatus* L.) of Kandalaksha Bay in the White Sea. Vopr. Ikhtiol. 3(2): 326-335. In Russian.
- Abdel'-Malek, S.A. 1968. Feeding of young three-spined sticklebacks (*Gasterosteus aculeatus* L.) in Kandalaksha Bay in the White Sea. Vopr. Ikhtiol. 8: 230-237. In Russian.
- Abdurakhmanov, Yu. A. 1962. Freshwater Fish of Azerbaidzhan. Akad. Nauk. Azerbaidzhan. SSR. Baku. 407 p. In Russian.
- Abe, T. 1972. Keys to the Japanese fishes fully illustrated in colors. Hokuryukan, Tokyo, 3rd Ed. vi + 358 p., 780 pl. In Japanese.
- Academy Sinica, Research Institute Vertebrata Palasiatica, Cenozoic Research Group (Peking). 1974. A study on the later Cenozoic group of Nihowan Basin, China. Vertebr. Palasiat. 12: 99-110. In Chinese.
- Adalsteinsson, H. 1976. Data on fish in Myvatn. Natturufraedingurinn, 45: 154-177. In Icelandic.
- Adalsteinsson, H. 1979a. Seasonal variation and habitat distribution of benthic Crustacea in Lake Myvatn in 1973. Oikos, 32: 195-201.
- Adalsteinsson, H. 1979b. Size and food of arctic char *Salvelinus alpinus* and stickleback *Gasterosteus aculeatus* in Lake Myvatn. Oikos, 32 (1-2): 228-231.
- Agapov, I.D. 1941. Fishes and fisheries of the Anadyr Estuary. Trudy Nauch.-Issled. Inst. poly. zemled. zhiv. promys. khoz. Ser. Promys. Khoz. 16: 73-114. In Russian.
- Agassiz, L. 1850. Lake Superior, its physical character, vegetation and animals... ix + 9-428 p., 8 pl.
- Agassiz, L. 1882. On the young stages of some osseous fishes. Part III. Proc. Amer. Acad. Arts. Sci. n. s. 1881-1882, 17: 271-303, pls. 1-20.
- Ahokas, R.A. 1974. Salinity tolerance and osmoregulation in two species of euryhaline teleost, *Culaea inconstans* (Kirtland), and *Fundulus diaphanus* (Lesueur). Diss. Abstr. Int. B. Sci. Eng. 34: 3999.
- Ahokas, R.A. and Duerr, F.G. 1975a. Salinity tolerance and extracellular osmoregulation in two species of euryhaline teleosts, *Culaea inconstans* and *Fundulus diaphanus*. Comp. Biochem. Physiol. A Comp. Physiol. 52: 445-448.
- Ahokas, R.A. and Duerr, F.G. 1975b. Tissue water and intracellular osmoregulation in two species of euryhaline teleosts, *Culaea inconstans* and *Fundulus diaphanus*. Comp. Biochem. Physiol. A Comp. Physiol. 52: 449-454.

- Ahsan, S.N. and Hoar, W.S. 1963. Some effects of gonadotropic hormones on the three-spine stickleback, *Gasterosteus aculeatus*. Can. J. Zool. 41: 1045-1053.
- Akhmerov, A. Kh. 1952. New species of monogenetic trematodes in Amur fishes. Parazitol. Sb. 14: 181-221. In Russian
- Akhmerov, A. Kh. 1954. Parasitofauna of fishes from the Kamchatka River. Trudy Probl. Temat. Sov. (Zool. Inst. AN SSSR), 4: 89-98. In Russian.
- Akhmerov, A. Kh. 1955. Parasitofauna of fishes from the Kamchatka River. Izv. Tikhookean. Nauchno-Issled. Inst. Rybn. Khoz. Okeanogr. 43: 99-137. In Russian.
- Alarotu, H. 1944. Untersuchungen über die an Fischen in Finnland lebenden monogenetischen Trematoden. Acta Zool. Fenn. 43: 1-32.
- Albuquerque, R.M. 1954-1956. Peixes de Portugal e ilhas adjacentes. Chavas para a sua determinação. Port. Acta Biol., Ser. B, 5: xvi + 1167 p. 445 fig.
- Aleev, Yu. G. 1969. Function and gross morphology in fish. Israel Program for Scientific Translations, Jerusalem. 268 p.
- Aleksandrova, T.N., Gulyaeva, A.M. and Kuderskii, L.A. 1968. The foraging salmon of Lake Onega. Tr. Karel. Otd. Gos. Nauch.-Issled. Inst. Ozern. Rechn. Ryb. Khoz. 5: 274-286. In Russian.
- Alexander, R. McN. 1967a. The functions and mechanisms of the protrusible upper jaws of some acanthopterygian fish. J. Zool. (Lond.), 151: 43-64.
- Alexander, R. McN. 1967b. Functional design in fishes. Hutchinson Univ. Library, London. 160 p.
- Altman, P.L. and Dittmer, D.S. (Eds.). 1962. Biological handbooks: Growth including reproduction and morphological development. Federation of American Societies for Experimental Biology. xii + 608 p.
- Altmann, G. 1968. Weitere Untersuchungen der Physiologischen Wirkung elektrischer Felder auf Tiere. Verh. dt. zool. Ges. 32: 416-430.
- Altukhov, K.A. 1979. Biology of early development stages of noncommercial and rare fish species from the White Sea, Russian SFSR, USSR. Vopr. Ikhtiol. 19: 1079-1090. In Russian.
- Amaoka, K. and Haruta, C. 1972. Threespine stickleback, *Gasterosteus aculeatus aculeatus*, new record from Shimoneseki. Jap. J. Ichthyol. 19: 129-131.
- Amin, O.M. 1975. Host and seasonal associations of *Acanthocephalus parksidesi* Amin, 1974 (*Acanthocephala*: Echinorhynchidae) in Wisconsin Fishes. J. Parasitol. 61: 318-329.

- Andersen, K. 1970a. Studies on the morphology of *Diphyllobothrium dendriticum* comparisons between Kuhlows results from 1953 and own observations. *Nytt. Mag. Zool.* 18: 98.
- Andersen, K. 1970b. Morphological comparison between *Diphyllobothrium dendriticum* and *Diphyllobothrium norvegicum*. *Nytt. Mag. Zool.* 18: 102.
- Andersen, K. 1971. Studies of the helminth fauna of Norway 17: morphological comparison of *Diphyllobothrium dendriticum* Nitzsch 1824, *D. norvegicum* Vik 1957 and *D. latum* (Linné 1758) (Cestoda: Pseudophyllidea). *Norweg. J. Zool.* 19: 21-36.
- Andersen, K. 1979a. Studies on the scolex morphology of *Eubothrium* spp. with emphasis on characters usable in species discrimination and with brief references on the scolices of *Bothriocephalus* sp. and *Triaenophorus* spp. (Cestoda; Pseudophyllidea). *Z. Parasitenkd.* 60: 147-156.
- Andersen, K. 1979b. Variation in scolex morphology within and between some species of the genus *Proteocephalus* (Cestoda, Proteocephala) with references to strobilar morphology. *Zool. Scr.* 8 (4): 241-248.
- Anderson, E.D. and Smith, L.L. 1971a. Factors affecting abundance of lake herring (*Coregonus artedii* Lesueur) in western Lake Superior. *Trans. Am. Fish. Soc.* 100: 691-707.
- Anderson, E.D. and Smith, L.L. 1971b. A synoptic study of food habits of 30 fish species from western Lake Superior. *Tech. Bull. Minnesota agric. exp. Sta. no. 279:* 1-99.
- Anderson, W.A. and Personne, P. 1970. The localization of glycogen in the spermatozoa of various invertebrate and vertebrate species. *J. Cell. Biol.* 44: 29-51.
- Andreasson, S. 1971. Feeding habits of a sculpin (*Cottus gobio* L. Pisces) population. *Rep. Inst. Freshwat. Drottningholm,* 51: 5-30.
- Andriyashev, A.P. 1939. Survey of zoogeography and origin of ichthyofauna of the Bering Sea and adjacent waters. Leningrad, Izd. Leninigrad Gosud. Univ., 187 p. In Russian.
- Andriyashev, A.P. 1964. Fishes of the Northern Seas of the U.S.S.R. Israel Program for Scientific Translations, Jerusalem, 617 p.
- Aneer, G. 1969. Perch and sticklebacks of Blåstangbältet. *Zool. Revy,* 31 22-24. In Swedish.
- Aneer, G. 1973. Biometric characteristics of the three-spined stickleback (*Gasterosteus aculeatus* L.) from the Northern Baltic proper. *Zool. Scr.* 2: 157-162.

- Angelabøl, A.C. 1959. A consummatory situation. The effect of eggs on the sexual behaviour of the male three-spined stickleback (*Gasterosteus aculeatus* L.). *Experientia*, 15 (3): 115.
- Anjubault, P.-A. 1855. Revue des espèces de poissons du Département de la Sarthe. *Bibl. Soc. Agric. Sci. Arts Sarthe, Le Mans*, 1855: 13-14.
- Anker, G.C. 1974. Morphology and kinetics of the head of the stickleback *Gasterosteus aculeatus* L. *Trans. Zool. Soc. Lond.* 32: 311-416.
- Anker, G.C. 1978. Analyses of respiration and feeding movements of the three-spined stickleback, *Gasterosteus aculeatus* L. *Neth. J. Zool.* 28: 485-523.
- Anker, G.C., Simons, J. and Dullemeijer, P. 1967. An apparatus for direct X-ray cinematography exemplified by analysis of some respiratory movements in *Gasterosteus aculeatus*. *Experientia*, 23(1): 74-77.
- Anonymous. 1826. On the habits and food of the stickleback. *Ann. Phil. n. s.* 11: 173-176. *Edinburgh J. Sci.* 4: 76-80. *Notizen (Froriep)*, 13: 209-212.
- Anonymous. 1830. Some account of *Gasterosteus aculeatus*. *Mag. Nat. Hist.* 3: 329-332.
- Anonymous. 1834a. Some account of *Gasterosteus aculeatus*. *Isis (Oken)*, 1834: 227-230.
- Anonymous. 1834b. On the habits and food of the stickleback. *Isis (Oken)*, 1834: 501-502.
- Anonymous. 1864. Prof. Costes jagttagelser over Hundesteibernes (*Gasterosteus*) redebygning. *Tidsskr. Popul. Fremstilling Naturvidensk.* 3. ser. 1: 124-139, fig.
- Anonymous. 1867a. Stickleback's nests. *Sci. Gossip*, 1866: 5-6, fig.
- Anonymous. 1867b. Stickleback breeding. *Sci. Gossip*, 1866: 153.
- Anonymous. 1868a. Freshwater sticklebacks in seawater aquarium. *Sci. Gossip*, 1867: 38-39.
- Anonymous. 1868b. Het nest van den stekelbaars (*Gasterosteus*). *Kennis en Kunst (Winkler)*, 1868: 387-388, fig.
- Anonymous. 1877. Der Nestbau des Stichlings (*Gasterosteus aculeatus*). *Isis (Russ)*, 2. Jahrg. 127-129.
- Anonymous. 1967. Dances of courtship. *Sciences (N.Y. Acad. Sci.)* 6: 11-14.
- Anonymous. 1970a. Lough Neagh. In: *Eutrophication in large lakes and impoundments. Reports, Uppsala Symposium, Sweden May 1968.* p.227-296. Paris, OECD, C.P. Milway (Comp.).
- Anonymous. 1970b. Water quality criteria for European freshwater fish. Report on ammonia and inland fisheries. EIFAC, EIFAC Tech. Pap. (11): 1-12.

- Anthony, R. 1918. Recherches sur le développement de la circulation chez l'épinoche (*Gasterosteus gymnurus* Cuv.). Arch. Zool. Exp. Gen. 57: 1-45, pl. 1.
- Anthouard, M. 1967. Activité et dominance chez l'Épinoche (*Gasterosteus aculeatus* L.). C. R. Hebd. Seances Acad. Sci. Ser. D. Sci. Natur. (Paris), 17: 1237-1239.
- Anthouard, M. 1970. Contribution a l'étude du comportement de groupe chez les poissons: le groupement expérimental chez *Xiphophorus*, *Rhodeus*, *Gasterosteus*. Revue Comp. Anim. 4: 34-58.
- Anthouard, M. 1971. Phénomènes de "pulsations" observés au sein des groupes d'épinoches juvéniles. Rev. Comporte Anim. 5: 117-122.
- Antipa, G. 1909. Fauna ichtiologica a Romaniei. Acad. Română, Publ. Fond. Vasili Adamachi, 16: ix + 294 p., 31 pl., 149 fig.
- Applegate, V.C. 1943. Partial analysis of growth in a population of mudminnows, *Umbra limi* (Kirtland). Copeia, 1943: 92-96.
- Appellöf, A. 1894. Über einige resultate der Kruzbefruchtung bei Knochenfischen. Berg. Mus. Aarbog, 1: 1-17.
- Arai, H.P. 1969. Preliminary report on the parasites of certain marine fishes of British Columbia. J. Fish. Res. Bd. Canada, 26: 2319-2337.
- Arderon, W. 1748. A letter containing some observations made on the bansticle, or pricklebag, alias prickle back, and also on fish in general. Phil. Trans. Roy. Soc. (1747), 44: 424-428.
- Arita, G.S. 1971. A re-examination of the functional morphology of the soft-rays in teleosts. Copeia, 1971: 691-697.
- Arme, C. 1972. *Glugea anomala* (Sporozoa: Microsporidia) in three-spined sticklebacks from County Tyrone. Irish Nat. J. 17: 241.
- Arme, C. and Owen, R.W. 1967. Infections of the three-spined stickleback, *Gasterosteus aculeatus* L.) with the plerocercoid larvae of *Schistocephalus solidus* (Müller, 1776) with special reference to pathological effects. Parasitology 57: 301-314.
- Armitage, K.B. and Olund, L.J. 1962. Salt tolerance of the brook stickleback. Amer. Midland Nat. 68(2): 274-277.
- Armstrong, J.C. 1932. A five-spined specimen of *Apeltes quadracus* (Mitchill) from Connecticut. Copeia, 1932: 33.
- Arnold, J.P. and Ahl, E. 1936. Fremdländische Süßwasserfische. Gustav Wenzel e Sohn, Braunschweig. 592 p.
- Artedi, P. 1738. Ichthyologia. In: Cramer, J. and Swann, H.K. (Eds) Historiae Naturalis Classica, Vol. 15. Reprint, 1962. Wheldon and Wesley, Ltd. and Hafner Publishing Co., Codicote, Herts. and New York. xxiii+554 p.

- Arthur, J.R. and Margolis, L. 1975. Two species of *Myxobilatus* (Myxosporida: Myxobilatidae) from freshwater fishes of western Canada, with description of *M. yukonensis*, sp. nov. Can. J. Zool. 53: 1663-1668.
- Aswerus, B.M. 1966. Fische als Mikrobenzuechter. Naturwissenschaften, 53 (19): 511.
- Aswerus, B.M. 1968. Es gibt noch Neues vom Dreistacheligen Stichling. Aquar. Mag. 2: 62-69.
- Avery, R.A. 1974. Identification of animal parasites. Hulton Educational Publications Ltd., Amersham. 182 p.
- Avise, J.C. 1976. Genetics of plate morphology in an unusual population of threespine sticklebacks (*Gasterosteus aculeatus*). Genet. Res. 27: 33-46.
- Awakura, T. 1972. Studies on acanthocephaliasis of the salmonid fishes infected by *Acanthocephalus minor* Yamaguti, 1935. Sci. Rep. Hokkaido Fish. Hatch. 27: 1-12. In Japanese.
- Ayres, W.O. 1842. Enumeration of the fishes of Brookhaven, Long Island, with remarks upon the species observed. Boston J. Nat. Hist. 4 (2): 255-264, pl. XII - XIII.
- Ayres, W.O. 1843. Descriptions of 4 species of fish from Brookhaven; all of which are believed to be new. Boston J. Nat. Hist. 4: 294-295, pl. XII fig. 3.
- Ayres, W.O. 1855. Description of *Gasterosteus serratus*. Proc. Calif. Acad. Sci. 1 (1854-1857) meeting of April 30th, 1855: 46-47.
- Băcescu, M. and Mayer, R. 1956. Recherches sur les épinoches (*Gasterosteus aculeatus* L.) des eaux roumaines. Bul. Inst. Cercet. piscic., Bucuresti, 15: 19-36. In Rumanian.
- Backus, R.H. 1957. The fishes of Labrador. Bull. Am. Mus. Nat. Hist. 113: 273-338.
- Bade, E. 1899. Unsere Stichlinge und ihr Nestbau. Blätt. Aquar. Terr. Freun. 10: 59-64.
- Bade, E. 1906. Die direkte Ueberführung von Stichlingen in Seewasser. Bl. Aquarienkunde, Magdeburg, 17: 374.
- Baerends, G.P. 1952. Parvorming bij vissen (Pair forming in fishes). Aquarium, 22 (9): 201-205, 22 (10): 218-220.
- Baerends, G.P. 1971. The ethological analysis of fish behavior. In: Hoar, W.S. and Randall, D.J. (Eds.). Fish Physiology Vol. 6: 279-370. Academic Press, New York, xvi + 559 p.
- Bagenal, T.B. 1970. The observer's book of freshwater fishes. Frederick Warne, London. Rev. Ed. 140 p.

- Bagenal, T.B. 1973. Identification of British Fishes. Hulton Educational Publ., Amersham, Buckinghamshire. 199 p.
- Baggaley, W. 1942. The stickleback in the aquarium. Country-Side, Kingston-on-Thames. n. s. 12: 87-90.
- Bagge, P., Lemmetyinen, R. and Raitis, T. 1973. Spring food of some diving waterfowl in the southwestern Finnish archipelago. Oikos (suppl. 15): 146-150.
- Baggerman, B. 1957. An experimental study on the timing of breeding and migration in the three-spined stickleback, *Gasterosteus aculeatus* L. Arch. néerl. Zool. 12: 105-318.
- Baggerman, B. 1959. The role of external factors and hormones in migration of sticklebacks and juvenile salmon. In: Aubrey Gorbman, Ed., Comparative Endocrinology. John Wiley and Sons, Inc.: New-York 16 p. 24-37.
- Baggerman, B. 1964. On the endocrine background of stickleback behaviour. Arch. néerl. Zool. 16: 159-163.
- Baggerman, B. 1966. On the endocrine control of reproductive behaviour in the male three-spined stickleback *Gasterosteus aculeatus* L. Symp. Soc. Exp. Biol. 20: 427-456.
- Baggerman, B. 1969. Influence of photoperiod and temperature on the timing of the breeding season in the stickleback, *Gasterosteus aculeatus*. Gen. Comp. Endocrinol. 13: 491.
- Baggerman, B. 1972a. Some aspects of the role of the endocrine system in the adaptation of the stickleback *Gasterosteus aculeatus* to its environment. Neth. J. Zool. 22: 220-221.
- Baggerman, B. 1972b. Photoperiodic responses in the stickleback and their control by a daily rhythm of photo sensitivity. Gen. Comp. Endocrinol. 19 (suppl. 3): 466-476.
- Baggerman, M.B. 1956. Sur l'influence de la durée des journées et de la température sur le cycle reproductif des *Gasterosteus aculeatus*. (On the effect of length of day and of temperature on the reproductive cycle of *Gasterosteus aculeatus*. Arch. néerl. Zool. 1(4): 532-538.
- Baggerman, M.B. 1963. Effects of castration in different phases of the reproductive season on breeding behaviour of the male stickleback. In: 2nd Conference of European Comparative Endocrinologists, Brussels, 1963. Gen. Comp. Endocrinol. 3(6): 683.
- Baikie, W.B. 1853. Catalogue of the fishes of Orkney and Zetland. Zoolo- gist, London, 11: 3951.
- Bailey, R.M. and Allum, M.O. 1962. Fishes of South Dakota. Misc. Publ. Mus. Zool. Univ. Michigan, 119: 131 p.
- Baird, S.F. 1854. Report on the fishes observed on the coasts of New Jersey and Long Island. Ann. Rep. Smithsonian Inst. 1854: 328
- Baker, M.C. 1971. Habitat selection in fourspine sticklebacks (*Apeltes quadracus*). Amer. Mid. Nat. 85: 239-242.

- Baker, R.R. 1978. Evolutionary ecology of animal migration. Holmes and Meier, New York, 1002 p., 401 fig.
- Ball, J.N. 1969. Prolactin and osmoregulation in teleost fishes, a review. Prasad, M.R.N. (Ed.) General and Comparative Endocrinology, Suppl. 2, Progress in Comparative Endocrinology. Proc. 5th Internat. Symp. on Comp. Endocr. Delhi, India. Nov. 23-28, 1967. xx + 602 p. Academic Press, New York, pp. 10-25.
- Ballig, S.S., Stoehr, T. and Resh, V.H. 1980. The effects of mosquito control recirculation ditches on the fish community of a San Francisco Bay, California, U.S.A., salt marsh. Calif. Fish Game, 66: 25-34.
- Balon, E.K. 1967. Three-spined stickleback, *Gasterosteus aculeatus* Linnaeus, 1758 in the Danube near Bratislava. Sb. Slov. narod. Muz. (Prir, Ved.) 13: 127-134. In Czech.
- Banarescu, P. 1960. Einige Fragen zur Herkunft und Verbreitung der Süßwasserfischfauna der europäischen-mediterranean Unterregion. Arch. Hydrobiol. 57: 16-134.
- Banarescu, P. 1964. Fauna Republicii Populare Romîne. Pisces-Osteichthyes (Pești Ganoizi și Osoși) Vol. XIII. Acad. Rep. Pop. Romîne, București, 959 p.
- Banarescu, P. 1966. Intraspecific variation, subspeciation and speciation in Roumanian freshwater fishes. Z. Zool. Syst. Evolut. Forsch. 4: 378-396.
- Banarescu, P. 1971. Perspectives of ichthyological research in Roumania. Bul. Cercet. Piscic. 30 (3-4): 89-97. In Roumanian.
- Banarescu, P., Blanc, M., Gaudet, J.-L. and Hureau, J.-C. 1971. European Inland Water Fish. Whitefriars Press, London.
- Bangham, R.V. and Adams, J.R. 1954. A survey of the parasites of freshwater fishes from the mainland of British Columbia. J. Fish. Res. Board Can. 11: 673-708.
- Banina, N.N. 1973. Ectoparasitic infusoria of *Gasterosteus aculeatus* and *Pungitius pungitius* from the Neva Delta, U.S.S.R. Parazitologiya, 7: 220-226. In Russian.
- Banina, N.N. 1975. The distribution of Apiosomae over the body of fishes in the light of host-parasite relationship. Parazitol. (Leningr.), 9: 285-292. In Russian.
- Banina, N.N. and Isakov, L.S. 1972a. The dynamics of the parasite fauna of adult sticklebacks in the Neva Delta. Problemy Parazit. 1: 68-70. In Russian.
- Banina, N.N. and Isakov, L.S. 1972b. Experience of the ecological analysis of the stickleback parasite fauna. Izvestiya gosud. nauchno-issled. Inst. ozern. rechn. rybn. Khozyaist. 80: 89-113. In Russian.



- Banister, K.E. 1967. The anatomy and classification of the order Gasterosteiformes (Pisces). Ph.D. Thesis, University of Newcastle-upon-Tyne, England. 211 p.
- Banister, K.E. 1970. The anatomy and taxonomy of *Indostomus paradoxus* Prashad and Mukerji. Bull. Brit. Mus. (Nat. Hist.) Zool. 19: 179-209.
- Bannister, L.H. 1965. The fine structure of the olfactory surface of teleostean fishes. Quart. J. Microscop. Sci. 106: 333-342.
- Bargmann, W. 1933. Weitere histologische Untersuchungen am Nierenkörperchen. Zeitschr. Wiss. Biol. Abt. B., Zeitschr. Zellforsch. u. Mikrosk. Anat. 18 (1/2): 166-191.
- Barker, E.E. 1918. The brook stickleback. Sci. Mon. 6: 526-529.
- Barnes, R.S.K., Dorey, A.E. and Little, C. 1971. An ecological study of a pool subject to varying salinity (Swanpool, Falmouth). An introductory account of the topography, fauna and flora. J. Anim. Ecol. 40: 709-734.
- Barnhart, P.S. 1936. Marine fishes of southern California. Univ. California Press, Berkeley, iv + 209 p.
- Baron, H. 1934. Insel-und Zymogengewebe in ihren gegenseitigen Beziehungen bei *Gasterosteus aculeatus* und einigen Teleostiern. Z. wiss. Zool. 146: 1-40.
- Barraud, E.M. 1955. Notes on the territorial behaviour of captive ten-spined sticklebacks, (*Pygosteus pungitius*). Brit. J. Anim. Behav. 3: 134-136.
- Bartmann, W. 1973. A cleaning symbiosis between stickleback (*Gasterosteus aculeatus* L.) and pike (*Esox lucius* L.) in the aquarium. Z. Tierpsychol. 33: 153-162. In German.
- Bartmann, W. 1976. Die Stichling - ein neuer Putzerfisch. Aquarien Mag. 8(12): 516-519.
- Bastl, I. 1970. Further find of the stickleback *Gasterosteus aculeatus* Linnaeus, 1758 in the Donau River near Bratislava (Czechoslovakia). Zb. Slov. Nar. Muz. Prir. Vedy. 16: 201-202. In Czech.
- Bastl, I. 1976. Further evidence of occurrence of three-spined stickleback (*Gasterosteus aculeatus* Linnaeus, 1758) in the Danube River floodplain on Czechoslovak territory. Biologia (Bratisl.), 31: 885-887. In Czech.
- Battle, H.I. 1944. Effects of dropping on the subsequent hatching of teleostean ova. J. Fish. Res. Board Can. 6: 252-256.
- Baudelot, E. 1869. Observation sur un petit centre nerveux qui se trouve en rapport avec le faisceau postérieur de la commissure de Haller chez l'épinoche (*Gasterosteus*). Bull. Soc. Sci. Nat. Strasb. 2: 37-40.
- Baxter, G.T. and Simon, T.R. 1970. Wyoming Fishes. Bull. no. 4, Wyoming Game and Fish Dept., Cheyenne. 168 p.

- Beale, L.S. 1867. On the germinal matter of the ovarian ova of the stickleback. Trans. Micr. Soc. London, n. s. 15: 85-86.
- Bean, T.H. 1879. Fishes collected in Cumberland Gulf and Disko Bay. Bull. U.S. Nat. Mus. 15: 107-138.
- Bean, T.H. 1880a. Description of an apparently new species of *Gasterosteus* (*G. Atkinsii*) from the Schoodic Lakes, Maine. Proc. U.S. Nat. Mus. (1879), 2: 67-79.
- Bean, T.H. 1880b. Check-list of duplicates of North American fishes. Proc. U.S. Nat. Mus. 3: 77.
- Bean, T.H. 1881a. A preliminary catalogue of the fishes of Alaskan and adjacent waters. Proc. U.S. Nat. Mus. 4: 239-272.
- Bean, T.H. 1881b. Notes on some fishes from Hudson's Bay. Proc. U.S. Nat. Mus. 4: 128.
- Bean, T.H. 1883. Notes on a collection of fishes made... in Alaska and British Columbia. Proc. U.S. Nat. Mus. 6: 353.
- Bean, T.H. 1888. Report on the fishes observed in Great Egg Harbor Bay, New Jersey, during the summer of 1887. U.S. Comm. Fish. Bull. 7 (1887): 129-154, 3 pls.
- Bean, T.H. 1896. Fishes collected at Bering and Copper Islands. Proc. U. S. Nat. Mus. 19: 250-251.
- Bean, T.H. 1903. Catalogue of the Fishes of New York. Univ. State New York, Albany, Bull. 60, Zool. 9: 784 p.
- Bean, T.H. and Bean, B.A. 1896. Fishes collected at Bering and Copper Islands by Nikolai A. Grebnitzki and Leonhard Stejneger. Proc. U.S. Nat. Mus. 19: 237-251.
- Becker, K. 1907. Dei dreistachliche Stichling (*Gasterosteus aculeatus* L.) Seine Zucht und Pflege im Zimmer Aquarium. Wochenschr. Aquar.-Terrar. Kunde, Braunschweig, 4: no.38.
- Beckman, W.C. 1962. The freshwater fishes of Syria and their general biology and management. FAO Fish. Biol. Tech. Pap. 8: v + 297 p.
- Beer, W.-D. 1971. Concerning possibilities of ascertaining the original trophic condition in flowing water. Limnologica, 8: 253-263. In German.
- Behnke, R.J. and Wetzel, R.M. 1960. A preliminary list of the fishes found in the fresh waters of Connecticut. Copeia, 1960: 141-143.
- Beis, I. and Barrett, J. 1979. The contents of adenine nucleotides and glycolytic and tricarboxylic acid cycle intermediates in activated and nonactivated plerocercarioids of *Schistocephalus solidus* (Cestoda: Pseudophyllidea). Int. J. Parasitol. 9: 465-468.

- Beis, I. and Barrett, J. 1980. Oxidative enzymes in the plerocercoids of *Schistocephalus solidus* (Cestoda, Pseudophyllidea). *Int. J. Parasitol.* 10 (2): 151-154.
- Bell, M.A. 1973a. Pleistocene threespine sticklebacks, *Gasterosteus aculeatus*, (Pisces) from southern California. *J. Paleont.* 47: 479-483.
- Bell, M.A. 1973b. The Pliocene stickleback, *Fungitius haynesi*, a junior synonym of *Gasterosteus aculeatus*. *Copeia*, 1973: 588-590.
- Bell, M.A. 1974. Reduction and loss of the pelvic girdle in *Gasterosteus* (Pisces): A case of parallel evolution. *Los Ang. Cty. Mus. Contrib. Sci.* 257: 1-36.
- Bell, M.A. 1976a. Evolution of phenotypic diversity in *Gasterosteus aculeatus* superspecies on the Pacific coast of North America. *Syst. Zool.* 25: 211-227.
- Bell, M.A. 1976b. Reproductive character displacement in threespine sticklebacks. *Evolution*, 30: 847-859.
- Bell, M.A. 1976c. The evolution of phenotypic diversity in threespine sticklebacks (*Gasterosteus aculeatus*). Ph.D. Thesis, Univ. California, Los Angeles, xviii + 192 p. *Diss. Abs. Int.* 37 B: 2016-2017.
- Bell, M.A. 1977a. A late Miocene marine threespine stickleback, *Gasterosteus aculeatus aculeatus*, and its zoogeographic and evolutionary significance. *Copeia*, 1977: 277-282.
- Bell, M.A. 1977b. A Teleost Family. Review of "The Biology of Sticklebacks". R.J. Wootton, Academic Press, New York, 1976, x, 388 pp. *illus. Science*, 197: 451.
- Bell, M.A. 1978. Fishes of the Santa Clara River system, southern California. *Nat. Hist. Mus. Los Ang. Cty Contrib. Sci.* 295: 1-20.
- Bell, M.A. 1979a. Persistence of ancestral-sister species. *Syst. Zool.* 28: 85-88.
- Bell, M.A. 1979b. Low-plate morph of the threespine stickleback breeding in salt water. *Copeia*, 1979: 529-533.
- Bell, M.A. 1980. A review of fossil *Gasterosteus* and their evolutionary significance. *Second Int. Congr. Syst. Evol. Biol.*, Univ. British Columbia, Vancouver, July 17-24, 1980, p. 103.
- Bell, M.A. 1981. Lateral plate polymorphism and ontogeny of the complete morph of threespine sticklebacks (*Gasterosteus aculeatus*). *Evolution*, 35: 67-74.

- Bell, M.A. and Haglund, T.R. 1978. Selective predation of threespine sticklebacks (*Gasterosteus aculeatus*) by garter snakes. *Evolution*, 32: 304-319.
- Bell, M.A. and Richkind, K.E. 1981. Clinal variation of lateral plates in threespine stickleback fish. *Amer. Nat.* 117: 113-132.
- Benecke, B. 1881. *Fische, Fischerei und Fischzucht in Ost-und Westpreussen.* Königsberg. p. 73-77.
- Bengsten, S.-A. 1966. Nagra iakttagelser rörande piratendenser hos tarnor och trutar. (Some observations of pirate tendencies among terns and gulls.). *Fauna Flora (Transvaal)*, 1: 24-29.
- Bengtson, S.-A. 1971. Food and feeding of diving ducks breeding at Lake Myvatn, Iceland. *Ornis. Penn.* 48: 77-92.
- Benjamin, M. 1973. Studies on the pituitary gland and saccus vasculosus of teleost fishes. Ph.D. Thesis, Univ. College of Wales, Aberystwyth.
- Benjamin, M. 1974a. A morphometric study of the pituitary cell types in the freshwater stickleback, *Gasterosteus aculeatus* form *leiurus*. *Cell Tissue Res.* 152: 69-92.
- Benjamin, M. 1974b. Seasonal changes in the prolactin cell of the pituitary gland of the freshwater stickleback, *Gasterosteus aculeatus*, form *leiurus*. *Cell Tissue Res.* 152: 93-102.
- Benjamin, M. 1974c. Ultrastructural studies of the coronet cells of the saccus vasculosus of the freshwater stickleback *Gasterosteus aculeatus* form *leiurus*. *Z. Zellforsch. mikrosk. Anat.* 147: 551-565.
- Benjamin, M. 1978. Cytological changes in prolactin, ACTH, and growth hormone cells of the pituitary gland of *Pungitius pungitius* L. in response to increased environmental salinities. *Gen. Comp. Endocrinol.* 36 (1): 48-58.
- Benjamin, M. 1979. Comparative ultrastructural studies on the prolactin cells in the pituitary of nine-spined sticklebacks, *Pungitius pungitius* L., with and without adenohypophyseal cysts. *Zoomorphologie*, 93(2): 125-136.
- Benjamin, M. 1980a. The response of prolactin, ACTH and growth hormone cells in the pituitary gland of the three-spined stickleback, *Gasterosteus aculeatus* f. *leiurus* to increased environmental salinities. *Acta Zool. (Stockh.)*, 61(1): 1-8.
- Benjamin, M. 1980b. A correlation between pituitary and integumentary structure in the nine-spined stickleback, *Pungitius pungitius*. *Acta Zool. (Stockh.)*, 61 (2): 105-110.

- Benjamin, M. and Ireland, M.P. 1974. The ACTH - interrenal axis in the freshwater stickleback, *Gasterosteus aculeatus* form *leiurus*. Cell Tissue Res. 155: 105-115.
- Benjamin, M. and Williams, J.G. 1979a. Pituitary cysts in the 9-spined stickleback, *Pungitius pungitius* L. 1. Seasonal changes and salinity transfer experiments. Acta Zool. 60(4): 233-240.
- Benjamin, M. and Williams, J.G. 1979b. Pituitary cysts in the 9-spined stickleback, *Pungitius pungitius* L. 2. Light and electron microscopy. Acta Zool. 60(4): 241-250.
- Ben'Kovskii, L.M., Golovina, T.I. and Shcherbina, R.D. 1973. Some parasitic and infectious diseases of vertebrate animals in Sakhalin. Vestn. Zool. 7: 85-87. In Russian.
- Benoit, J. 1975. Facteurs ecologiques et reproduction chez les vertébrés. Bull. Soc. Zool. Fr. 100: 25-41.
- Bensley, B.A. 1915. The fishes of Georgian Bay. Contrib. Canadian Biol., Fish. Res. Board Can. 1911-1914(2): 1-51.
- Benzie, V.L. 1965. Some aspects of the antipredator responses of two species of stickleback. D. Phil. Thesis, Dept. Zoology, Oxford Univ.
- Berezantsev, Yu. A. 1955. Fishes of the Upper Tym' River on the Sakhalin Island. Vopr. Geog. Dal' nego Vostoka, Coll. 2: 111-119. In Russian.
- Berezantsev, Yu.A. and Oparin, E.N. 1976. Telergones of cestode larvae that inhibit chemotaxis in host leukocytes. Dokl. Biol. Sci. 226(1-6): 58-60.
- Berg, L. 1905. Fishes of Turkestan. Izv. Vost.-sibir. iv, vuip. 6: 261 p., 6 pl. In Russian
- Berg, L. (S.). 1907. A review of the species of the ten-spined sticklebacks or *Pygosteus* from East Asia. Proc. U.S. Nat. Mus. 32: 451-454.
- Berg, L.S. 1912. Über die Zusammensetzung und Herkunft der Fischfauna des Amurflusses mit Bezug auf die Frage von den zoogeographischen Regionen für die Süßwasserfische. Zool. Jahrb. Abt. Syst. 32: 475-521.
- Berg, L.S. 1916. Les poissons des eaux douces de la Russie. Moscou. xxvii + 563 p., 365 fig. In Russian.
- Berg, L.S. 1923. Freshwater fishes of Russia. 2nd Ed., Moscow. xxx + 536 p. In Russian.
- Berg, L.S. 1931. The Sungara Fishes. Ezheg. Zool. Muz. AN SSSR, 32: 211-225. In Russian.
- Berg, L.S. 1932. Übersicht der Verbreitung der Süßwasserfische Europas. Zoogeographica, 1: 107-208.
- Berg, L.S. 1934. Zoogeographical subdivisions in freshwater fishes of the Pacific Slope of Northern Asia. Byull. Tikhook. Komit. Akad. Nauk SSSR, 3: 49-52. In Russian.

- Berg, L.S. 1948-1949. Freshwater fishes of the U.S.S.R. and adjacent countries. Israel Program for Scientific Translations, Jerusalem, 1962-1965. 3 vols.
- Berg, L.S., Bogdanov, A.S., Kozhina, N.I. and Rass, T.S. (Eds.). 1949. Commercial fishes of the U.S.S.R. Moskva, Pishchepromizdat, 788 p. + 10 tables ill., + atlas, 10 p. + 230 tables ill. In Russian.
- Berger, V.Y. 1970. Total loss of salts in distilled water and the euryhalinity of some organisms of the White Sea. *Hydrobiol. J.* 6: 54-59.
- Berger, V.Y. 1970. Total loss of salts in distilled water and euryhalinity of some organisms in the White Sea. *Gidrobiol. Zh.* 6: 67-73.
- Berinke, L. 1960. The stickleback (*Gasterosteus aculeatus* L.) a new fish species from Hungary. *Vertebr. hung.* 2: 1-10.
- Berrie, A.D. 1960. Two *Diplostomulum* larvae (Strigeida, Trematoda) in the eyes of sticklebacks (*Gasterosteus aculeatus* L.). *J. Helminth.* 34: 211-216.
- Bertin, L. 1921a. Note préliminaire sur la notion d'espèce et la variabilité chez les Epinoches. *C. R. Acad. Sci., Paris*, 172: 623-625.
- Bertin, L. 1921b. La valeur des caractères spécifiques dans le genre *Gasterosteus* L. *Bull. Mus. Hist. Nat., Paris*, 27: 143-150.
- Bertin, L. 1921c. L'extrême variabilité des Epinoches roscovites. *C. R. Acad. Sci., Paris*, 173: 602-604.
- Bertin, L. 1921d. L'âge des poissons d'après leurs écailles. *La Nature, Paris*, 1921: 241-244.
- Bertin, L. 1923a. L'intérêt scientifique des Epinoches (*Gasterosteus aculeatus* L.). *Bull. Soc. Cent. Aquicult. Pêche, Paris*, 30: 26-29.
- Bertin, L. 1923b. Esquisse du cycle vital de l'Epinoche. *C. R. Soc. Biol., Paris*, 89: 731-733.
- Bertin, L. 1924. Classification, variabilité, distribution géographique des poissons de la famille des Epinoches. *C. R. Assoc. franc. Avanc. Sci., Paris*, 47: 519-527.
- Bertin, L. 1925. Recherches bionomiques, biométriques et systématiques sur les Epinoches (Gastérostéidés). *Ann. Inst. Océanogr. Monaco*, 2: 1-204.
- Bertin, L. 1934a. Un nouveau genre tout à fait superflu dans la famille des Gastérostéidés: *Gladiunculus* Jordan et Evermann. *Bull. Soc. Zool. France*, 59: 268-274.
- Bertin, L. 1934b. Variations climactériques du cycle vital chez l'Epinoche à trois épines, *Gasterosteus aculeatus* Linné. *Bull. Soc. Zool. France*, 58: 376-383.

- Beukema, J.J. 1963a. Experiments on the effects of the hunger state and of a learning process on the risk of prey of the three spined stickleback (*Gasterosteus aculeatus* L.). In: Meetings of the Soci  t   N  erlandaise de Zoologie, 1961. (Arch. Neerland Zool. 15(3): 358-361. Abstract).
- Beukema, J.J. 1963b. Foraging and feeding behaviour in the three-spined stickleback. In: Foraging and feeding behaviour, London, 1963. Anim. Behav. 11(4): 605. (Abstract).
- Beukema, J.J. 1968. Predation by the three-spined stickleback (*Gasterosteus aculeatus* L.): The influence of hunger and experience. Behaviour, 31 (1-2): 1-126.
- Bianco, P.G. 1979. The presence of *Gasterosteus aculeatus* in the Salentina Peninsula (Pisces, Gasterosteidae). Natura (Milan), 70: 76-80. In Italian.
- Bierther, M. 1970. Die Chloridzellen des Stichlings. Z. Zellforsch. Mikroskop. Anat. 107: 421-446.
- Bigelow, H.B. and Schroeder, W.C. 1953. Fishes of the Gulf of Maine. Fish Bull. Fish. Wildlife Serv. 74 viii + 577 p.
- Bigelow, H.B. and Welsh, W.W. 1925. Fishes of the Gulf of Maine. Bull. U.S. Bur. Fish. 40: 1-567.
- Bijtel, J.H. 1949. The structure and the mechanism of movement of the gill filaments in Teleostei. Arch. n  erl. Zool. 8: 267-288.
- Billard, R., Jalabert, B. and Breton, B. 1972. Les cellules de Sertoli des Poissons T  l  ost  ens. I. Etudes ultrastructurale. Ann. Biol. Anim. Biochim. Biophys. 12: 19-32.
- Black, R. 1971. Matching success in the three-spined stickleback (*Gasterosteus aculeatus*) in relation to changes in behaviour during the parental phase. Anim. Behav. 19: 532-541.
- Black, R. and Wootton, R.J. 1970. Dispersion in a natural population of three-spined sticklebacks. Can. J. Zool. 48: 1133-1135.
- Blahm, T.H. and Snyder, G.R. 1975. Effects of increased water temperatures on survival of adult threespine stickleback and juvenile yellow perch in the Columbia River. Northwest Sci. 49: 267-270.
- Blair, D. 1973. Observations and experiments on some larval trematodes of freshwater snails and fish from southern Iceland. J. Helminth. 47: 409-414.
- Blair, D. 1974. The life cycles of *Apatemon* spp. (Trematoda, Strigeidae) with metacercariae in fishes. Parasitology, 69: XV - XVI (abstract).
- Blair, D. 1976. Observations on the life-cycle of the strigeoid trematode, *Apatemon (Apatemon) gracilis* (Rudolphi, 1819) Szidat, 1928. J. Helminthol. 50: 125-132.

- Blanc, H. 1922. L'apparition dans le lac Léman de l'Épinoche à queue lisse (*Gasterosteus aculeatus* L., varietas: *G. gymnurus*). Act. Soc. Helvétique Sc. nat., Berne, 1922, 2<sup>e</sup> part., 252-253.
- Blanc, M., Banarescu, P., Gaudet, J.-L. and Hureau, J.-C. 1971. European Inland Water Fish. A multilingual catalogue. Fishing News (Books) Ltd., London. 24 p., 12 colour pl., 393 figs and maps, xix.
- Blanchard, E. 1866. Les poissons des eaux douces de la France. Paris, xvi + 656 p., 49 figs.
- Blatchley, W.S. 1938. The fishes of Indiana with descriptions, notes on habits and distribution in the State. Nature Publ. Co., Indianapolis, Indiana, 121 p.
- Blaxter, J.H.S. and Staines, M. 1970. Pure-cone retinae and retinomotor responses in larval teleosts. J. Mar. Biol. Assoc. U.K. 50: 449-460.
- Blegvad, H. 1917. On the food of fish in the Danish waters within the Skaw. Rep. Danish Biol. Sta. 24: 19-72.
- Bloch, M.E. 1783. Oeconomische Naturgeschichte der Fische Deutschlands. Berlin. Teil 2, p. 78-87, Taf. LIII, fig. 1, 3, 4.
- Bloch, M.E. 1785. Ichthyologie, ou histoire naturelle, générale et particulière des poissons. Avec des figures enluminées dessinées d'après nature (trad. par Laveau). Berlin.
- Bloch, M.E. 1801. Systema Ichthyologiae. Berlin. p. 122-123, tab. 33, fig. 2.
- Bock, F. 1928. Die Hypophyse des Stichlings (*Gasterosteus aculeatus* L.) unter besonderer Berücksichtigung der jahrescyklischen Veränderungen. Z. Wiss. Zool. 131: 645-710.
- Bock, F. 1930. Die Epidermis des Stichlings. Zeitschr. Wiss. Biol. Abt. B. Zeitschr. Zellforsch. u. Mikroskop. Anat. 10(2): 394-400.
- Bol, A.C.A. 1959. A consummatory situation. The effect of eggs on the sexual behaviour of the male three-spined stickleback (*Gasterosteus aculeatus* L.). Experientia, 15: 115-116.
- Bolau, C.C.H. 1905a. Einige Beobachtungen an Stichlingen in Seewasser-aquarium. Zool. Garten, 46. Jahrg., 48-50.
- Bolau, C.C.H. 1905b. Die deutschen Versuche mit gezeichneten Schollen Mitth. Deutsch. Seefischer. Ver. Berlin, 21: 411-421.
- Bolau, C.C.H. 1906. Die deutschen Versuche mit gezeichneten Schollen. Wiss. Meeresuntersuch. Kiel, n. s. 7(1): 79-131.
- Bolin, R.L. 1936. The systematic position of *Indostomus paradoxus* Prashad and Mukerji, a fresh water fish from Burma. J. Wash. Acad. Sci. 26: 420-423.



- Bolobuev, V.V. 1976. Systematics and ecology of the char *Salvelinus neiva* Taranetz from Lake Ueginskoe of the Okhota River basin. Vopr. Ikhtiol. 16: 989-999. In Russian.
- Bond, C.E. 1973. Keys to Oregon Freshwater Fishes. Agricultural Experiment Station, Oregon State Univ., Corvallis, Tech. Bull. 58: 42 p.
- Bonizzi, P. 1869. Sulla varietà della specie *Gasterosteus aculeatus*. Arch. Zool. Anat. Fisiol. Modena, 2 ser. 1: 156-163, pl.3. Also separate; Torino and Florence, 1870: 8 p.
- Borcea, I. 1904. Quelques observations sur une épineche: *Gasterosteus aculeatus* L. (variété *leiurus* C. et V.), provenant d'une rivière se déversant au fond de la baie Aber, près du Laboratoire de Roscoff. Bull. Soc. Zool. France, 29: 140-141.
- Borg, B. 1973. The fanning behavior of stickleback (*Gasterosteus aculeatus* L.). Fauna Flora, (Stockh.), 68: 106-112. In Swedish.
- Borg, B. 1977. Variation in three-spined sticklebacks (*Gasterosteus aculeatus*) in the archipelago of Karlskrona, Sweden. Fauna Flora (Stockh.) 72: 265-270. In Swedish.
- Borisov, P.G. and Ovsyannikov, N.S. 1951. Key to commercial fishes of the U.S.S.R. Moskwa, Pishchepromizdat, 180 p. 2nd Ed., 1954, 260 p. In Russian.
- Borja Y Goyenche, D.-J. de. 1920. Contribucion al estudio de la fauna ictiologica de Espana. Mem. Réal. Acad. Ciencias Artes, Barcelona, 16 (3).
- Borne, M., Benecke, B. and Dallmer, E. 1886. Handbuch der Fischzucht und Fischerei. Berlin. p. 98-99.
- Borroni, I. 1975. Presence of the three-spined stickleback (*Gasterosteus aculeatus*) in the Toce catchment area (Piedmont): structure, characteristics of the bony plates and origin of the population. Mem. Ist. Ital. Idrobiol. 32: 332-348. In Italian.
- Boulenger, G.A. 1893. Note on variations of lateral shields in the three-spined stickleback (*Gasterosteus aculeatus*). Ann. Mag. Nat. Hist. 11 (6): 228-229.
- Boulenger, G.A. 1902. Notes on the classification of Teleostean fishes. III. On the systematic position of the genus *Lampris*, and on the limits and contents of the Suborder Catosteomi. Ann. Nat. Hist. 7, x: 147-152.
- Boulenger, G.A. 1909. Catalogue of fresh-water fishes of Africa in the British Museum (Nat. Hist.). London. Vol. 1: xi + 373 p., 270 fig.
- Boulenger, G.A. 1910. Teleostei (Systematic Part). The Cambridge Natural History, London, vol. 7: 629-631.
- Boulenger, G.A. 1916. Catalogue of the fresh-water fishes of Africa in the British Museum (Natural History). London. Vol. IV: xvii + 392 p.

- Bourdin, J. 1926. Le mécanisme de l'éclosion chez les Téléostéens.  
 I. Etude biologique et anatomique. II. Evolution histologique des cellules séreuses cutanées provoquant l'éclosion chez les Téléostéens. III. Morphologie et répartition des glandes séreuses du tégument. IV. Physiologie du liquide perivitellin des oeufs de Téléostéens à l'éclosion. Compt. Rend. Soc. Biol. 95 (32): 1149-1151, (33): 1183-1186, (34): 1239-1243.
- Bradley, R. 1721. A philosophical account of the works of nature. London, p. 61.
- Braekvelt, C.R. and McMillan, D.B. 1967. Cyclic changes in the ovary of the brook stickleback, *Eucalia inconstans* (Kirtland). J. Morphol. 123: 373-396.
- Brafield, A.E. and Matthiessen, P. 1976. Oxygen consumption by sticklebacks (*Gasterosteus aculeatus* L.) exposed to zinc. J. Fish. Biol. 9: 359-370.
- Brattey, J. 1979. Intestinal helminths from the fish of the Forth and Clyde Canal at Temple, Glasgow, Scotland, UK. Glasg. Nat. 19(6): 475-479.
- Braun, M. 1890. Mitteilungen über den Nestbau der Stichlinge III. Nestbau und Brutpflege des dreistacheligen Stichlings. Blätt. Aquar.-Terrar. Freunde, 1: 59.
- Braun, M.G.C.C. 1904. Die Verhältniszahl der Geschlechter beim Stichling. Ber. Fischerei Ver. Ostpreuss., Königsberg, 1904-05: 11-12.
- Breder, C.M. 1923. Certain fishes from Sandy Hook Bay. Copeia, 1923 (114): 2-3.
- Breder, C.M. 1924. Nineteen twenty three fish notes from Sandy Hook Bay. Copeia, 1924 (127): 25-29.
- Breder, C.M. 1925. Fish notes for 1924 from Sandy Hook Bay. Copeia, 1925 (138): 1-4.
- Breder, C.M. 1936. "All modern conveniences", a note on the nest architecture of the four-spined stickleback. Bull. N.Y. Zool. Soc. 39: 72-76.
- Breder, C.M. and Rosen, D.E. 1966. Modes of reproduction in fishes. Natural History Press, Garden City, New York. 941 p.
- Brett, J.R. 1944. Some lethal temperature relations of Algonquin Park fishes. Univ. Toronto Biol. Ser. 52: 1-49.
- Brett, J.R. and Pritchard, A.L. 1946. Lakes of the Skeena River drainage. I. Lakelse Lake. Prog. Rep. Pacific Coast Stat., Fish. Res. Board Can. 66: 12-15.

- Brezeanu, G. and Zinevici, V. 1971a. Contributions to the study of the ichtyoplankton from the zone of Sulina arm's mouth (Danuble delta). Bul. Inst. Cerc. Pisc. 30: 49-56. In Roumanian.
- Brezeanu, G. and Zinevici, V. 1971b. Beiträge zum Studium des Icthyoplanktons aus dem Brackwassergebiet an der Mündung des Sulinaarmes. Arch. Hydrobiol. Suppl. 36: 393-401.
- Briggs, J.C. 1962. California fish families with suggested references for identification of species. Circ. Dir. Syst. Biol. Stanford Univ., No. 9: 1-13.
- Briggs, P.T. and O'Connor, J.S. 1971. Comparison of shore-zone fishes over naturally vegetated and sand-filled bottoms in Great South Bay. N.Y. Fish Game, 18: 15-41.
- Brinley, F.J. 1938. Eggs of fishes. Tabulae Biol. 16: 51-59.
- Brock, V.E. and Riffenburgh, R.H. 1960. Fish schooling: a possible factor in reducing predation. J. Cons. Int. Explor. Mer. 25: 307-317.
- Broughton, W.B. 1950. A two-spined stickleback in the river Roding. Essex Nat. 28: 207-208.
- Brown, C.J.D. 1971. Fishes of Montana. Big Sky Books, Montana State Univ., Bozeman. 207 p.
- Brush, A.M. and Reiskan, H.M. 1965. The carotenoid pigments in the three-spined stickleback, *Gasterosteus aculeatus*. Comp. Biochem. Physiol. 14 (1): 121-125.
- Bryan, J.E. 1973. The influence of pipeline development on freshwater fishery resources of northern Yukon Territory. Aspects of research conducted in 1971 and 1972. Task Force on Northern Oil Development, Report No. 73-6, Information Canada Cat. No. R72-9773, viii + 63 p.
- Bubinas, A. 1979. Feeding of non food-fishes in the Kaunas hydro-electric plant reservoir in 1972-1975. (1. *Gasterosteus aculeatus* (L.) and *Pungitius pungitius* (L.)). Tr. Akad. Nauk Litovsk. SSR, Ser. C 3 (87): 85-94. In Russian.
- Bubinas, A.D. 1974. Fish nutrition in the northern littoral zone of the Baltic Sea. Liet. Tsr. Mokslu. Akad. Darb. Ser. C Biol. Mokslai, 1: 133-142. In Russian.
- Bubinas, A.D., Kublitskas, A.K. and Pechyulene, O.T. 1977. Nutrition and feeding relationships of fishes in the littoral zone of the Kaunas Hydroelectric Plant water reservoir. Liet. Tsr. Mokslu. Akad. Darb. Ser. C Biol. Mokslai, 4: 75-96. In Russian.

- Buck, E. 1875. Die Zucht junger Stichlinge im Süßwasser-Aquarium. Zool. Garten, 16. Jahrg. 251-252.
- Burgner, R.L. and Marshall, S.L. 1974. Optimum escapement studies on Chignik sockeye salmon. Washington Univ. Fish. Res. Inst. Completion Rep. 99 p.
- Burns, J.W. 1972. Some effects of logging and associated road construction on northern California streams. Trans. Am. Fish. Soc. 101: 1-17.
- Burt, M.D.B. and Sandeman, I.M. 1969. Biology of *Bothrimonus (Diplocotyle)* (Pseudophyllidea: Cestoda) Part 1. History, description, synonymy and systematics. J. Fish. Res. Bd. Canada, 26: 975-996.
- Burt, M.D.B. and Sandeman, I.M. 1970. The biology of *Bothrimonus* equals *Diplocotyle*, Pseudophyllidea Cestoda. J. Parasitol. 56 (4 Sec. 11 Pt. 1): 43-44.
- Burton, D. 1975. The integumentary melanophore patterns of two teleost species *Gasterosteus aculeatus* and *Pseudopleuronectes americanus*. Can. J. Zool. 53: 507-515.
- Burton, D. 1978. Melanophore distribution within the integumentary tissues of two teleost species, *Pseudopleuronectes americanus* and *Gasterosteus aculeatus* form *leiurus*. Can. J. Zool. 56: 526-535.
- Burton, D. 1979. Sexual dimorphism in the integumentary tissues of three-spine stickleback, *Gasterosteus aculeatus* form *leiurus*. Copeia, 1979: 533-535.
- Bykhovskii, B.E. and Polyanskii, Yu. I. 1953. Data on marine monogenetic trematodes of the family Gyrodactylidae Gobb. Trudy Zool. Inst. AN SSSR, 13: 91-126. In Russian.
- Cahn, P.H. and Shaw, E. 1962. The first demonstration of lateral line cupulae in the Mugiliformes. Copeia, 1962: 109-114.
- Callegarini, C. and Cucchi, C. 1968. Polimorfismo emoglobinico in varie popolazioni di *Gasterosteus aculeatus* di bacini idrografici diversi. Annali Univ. Ferrara (Ser. 13), 2: 31-35.
- Callegarini, C. and Cucchi, C. 1969. Le emoglobine di *Gasterosteus aculeatus* e di *Gasterosteus pungitius* (Teleostea Gasterosteidae). Annali Univ. Ferrara (Ser. 13), 2: 145-150.
- Cameron, J.N., Kostoris, J. and Penhale, P.A. 1973. Preliminary energy budget of the ninespine stickleback (*Pungitius pungitius*) in an arctic lake. J. Fish. Res. Board Can. 30: 1179-1189.
- Campbell, R.N. 1979. Sticklebacks (*Gasterosteus aculeatus* (L.) and *Pungitius pungitius* (L.)) in the Outer Hebrides, Scotland. Hebridian Natur. 3: 8-15.

- Campbell, R.N. and Williamson, R.B. 1979. The fishes of inland waters in the Outer Hebrides. Proc. Roy. Soc. Edinburgh, 77B: 377-393.
- Campos, H. 1969. Die Geschmacksknospen im Vorderdarm von subwasserfischen, Zahl, Verteilung und Entwicklung: (*Phoxinus phoxinus* L., *Gasterosteus aculeatus* L., *Hemigrammus caudovittatus*, Ahl, *Anoptichthys jordani* Hubbs et Innes und *Salmo gairdneri* Rich). Z. Wiss. Zool. 179: 253-299.
- Canestrini, G. 1865. Sulle specie nostrali del genere *Gasterosteus* Linné. Arch. Zool. Anat. Fisiol., Modena, 3: 308-311.
- Canestrini, G. 1867. Due note ittiologiche. 1. Sopra alcuni persci dell' Arno. 2. Effeti di dimagrimento osservati nel *Cobius fluviatilis* (Bon.). Ann. Soc. Nat., Modena, 2: 7-13.
- Cărausu, S.I. 1952. Trata de Ictiologie. Bucuresti. 802 p., 491 fig., 1 tabl.
- Carew, B.A.M. 1968. Some effects of methallibure (I.C.I. 33, 828) on the stickleback *Gasterosteus aculeatus* L. M. Sc. Thesis, Univ. British Columbia.
- Carl, G.C. 1953. Limobiology of Cowichan Lake, British Columbia. J. Fish. Res. Board Can. 9: 417-449.
- Carl, G.C. 1971. Some common marine fishes of British Columbia. British Columbia Provincial Museum, Handbook no. 23: 86 p.
- Carl, G.C., Clemens, W.A. and Lindsey, C.C. 1967. The fresh-water fishes of British Columbia. British Columbia Provincial Museum, Handbook no. 5: 192 p.
- Carlander, K.D. 1948. Some changes in the fish population of Lake of the Woods, Minnesota, 1910 to 1945. Copeia, 1948: 271-274.
- Carpenter, R.G. and Siegler, H.R. 1947. A sportsman's guide to the fresh-water fishes of New Hampshire. New Hampshire Fish Game Commission, 87 p.
- Carr, A. and Goin, C.J. 1959. Guide to the reptiles, amphibians and fresh-water fishes of Florida. Univ. Florida Press, Gainesville. (Fishes 117 p. + 32 pl.).
- Case, G.R. 1967. Fossil shark and fish remains of North America. Jersey City, New Jersey, 1-20, 102 figs. (Private publication).
- Chadwick, A.C., Oreg, F.B. and Tai-Chang, S. 1976. Immuno-fluorescent characterization of pituitary cells in different vertebrate groups. Gen. Comp. Endocrinol. 29 (2): 264-265.
- Chaine, J. 1958. Recherches sur les otolithes des poissons. Bull. Centre Et. Rech. sci. Biarritz, 2: 141-233.
- Chappell, L.H. 1969a. The parasites of the three-spined stickleback *Gasterosteus aculeatus* L. from a Yorkshire pond. I. Seasonal variation of parasite fauna. J. Fish. Biol. 1: 137-152. II. Variation of the parasite fauna with sex and size of fish. J. Fish. Biol. 1: 339-347.

- Chappell, L.H. 1969b. Competitive exclusion between two intestinal parasites of the three-spined stickleback, *Gasterosteus aculeatus* L. J. Parasitol. 55: 775-778.
- Chardez, D. 1968. Quelques protozoaires parasites et commensaux de batraciens et poissons de Belgique. Hydrobiologia, 32: 181-192.
- Chauvin, R. and Muckensturm-Chauvin, B. 1980. Behavioral complexities. International Universities Press, New York, xix + 257 p.
- Chauvin-Muckensturm, B. 1978. Reactions to models in three spined sticklebacks living in groups. Biol. Behav. 3: 233-242. In French.
- Chauvin-Muckensturm, B. 1979a. Le problème de la fixation génotypique du comportement agressif chez les épinoches (*Gasterosteus aculeatus* L.) C. R. Hebd. Séances Acad. Sci., Paris, Ser. D. 289 (13): 935-938.
- Chauvin-Muckensturm, B. 1979b. Aggressive reactions of three-spined sticklebacks in colored lights. C. R. Hebd. Séances Acad. Sci. Ser. D. Sci. Nat. 289 (14): 1065-1068.
- Chauvin-Muckensturm, B. and Grelet-Puterflam, Y. 1980. Importance of context in signal interpretation in three-spined stickleback males. C. R. Hebd. Seances Acad. Sci. Ser. D. Sci. Nat. 290 (19): 1273-1276. In French.
- Chen, T.R. and Reisman, H.M. 1970. A comparative chromosome study of the North American species of sticklebacks (Teleostei: Gasterosteidae) Cytogenetics, 9: 321-332.
- Chimery, M. 1970. Sticklebacks. Animals, 12: 473.
- Chubb, J.C. 1970. The parasites of the three-spined stickleback *Gasterosteus aculeatus* L. in an oligotrophic Lake, Llyn Padarn, North Wales. J. Parasitol., (Suppl. II): 56.
- Chubb, J.C. 1974. *Apiosoma piscicola* and *Epistylis livoffi* (Protozoa, Peritrichida) on three-spined stickleback (*Gasterosteus aculeatus*) in Wales. Parasitology, 69: XVI (abstract).
- Churchill, E.P. and Over, W.H. 1933. Fishes of South Dakota. South Dakota Dept. Game Fish, 87 p.
- Chyung, M.K. 1961. Illustrated encyclopedia: the fauna of Korea. 2. Fishes. Ministry of Education, Korea (Seoul). 861 p. In Korean.
- Clarke, A.S. 1954. Studies on the life cycle of the pseudophyllidean cestode *Schistocephalus solidus*. Proc. Zool. Soc. Lond. 124: 257-302.
- Clay, W.M. 1962. A field manual of Kentucky fishes. Kentucky Dept. of Fish and Wildlife Resources, Frankfort. vii + 147 p.
- Clay, W.M. 1975. The fishes of Kentucky. Kentucky Dept. Fish Wildlife Resources, Frankfort. vii + 416 p.

- Clemens, W.A. and Wilby, G.V. 1946. Fishes of the Pacific Coast of Canada. Bull. Fish. Res. Board Can. 68: 368 p. 68R: 443 p. (1961 2nd Ed.).
- Coad, B.W. 1972. On the ecology and meristic variation of the Gasterosteidae of the Matamek River System, Quebec. M.Sc. Thesis, Univ. of Waterloo, Ontario. xii + 117 p.
- Coad, B.W. 1973. Modifications of the pelvic complex in ninespine sticklebacks, *Pungitius pungitius* (L.), of eastern Canada and the northwest Territories. Naturaliste can. 100: 315-316.
- Coad, B.W. 1974. Vertebral frequencies with notes on anomalies in samples of threespine sticklebacks (*Gasterosteus aculeatus* L.) from eastern North America. Can. Field-Nat. 88: 220-223.
- Coad, B.W. 1980. A provisional, annotated check-list of the freshwater fishes of Iran. J. Bombay Nat. Hist. Soc. 76: 86-105.
- Coad, B.W. 1981. Fishes of Afghanistan, an annotated check list. Publ. Zool. Nat. Mus. Canada, 14: v + 26 p.
- Coad, B.W. and Power, G. 1973a. Observations on the ecology and phenotypic variation of the threespine stickleback, *Gasterosteus aculeatus* L., 1758, and the blackspotted stickleback, *G. wheatlandi* Putnam, 1867, (Osteichthyes: Gasterosteidae) in Amory Cove, Québec. Can. Field-Nat. 87: 113-122.
- Coad, B.W. and Power G. 1973b. Life history notes and meristic variation in the freshwater fourspine stickleback, *Apeltes quadracus* (Mitchill), near Sept-Iles, Québec. Naturaliste can. 100: 247-251.
- Coad, B.W. and Power, G. 1973c. Observations on the ecology and meristic variation of the ninespine stickleback, *Pungitius pungitius* (L., 1758) of the Matamek River System, Québec. Amer. Midl. Nat. 90: 498-503.
- Coad, B.W. and Power, G. 1973d. Observations on the ecology of lacustrine populations of the threespine stickleback (*Gasterosteus aculeatus* L., 1758) in the Matamek River System, Québec. Naturaliste can. 100: 437-445.
- Coad, B.W. and Power G. 1974. Meristic variation in the threespine stickleback, *Gasterosteus aculeatus*, in the Matamek River System, Quebec. J. Fish. Res. Board Can. 31: 1155-1157.
- Cohen, S. and McFarland, D. 1979. Time-sharing as a mechanism for the control of behavior sequences during the courtship of the three-spined stickleback (*Gasterosteus aculeatus*). Anim. Behav. 27: 270-283.
- Collett, R. 1874. Norges Fiske. Christiania, 1874: 11-14.
- Collett, R. 1902-1905. Meddelelser om Norges Fiske i Aarene 1884-1901. Christiania Vid. Selsk. Forh. 1902-1905: 6.

- Cone, D.K. 1980. The Monogenea of some freshwater fishes in New Brunswick, Canada. *J. Parasitol* 66: 178-180.
- Cooke, P. 1966. Upton Fields: the aquatic fauna. *Proc. Coventry Distr. Nat. Hist. Soc.* 3: 254-258.
- Coope, G.R. et al. 1961. A late Pleistocene fauna and flora from Upton Warren, Worcestershire. *Phil. Trans.* 244B: 379-417.
- Cope, E.D. 1865. Partial catalogue of the cold-blooded Vertebrata of Michigan. *Proc. Acad. Nat. Sci., Philadelphia*, 1865 (May): 78-88.
- Cope, E.D. 1870. Contributions to the ichthyology of the Lesser Antilles. *Trans. Am. Phil. Soc.* 14: 445-483.
- Cope, E.D. 1873. Contribution to the ichthyology of Alaska. *Proc. Am. Phil. Soc.* 13: 24-32.
- Cope, O.B. 1959. New parasite records from stickleback and salmon in an Alaska stream. *Trans. Amer. Microsc. Soc.* 78: 157-162.
- Cornish, G.A. 1907. Notes on the fishes of Canso. *Contrib. Canadian Biol., Fish. Res. Board Can.* 1902-1905: 81-90.
- Costa, O.G. 1836. Fauna del Regno di Napoli. *Pesci. Napoli.*
- Coste, - . 1859. Histoire générale et particulière du développement des corps organisés. Paris, 1847-1859.
- Costé, P. 1846a. Nidification des épinoches et des épinochettes. *Mém. Prés. Div. Savants Acad. Sci. Paris, Ser. 2*, 10: 574-588, pl. (Also dated 1848 elsewhere).
- Costé, P. 1846b. Sur la manière dont les épinoches construisent leurs nids et soignent leurs oeufs. *C. R. Acad. Sci. Paris*, 22: 814-818. *Edinb. New Philos. J.* 42: 322-327.
- Costé, P. 1846c. Ueber den Nestbau des *Gasterosteus aculeatus*. *Neue Notizen (Froriep)*, 38: 177-179.
- Couch, T. 1867-1868. A history of the fishes of the British Islands. 2nd Ed., London. 4 vols.
- Couch, R.Q. 1844. Notes on the nidification of fishes. *Zoologist*, London, 2: 795-799.
- Couch, R.Q. 1864. On the nest of the fifteen-spined stickleback. *Trans. Nat. Hist. Soc. Penzance*, 2: 79-83.
- Courrier, R. 1921a. Glande interstitielle du testicule et caractères sexuels secondaires chez les poissons. *C.R. Acad. Sci. Paris*, 172: 1316-1317.
- Courrier, R. 1921b. Sur le conditionnement des caractères sexuels secondaires chez les Poissons. *C. R., Soc. Biol. Paris*, 85: 486-488.



- Courrier, R. 1922a. Sur l'indépendance de la glande seminale et des caractères sexuels secondaires chez les poissons. Etude expérimentale. C. R. Acad. Sci. Paris, 174: 7072.
- Courrier, R. 1922b. Etude préliminaire du déterminisme des caractères sexuels secondaires chez les poissons. Arch. Anat. Histol. Embryol., Strasbourg, 1: 115-144, plates vi-ix.
- Courrier, R. 1925. Les caractères sexuels secondaires et la cycle testiculaire chez l'Épinoche. Réponse à Mr. G. J. van Oordt. Arch. Anat. Histol. Embryol., Strasbourg, 4: 471-476.
- Cox, P. 1921. List of fishes collected in 1917 off the Cape Breton coast and the Magdalen Islands. Contrib. Canadian Biol., Fish. Res. Board Can. 1918-1920: 109-114.
- Cox, P. 1922. Results of the Hudson Bay Expedition, 1920. 11. The Gasterosteidae. Contrib. Canadian Biol., Fish. Res. Board Can. 1921: 149-153.
- Cox, P. 1923a. Regional variation in the four-spined stickleback, *Apeltes quadracus* Mitchill. Can. Fld.-Nat. 37: 146-147.
- Cox, P. 1923b. A new stickleback from the west coast of Newfoundland. Can. Fld.-Nat. 37: 147-148.
- Craig, P.C. and Halderson, L. 1979. Ecology of fishes in Simpson Lagoon, Beaufort Sea, Alaska. Ann. Rept. Beaufort Sea Barrier Island-Lagoon Ecological Process Studies. OCSEAP, NOAA, Boulder, Colorado. 100 p.
- Craig, P.C. and McCart, P. 1976. Fish use of nearshore coastal waters in the western Arctic. Emphasis on anadromous species. Assessment of the Arctic Marine Environment: Selected Topics, Inst. Mar. Sci., Univ. Alaska, Fairbanks. Ch. 23, p. 361-388.
- Craig-Bennett, M.A. 1931. The reproductive cycle of the threespined stickleback, *Gasterosteus aculeatus*, Linn. Phil. Trans. R. Soc. Ser. B, 219: 197-279.
- Crespon, J. 1844. Faune méridionale ou description de tous les animaux vertébrés vivants et fossiles, sauvage ou domestiques qui se rencontrent toute l'année ou qui ne sont que de passage dans la plus grande partie de la France. Montpellier. 2: ix + 355 p.
- Creutz, G. 1963. Stichlinge als Vogelnahrung. Orn. Beob. 62: 24-26.
- Cronly-Dillon, J. and Sharma, S.C. 1968. Effect of season and sex on the photopic spectral sensitivity of the three-spined stickleback. J. Exp. Biol. 49: 679-687.
- Croser, A.W. 1928. Breeding three-spined sticklebacks. Aquariet and Pondkpr. 3: 3.

- Cross, F.B. 1967. Handbook of Fishes of Kansas. Univ. Kansas Mus. Nat. Hist. Misc. Publ. 45: 1-357.
- Crossland, N.O., Pearson, A.J.A. and Bennett, M.S. 1971. A field trial with the molluscicide Prescon for control of *Lymnaea peregra* Muller, snail host of *Diplostomum spathecum* (Rudolphi). J. Fish. Biol. 3: 297-302.
- Cucchi, C. 1969. Electrophoretic analysis of the haemoglobins of some species of teleostei. Int. Lombardo Accad. Sci. Lett. Rend. Sci. Biol. Med. B 103: 3-7. In Italian.
- Cuénot, L. 1911. La Genèse des espèces animales. Paris, p. 200-202.
- Cullen, E. 1960. Experiment on the effect of social isolation on reproductive behaviour in the three-spined stickleback. Anim. Behav. 8: 235.
- Cunningham, J.T. 1891-1892. On some larval stages of fishes. J. Mar. Biol. Ass. U.K. 1891-1892 (n.s.) 2: 68-74, pl. III-IV.
- Curio, E. 1975. Experimentelle Untersuchungen zur Öko-Ethologie von Räuber-Beute-Beziehungen. Verh. Deutsch. Zool. Ges. 68: 81-89.
- Curio, W. 1977. How predators select their individual prey. Naturwissenschaften, 64: 575-578.
- Curry-Lindahl, K. 1964. Fiskarna i Färg. Stockholm, 231 p., 192 fig., 43 maps.
- Cuvier, G. 1817. Le règne animal distribué d'après son organisation, pour servir de base à l'histoire naturelle des animaux et d'introduction à l'anatomie comparée. Paris, 4 vols. Poissons, 2: 104-351.
- Cuvier, G. 1829. Le règne animal distribué d'après son organisation, pour servir de base à l'histoire naturelle des animaux et d'introduction à l'anatomie comparée. Nouvelle édition, Paris, 2: 122-406.
- Cuvier, G. and Valenciennes, A. 1828-1849. Histoire naturelle des Poissons. Paris-Strasbourg. 22 vol., 11030 p., 621 pl.
- Czeczuga, B. 1971. Comparative studies on the occurrence of carotenoids in the host-parasite system, with reference to *Argulus foliaceus* L. (Crustacea) and its host *Gasterosteus aculeatus* (Pisces). Acta Parasitol. Pol. 19: 185-194.
- Czeczuga, B. 1972. The occurrence of  $\gamma$ -carotene derivatives in *Schistocephalus solidus* (Mueller, 1776) plerocercoids (Cestoda, Ligulidae). Acta Parasitol. Pol. 20: 533-537.
- Czeczuga, B. 1980. Carotenoids in fish. XXVI. *Pungitius pungitius* (L.) and *Gasterosteus aculeatus* L. (Gasterosteidae). Hydrobiologia, 74: 7-10.

- Dadswell, M.J. 1972a. New records of freshwater fishes from the north-western coast of insular Newfoundland. *Can. Field-Nat.* 86: 289-290.
- Dadswell, M.J. 1972b. Postglacial dispersal of four deepwater fishes on the basis of new distribution records in eastern Ontario and western Quebec. *J. Fish. Res. Board Can.* 29: 545-553.
- Dadswell, M.J. 1975. Further new localities for certain cold-water fishes in eastern Ontario and western Quebec. *Can. Field-Nat.* 89: 447-450.
- Dallas, J. 1895. On rapid change of colour in *Gasterosteus*. *Ann. Mag. Nat. Hist.*, ser. 16, 6: 489-490.
- Daniel, W. 1965. Beiträge zur Biologie des Dreistachligen Stichlings (*Gasterosteus aculeatus* L.). *Faun. Mitt. Norddeutsch.* 2: 289-307.
- Daniel, W. 1971. Gonadenlose Exemplare beim Dreistacheligen Stichling (*Gasterosteus aculeatus* L.). *Faun.-Ökol. Mitt.* 4: 37-39.
- Dannevig, A. 1918. Canadian fish eggs and larvae. Canadian Fishery Expedition, 1914-1915. 74 p., 3 pls.
- Darchen, R. 1970. Evolution and animal behavior. *Rev. Quest Sci.* 141: 533-543.
- Darkov, A.A. 1979. Dynamics of active defensive reactions in the three-spine stickleback *Gasterosteus aculeatus* L. during the reproductive period. *Vopr. Ikhtiolog.* 19: 918-924. In Russian.
- Dartnall, H.J.G. 1972. Variations in the parasite fauna of the three-spined stickleback related to salinity and other parameters. Ph.D. Thesis, Univ. of London.
- Dartnall, H.J.G. 1973. Parasites of the nine-spined stickleback *Pungitius pungitius* (L.). *J. Fish. Biol.* 5: 505-509.
- Dartnall, H.J.G. 1974. The salinity tolerance of trichodinids (Protozoa) parasitic on the three-spined stickleback *Gasterosteus aculeatus*. *J. Zool., Lond.* 172: 207-214.
- Dartnall, H.J.G., Lewis, D.B. and Walkey, M. 1972. Notes on sticklebacks from the Norfolk Broads. *Trans. Norfolk Norwich Nat. Soc.* 22: 266-267.
- Dartnall, H.J.G. and Walkley, M. 1979a. The distribution of glochidia of the swan mussel, *Anodonta cygnea* (Mollusca) on the three-spined stickleback *Gasterosteus aculeatus* (Pisces). *J. Zool., Lond.* 189 (1): 31-38.
- Dartnall, H.J.G. and Walkley, M. 1979b. Parasites of marine sticklebacks. *J. Fish. Biol.* 14: 471-474.
- David, L.R. 1945. A neogene stickleback from the ridge formation of California. *J. Paleontol.* 19: 315-318.

- Davies, R.W. and Reynoldson, T.B. 1969. The incidence and intensity of predation on lake-dwelling triclad s in the laboratory. *Ecology*, 50: 845-853.
- Davies, R.W. and Reynoldson, T.B. 1971. The incidence and intensity of predation on lake-dwelling triclad s in the field. *J. Anim. Ecol.* 40: 191-214.
- Davis, G.E. and Warren, C.E. 1971. Estimation of food consumption rates. In: Ricker, W.E. (Ed.) *Methods of Assessment of Fish Production in Fresh Waters*, p. 227-248. Blackwell Scientific Publications, Oxford.
- Dawson, J.W. 1859. On a new species of stickleback (*Gasterosteus gymnetes*) *Canadian Naturalist Geologist*, 4: 321-324.
- Day, F. 1878. On some Irish Gasterostei. *J. Linnean Soc. London (Zool.)* 13: 110-114.
- Day, F. 1879. On the fishes of Weston-super-mare. *Proc. Zool. Soc. Lond.* 1879: 752-753.
- Day, F. 1880-1884. *The Fishes of Great Britain and Ireland*. Williams and Norgate, London, 2 vols.
- Deakins, D.E. 1973a. The effects of methylmercury chloride on the survival and behavior of the three-spined stickleback (*Gasterosteus aculeatus* L.). Ph.D. Thesis. Univ. of Southern California, 272 p.
- Deakins, D.E. 1973b. The effects of methylmercury chloride on the survival and behavior of the three-spined stickleback (*Gasterosteus aculeatus* L.). *Diss. Abst. Int.* 34B: 533-534.
- Dechtiar, A.O. 1971. *Neoechinorhynchus pungitius* n. sp. (Acanthocephala: Neoechinorhynchidae) from ninespine stickleback of Lake Huron. *Can. J. Zool.* 49: 483-486.
- Dechtiar, A.O. 1972a. Parasites of fish from Lake of the Woods, Ontario. *J. Fish. Res. Board Can.* 29: 275-283.
- Dechtiar, A.O. 1972b. New parasite records for Lake Erie fish. *Tech. Rep. Great Lakes Fish. Comm.* 17: i-iii + 1-20.
- Degraeve, G.M. 1970. Three types of burrowing behavior of the brook stickleback, *Culaea inconstans*. *Trans. Am. Fish. Soc.* 99: 433.
- Degrange, C. 1974. The presence in the Dauphine (France) of *Potamopyrgus jenkinsi* (Smith) (Gastropoda: Prosobranchia: Hydrobiidae). *Trav. Lab. Hydrobiol. Piscicult. Univ. Grenoble*, 64/65: 251-257. In French.
- De Groot, S.J. and Nijssen, H. 1971. Notes on the fishes collected by R.V. 'Tridens' on the northwest African shelf, 19-25 January 1969. *Bidr. Dierkd.* 41: 3-9.
- De Kay, J.E. 1842. *Zoology of New York, or the New York fauna*. Comprising detailed descriptions of all the animals hitherto observed within the state borders. Class V. Fishes. *Nat. Hist. New York Geol. Survey*, Albany, 1 (3-4), Fishes: 415p., 79 pl.

- Dekker, D. 1976. Muskrat, marbled godwit and willet feeding on sticklebacks at Beaverhill Lake. *Alberta Nat.* 6: 184-185.
- Denoncourt, R.F. 1975. Key to the families and genera of Pennsylvania freshwater fishes and the species of freshwater fishes of the Susquehanna River drainage above Conowingo Dam. *Proc. Pennsylvania Acad. Sci.* 49: 82-88.
- Denoncourt, R.F., Hocutt, C.H. and Stauffer, J.R. 1975. Additions to the Pennsylvania ichthyofauna of the Susquehanna River drainage. *Proc. Acad. Nat. Sci. Phila.* 127: 67-69.
- De Ruiter, A.J.H. 1976. A combined structural and biochemical analysis of the effect of testosterone on kidney function of the three-spined stickleback. *Gen. Comp. Endocrinol.* 29 (2): 283-284.
- De Ruiter, A.J.H. 1978. A combined structural and physiological analysis of the effect of testosterone on renal and extrarenal osmoregulation in *Gasterosteus aculeatus*. *Gen. Comp. Endocrinol.* 34: 91 (abstract).
- De Ruiter, A.J.H. 1980. Changes in glomerular structure after sexual maturation and seawater adaptation in males of the euryhaline teleost *Gasterosteus aculeatus* L. *Cell Tissue Res.* 206 (1): 1-20.
- De Sylva, D.P., Kalber, F.A. and Shuster, C.N. 1962. Fishes and ecological conditions in the shore zone of the Delaware estuary, with notes on other species collected in deeper water. *Univ. Delaware Mar. Lab., Inf. Ser. Publ.* 5, ii + 164 p.
- De Vlaming, V.L. 1972. Environment control of teleost reproductive cycles: a brief review. *J. Fish. Biol.* 4: 131-140.
- Dickinson, A.B. and Threlfall, W. 1976. Some parasites of *Fundulus diaphanus* and *Pungitius pungitius* from insular Newfoundland. *Proc. Helminthol. Soc. Wash.* 43: 86-87.
- Dingerkus, G. and Uhler, L.D. 1977. Enzyme clearing of alcian blue stained whole small vertebrates for demonstration of cartilage. *Stain Technol.* 52: 229-232.
- Dmitriev, N.A. 1953. Good use of low-value and trash fish. *Priroda*, 1: 105-107. In Russian.
- Dodd, J.M. and Kerr, T. 1963. Comparative morphology and histology of the hypothalamo-neurohypophysial system. *Symp. Zool. Soc. London*, 9: 5-27.
- Dollfus, E. 1871. Le nid de l'épinoche. *Feuill. Jeunes Natural.* 2: 8-9.
- Dollo, L. 1909. Les Téléostéens à ventrales abdominales secondaires. *Verh. K. K. Zool. Bot. Gesell., Vienna.*
- Domashenko, H.P. 1969. Fishes of the North Sea. Kaliningrad. 64 p. In Russian.
- Donovan, E. 1802. The natural history of British fishes including scientific and general descriptions of the most interesting species, and an extensive selection of accurately finished coloured plates. London, Vol. 1: 1-70, pl. I - XXIV.

- Doyle, W.L. 1972. Cytology of chloride cells in gills of the eel, *Anguilla rostrata*, the stickleback, *Pungitius pungitius*, and the rock eel *Pholis gunnellus*. Bull. Mt. Desert. Isl. Biol. Lab. 12: 30-31.
- Drapkin, E.I. 1954. Observations on spawning of the 3-spined stickleback in an aquarium. Vopr. Ikhtiolog. 2: 164-165. In Russian.
- Drapkin, E.I. 1955. The spawning behaviour of the female three-spined stickleback. Vopr. Ikhtiolog. 7: 119-122. In Russian.
- Dryer, W.R. 1966. Bathymetric distribution of fish in the Apostle Islands region, Lake Superior. Trans. Am. Fish. Soc. 95: 248-259.
- Dryer, W.R., Erkkila, L.F. and Tetzloff, C.L. 1965. Food of lake trout in Lake Superior. Trans. Am. Fish. Soc. 94: 169-176.
- Dukravets, G.M. and Biryukov, Yu.A. 1976. Ichthyofauna of the Nura river basin in the central Kazakh. SSR. Vopr. Ikhtiolog. 16: 309-314. In Russian. J. Ichthyol. 16: 271-276. In English.
- Dul'keit, G.A. 1925. A list of fishes found in the basin of the Suifun River (South Ussuri Territory). Izv. Tomskogo Gosudarstvennogo, Univ. 75: 68-72. In Russian.
- Dul'keit, G.D. 1927. On the fauna of fresh-water fishes of southern Sikhote-Alin (Ussuri Territory). Ezhegodnik Zool. Muzeya AN SSSR, 28: 9-24. In Russian.
- Dunbar, M.J. and Hidebrand, H.H. 1952. Contribution to the study of fishes of Ungava Bay. J. Fish. Res. Board Can. 9: 83-128.
- Duncker, G. 1926. Die Verbreitung der Süßwasserfische in der Nordmark. Arch. Hydrobiol. 17: 736-750.
- Duncker, G. and Ladiges, W. 1960. Die Fische der Nordmark. Abh. naturw. Ver., Hamburg, N.F., 3 suppl.: 1-432, 145 fig., 1 map.
- Dykova, I. and Lom, J. 1977. Tissue reaction to *Glugea anomala* infection in sticklebacks. J. Protozool. 24: 50A.
- Dykova, I. and Lom, J. 1978. Tissue reaction of the three-spined stickleback *Gasterosteus aculeatus* L. to infection with *Glugea anomala* (Moniez, 1887). J. Fish. Dis. 1: 83-90.
- Dyl'ko, M.I. 1973. Use of fish for the biological control of mosquitos. Vyesti. Akad. Navuk. B. S.S.R. Ser. Biyol. Navuk, 4: 88-91. In Russian.
- Dymond, J.R. 1936. Some fresh-water fishes of British Columbia. Report of the British Columbia Commissioner of Fisheries for 1935: 60-72.
- Dymond, J.R. 1937. New records of Ontario fishes. Copeia, 1937: 59.
- Dymond, J.R. 1947. A list of the freshwater fishes of Canada east of the Rocky Mountains, with keys. Royal Ont. Mus. Zool. Misc. Pub. 1: 1-36.

- Dymond, J.R. 1964. A history of ichthyology in Canada. *Copeia*, 1964: 2-33.
- Dymond, J.R. and Scott, W.B. 1941. Fishes of Patricia portion of the Kenora District, Ontario. *Copeia*, 1941: 243-245.
- Eales, J.G. 1969. A comparative study of purines responsible for silvering in several freshwater fishes. *J. Fish. Res. Bd. Canada*, 26: 1927-1931.
- Ebeling, A.W. and Chen, T.R. 1970. Heterogamety in teleostean fishes. *Trans. Am. Fish. Soc.* 99: 131-138.
- Eddy, S. 1957. How to know the freshwater fishes. W. C. Brown Co., Dubuque Iowa, 253 p.
- Eddy, S. and Surber, T. 1943. Northern fishes with special reference to the Upper Mississippi Valley. Rev. Ed. C. T. Branford Co., Mass., xii + 276 p.
- Eddy, S. and Underhill, J.C. 1974. Northern fishes. With special reference to the Upper Mississippi Valley. 3rd Rev. Ed., Univ. Minnesota Press. Minneapolis, xix + 414 p.
- Edwards, R.L. 1961. The fishes of Richmond Gulf, Ungava, Canada. *Proc. Am. Phil. Soc.* 105: 196-205.
- Efimenko, L.D. and Grigoreva, N.S. 1971. Some methods of studying the olfactory analyser of fish. *Trudy Atlant. nauchno-issled. Inst. ryb. Khoz. Okeanogr.* 36: 78-88. In Russian.
- Eggers, D.M., Bartoo, N.W., Rickard, N.A., Nelson, R.E., Wissmar, R.C., Burgner, R.L. and Devol, A.H. 1978. The Lake Washington ecosystem: the perspective from the fish community production and forage base. *J. Fish. Res. Board Can.* 35: 1553-1571.
- Ehrenbaum, E. 1904. Fische mit festsitzenden Eiern. *Wiss. Meeresuntersuch. Kiel, (Abt. Helgoland)*, n.s. 6: 127-200. 13 pls.
- Ehrenbaum, E. 1905-1909. Eier und Larven von Fischen der Nordischen Planktons. Teil I, 1905, 4: iv + I, i-I, 216 + iii, 82 fig. Teil II, 1909, 10: I 217-I, 413 fig. 83-147.
- Ehrenbaum, E. 1936. Band II. Naturgeschichte und wirtschaftliche Bedeutung der Seefische Nordeuropas. In: Lubbett, H. and Ehrenbaum, E. *Handbuch Seefischerei Nordeuropas*. Stuttgart, x + 337 p., 276 figs., 26 tables.
- Eigenmann, C.H. 1887. A review of the American Gasterosteidae. *Proc. Acad. Nat. Sci. Philadelphia*, 1886: 223-252.
- Ekman, S. 1953. Zoogeography of the Sea. Sidgwick and Jackson. London (1967 Ed.) xiv + 417 p.
- Ekström, C.U. 1835. Die Fische in den Scheeren von Mörkö. Berlin, p. 152-166.

- Elkan, E. 1962. *Dermocystidium gasterostei* n. sp., a parasite of *Gasterosteus aculeatus* L. and *Gasterosteus pungitius* L. Nature, Lond. 196: 958-960.
- Elkan, E. 1963. A *Dermocystidium* in sticklebacks (*Gasterosteus aculeatus* L.) from Surrey. In: 1st Annual meeting of the British Section of the Society of Protozoologists, 1962. J. Protozool. 10 (Suppl.): 27. (Title Only).
- Ellis, D.V. 1962. Observations on the distribution and ecology of some Arctic fish. Arctic, 15: 179-189.
- Ellis, R.J. 1974. Distribution, abundance and growth of juvenile sockeye salmon, *Oncorhynchus nerka*, and associated species in the Naknek River system 1961-1964. Natl. Ocean Atmos. Adm., Tech. Rep. Natl. Mar. Fish. Serv., Spec. Sci. Rep. Fish., 678: 1-53.
- Elshoud, G.C.A. 1978. Respiration in the three-spined stickleback, *Gasterosteus aculeatus*: An electromyographic approach. Neth. J. Zool. 28: 524-544.
- Elton, C.S. 1922. On the colours of water-mites. Proc. Zool. Soc. Lond. 82: 1231-1239 (appeared 1923).
- Emery, A.R. 1973. Preliminary comparisons of day and night habits of freshwater fish in Ontario Lakes. J. Fish. Res. Board Can. 30: 761-774.
- Engel, J.M. 1978. Management of endangered cool-water fishes, p. 159-160. In: Kendall, R.L. (Ed.) Selected coolwater fishes of North America. Proceedings of a Symposium, St. Paul, Minnesota, 7-9 March 1978. American Fisheries Society, Washington. xii + 437 p.
- Erickson, B.W., Vernick, S.M. and Sprague, V. 1967. Observations on spores of *Glugea* sp. using inst. shadow casting and inst. electron microscopy. Amer. Zool. 7: 777-778.
- Ermer, M. 1970. Experiments with carcinogens on short lived fish species. Zool. Anz. 184: 175-193. In German.
- Evans, D.H. 1969. Studies on the permeability to water of selected marine, freshwater and euryhaline teleosts. J. Exp. Biol. 50: 689-703.
- Everhart, W.H. 1966. Fishes of Maine. Maine Dept. Inland Fisheries and Game. 3rd Ed. 96 p.
- Evermann, B.W. and Cox. U.O. 1896. Report upon the fishes of the Missouri River basin. Rep. U.S. Fish. Comm. 1894: 325-429.
- Evers, M. 1878. Zur Charakteristik des Stichlings (*Gasterosteus aculeatus*). Jahresber. Naturw. Ver. Elberfeld. 5. Heft: 26-46.
- Evers, M. 1879a. Nesterbau und Brutpflege der Stichlinge. Isis (Russ), 4. Jahrg., 125-126; 133-134; 141-142; 149-150; 157-158.



- Evers, M. 1879b. Zur Charakteristik des Stichlings (*Gasterosteus aculeatus*). Isis (Russ), 4. Jahrg. 225-226; 233-234; 241-242; 249-250; 257-259. Also separate; Elberfeld, 1878.
- Evers, M. 1880. Beobachtungen am Stichling. Abstract in Corresbl. Naturf. Ver. Riga, 23 Jahrg. 129-134.
- Evropeitseva, N.V. 1946. On the new commercial importance of the three-spined stickleback (*Gasterosteus aculeatus* L.). Trudy yubileinoi nauchnoissessii Leningradskogo universiteta, sektsiya biologii, 1946: 188-192. In Russian.
- Evsin, V.S. 1969. The pike of lakes Kanet'yavr and Bol'shaya Kolgiyavr and the Teriberka river. Dokl. Otd. Komis. Geogr. Ovshchest. SSSR, 9: 138-145.
- Fabricius, O. 1780. Fauna Groenlandica, systematice sistens animalia Groenlandiae occidentalis... Copenhagen and Leipzig, xvi + 452 p.
- Falk, M.R. 1972. Unusual occurrence of the brook stickleback (*Culaea inconstans*) in the Mackenzie River, Northwest Territories. J. Fish. Res. Board Can. 29: 1655-1656.
- Fänge, R. 1953. The mechanism of gas transport in the euphysoclist swim-bladder. Acta Physiol. Scand. 23, Suppl. 110: 1-133.
- Fatio, V. 1882. Faune des vertébrés de la Suisse. IV. Histoire naturelle des poissons. H. Georg, Genève, xiv + 786 p., 5 pls.
- Fedoruk, A.N. 1971. Freshwater fishes of Manitoba: checklist and keys. Dept. Mines, Resources and Environmental Management, 130 p.
- Feldmeth, C.R. and Baskin, J.N. 1976. Thermal and respiratory studies with reference to temperature and oxygen tolerance for the unarmored stickleback *Gasterosteus aculeatus williamsoni* Hubbs. Bull. South Calif. Acad. Sci. 75: 127-131.
- Fentress, J.C. 1977. The tonic hypothesis and the patterning of behavior, p. 370-395. In: Wenzel, B.M. and Zeigler, H.P. (Eds.). Annals of the New York Academy of Sciences, Vol. 290. Tonic functions of sensory systems. Symposium, New York, 19-21 April 1976. New York Academy of Sciences, New York, 435 p.
- Fimreite, N., Holdsworth, W.N., Keith, J.A., Pearce, P.A. and Gruchy, L.M. 1971. Mercury in fish and fish-eating birds near sites of industrial contamination in Canada. Can. Field-Nat. 85: 211-220.
- Fish, C.J. 1925. Seasonal distribution of the plankton of the Woods Hole region. U. S. Bur. Fish. Bull. 41: 91-179.
- Fish, M.P. 1932. Contributions to the early life histories of 62 species of fishes from Lake Erie and its tributary waters. Bull. U.S. Bur. Fish. 47: 293-398.

- Fish, M.P. 1954. The character and significance of sound production among fishes of the western North Atlantic. Bull. Bingham Oceanog. Coll. 14: 1-109.
- Fish, M.P., Kelsey, A.S. and Mowbray, W.H. 1952. Studies on the production of underwater sound by North Atlantic coastal fishes. J. Mar. Res. 11: 180-193.
- Fisher, A. 1948. British fishes for garden ponds. (5), Minnows, gudgeon, sticklebacks, loach and bullheads. Water Life, 3: 241-242.
- Fjeldsa, J. 1975. A census of black-headed gull *Larus ridibundus* and Arctic tern *Sterna paradisaea* in the Lake Myvatn area, N.E. Iceland. Dan. Ornithol. Foren Tidsskr. 69: 65-72. In Danish.
- Fleishman, D.G. 1968. Cs 137 and Mn 54 in hydrobionts of some Kamchatka lakes. Zh. Evol. Biokhim. Fiziol. 4: 32-36. In Russian.
- Fleming, J. 1828. A history of British animals exhibiting the descriptive characters and systematical arrangements of the genera and species of quadrupeds, birds, reptiles, fishes, mollusca and radiata of the U.K.... Edinburgh and London, xxiii + 565 p.
- Florentin, R. 1899. Etudes sur la faune des mares salées de Lorraine. Ann. Sc. Nat. Zool. Paris, 8 (10): 209-249.
- Flourens, Valenciennes and Duméril. 1846. Rapport sur un mémoire de M. Coste, ayant pour titre: Nidification des poissons. C. R. Acad. Sci. Paris, 23: 333-336.
- Foerster, R.E. 1968. The sockeye salmon, *Oncorhynchus nerka*. Bull. Fish. Res. Board Can. 162: xv + 422 p.
- Follénus, E. 1965a. Ultrastructure of the interstitial cells of several species of fish and a cyclostome *Lampetra planeri*. Gen. Comp. Endocrinol. 5: 677.
- Follénus, E. 1965b. Cytologie fine des spermatoocytes de l'Épinoche (*Gasterosteus aculeatus*) échanges nucléocytoplasmiques et formation d'amas de mitochondries. C. r. hebdom. Séanc. Acad. Sci., Paris, 261: 4849-4852.
- Follénus, E. 1967. Marquage sélectif des cellules acidophiles de la mesoadénohypophyse de *Gasterosteus aculeatus* après injection de DL - nor - adrénaline -  $^3\text{H}$ -7: étude autoradiographique au microscope électronique. C. r. hebdom. Séanc. Acad. Sci. Paris (Sér. D.), 265: 358-361.
- Follénus, E. 1968a. Auto-radiographic electron microscopy of tritiated phenylalanine integration in hypophysis cells of the épinoche *Gasterosteus aculeatus*. J. Microsc. (Paris), 7: 36A.
- Follénus, E. 1968b. Cytologie et cytophysiologie des cellules interstitielles de l'Épinoche: *Gasterosteus aculeatus* L. Gen. Comp. Endocrinol. 11: 198-219.

- Follénius, E. 1968c. Innervation adrénérqique de la méta-adenohypophyse de l'épinoche (*Gasterosteus aculeatus* L.): mise en évidence par autoradiographie au microscope électronique. C. r. heb. Séanc. Acad. Sci. Paris (Sér. D.), 267: 1208-1211.
- Follénius, E. 1968d. Analyse de la structure fine des différents types de cellules hypophysaires des poissons téléostéens (Fine structure of various types of pituitary cell in teleostean fish). Pathol. Biol. 16 (11/12/13/14): 619-632.
- Follénius, E. 1970a. Organisation scalariforme du reticulum endoplasmique dans certains processus nerveux de l'hypothalamus de *Gasterosteus aculeatus* L. Z. Zellforsch. Mikroskop. Anat. 106: 61-68.
- Follénius, E. 1970b. Evidence in the electron microscope of the innervation of the hypophysis of *Gasterosteus aculeatus* by the techniques of Maillet Champy. C.R. Hebd. Seances Acad. Sci. Ser. D Sci. Natur. (Paris), 271: 1034-1037.
- Follénius, E. 1970c. The fine localization of nerve terminals fixing tritiated noradrenalin in the different lobes of the adeno hypophysis of the stickleback *Gasterosteus aculeatus*. p. 232-244. In: Bargmann, W. and Scharrer, B. Aspects of Neuroendocrinology. Vth Internat. Symp. on Neurosecretion. Springer-Verlag, Berlin, W. Germany, 380 p.
- Follénius, E. 1971a. Action de la 6 OH DA sur les fibres aminergiques hypophysaires chez *Gasterosteus aculeatus* L. J. Microsc. 11: 55-56.
- Follénius, E. 1971b. Effect of 6 hydroxy dopamine on hypophysial innervation of the stickleback. Ann. Endocrinol. 32: 267.
- Follénius, E. 1971c. Action de la 6 OH dopamine sur les mélanophores et sur l'adaptation chromatique chez le poisson téléostéen *Gasterosteus aculeatus* L. C. R. Hebd. Seances Acad. Sci. Ser. D. Sci. Natur. (Paris), 272: 733-736.
- Follénius, E. 1971d. Neuroendocrinologie: Intégration de la dopamine dans les terminaisons aminergiques de la méta-adénohypophyse de l'Epinoche (*Gasterosteus aculeatus* L.). C. R. Hebd. Seances Acad. Sci. Ser. D. Nat. (Paris), 273: 1039-1040.
- Follénius, E. 1972a. Effects of 6 - hydroxy dopamine on hypophyseal innervation in *Gasterosteus aculeatus*. Gen. Comp. Endocrinol. 18: 590.
- Follénius, E. 1972b. Cytologie fine de la dégénérescence des fibres aminergiques intrahypophysaires chez le poisson téléostéen *Gasterosteus aculeatus* après traitement par la 6 hydroxydopamine. Z. Zellforsch. Mikroskop. Anat. 128: 69-82.
- Follénius, E. 1972c. Intégration sélective du GABA H<sup>3</sup> dans la neurohypophyse du Poisson téléostéen *Gasterosteus aculeatus* L.: Etude autoradiographique. C.R. Hebd. Seances Acad. Sci. Ser. D. Sci. Nat. 275: 1435-1438.

- Follénius, E.V. 1973. Incorporation of gamma amino butyric acid into the neuro-hypophysis of the stickleback. *J. Microsc. (Paris)*, 17: 52A-53A.
- Follénius, E. 1974. Auto-radiographic study of the distribution of norepinephrine dopamine and gamma amino butyric acid in the neuro-hypophysis of the teleost fish *Gasterosteus aculeatus* (p. 305). In: Knowles, F. and Vollrath, L. (Eds.) Neurosecretion. The final neuroendocrine pathway. VI International Symposium, London, England 1973. Springer-Verlag, New York. ix + 345 p.
- Follénius, E. and Dubois, M.P. 1974a. Immunocytological localization and identification of the MSH - producing cells in the pituitary of the stickleback (*Gasterosteus aculeatus* L.). *Gen. Comp. Endocrinol.* 24: 203-207.
- Follénius, E. and Dubois, M.P. 1974b. Immuno-cytologic localization of melanocyte stimulating hormone activity in the adeno-hypophysis of the stickleback *Gasterosteus aculeatus*. *C. R. Hebd. Seances Acad. Sci. Ser. D. Sci. Nat.* 278(6): 759-760.
- Follénius, E. and Dubois, M.P. 1975. Immuno-cytology of corticotropic cells of the hypophysis of some teleosts. *J. Physiol. (Paris)*, 70(3): 25B-26B.
- Follénius, E. and Dubois, M.P. 1976a. Immunocytological study of corticotropic cells of some species of teleostean fishes: *Gasterosteus aculeatus* L., *Carassius auratus* L., *Lebistes reticulatus* P., *Salmo irideus* Gibbs and *Perca fluviatilis* L. *Gen. Comp. Endocrinol.* 28: 339-349. In French.
- Follénius, E. and Dubois, M.P. 1976b. Immuno-cytologic detection of the corticotropic cells in the pituitary of five species of teleost fishes. *Gen. Comp. Endocrinol.* 29 (2): 261.
- Follenius, L.E. 1974. Uptake of gamma-amino butyric acid by the neurohypophysis of stickleback. *Gen. Comp. Endocrinol.* 22: 335.
- Follet, W.I. 1957. Bronzed grackles feeding on emerald shiners. *Auk*, 74: 263.
- Forbes, H.O. 1897. Habitat of *Gasterosteus pungitius* Linn. *Bull. Liverpool, Mus.* 1: 24-25.
- Forbes, S.A. and Richardson, R.E. 1920. The fishes of Illinois. State of Illinois, 2nd Ed. cxxxvi + 357 p.
- Ford, E. 1930. Some abnormal fishes received at the Plymouth Biological Laboratory. *J. Mar. Biol. Ass. U.K.* 17: 53-64.
- Forster, J.R. 1771. A catalogue of the Animals of North America. London, 43 p., 1 pl.

- Fortunatova, K.P. 1959. Availability of sticklebacks as food for the predacious fishes of the Volga delta. Zool. Zh. 38: 1689-1701. In Russian, Fisheries Research Board of Canada Translation No. 331.
- Foster, J.R. 1977. The role of breeding behavior and habitat preferences on the reproductive isolation of three allopatric populations of ninespine stickleback, *Pungitius pungitius*. Can. J. Zool. 55: 1601-1611.
- Fowler, H.W. 1906. Fishes of New Jersey. N. J. Stage Mus. Ann. Rep. (1905): 35-477.
- Fowler, H.W. 1911. The fishes of Delaware. Proc. Acad. Nat. Sci., Philadelphia, 63: 3-16.
- Fowler, H.W. 1913. Notes on the fishes of the Chincoteague region of Virginia. Proc. Acad. Nat. Sci., Philadelphia, 65: 61-65.
- Fowler, H.W. 1921. The fishes of Bucks County, Pennsylvania. Copeia, 1921 (98): 62-68.
- Fowler, H.W. 1952. A list of the fishes of New Jersey, with off-shore species. Proc. Acad. Nat. Sci., Philadelphia, 104: 89-151.
- Franz, V. 1911. Die japanischen Knochenfische der Sammlungen Haberer und Doflein. (Beiträge zur Naturgeschichte Ostasiens. Hrsg. von F. Doflein). München Abh. Ak. Wiss. math.-phys. Kl. Suppl. Bd., 4 (1910), Abh. 1, 135 p. + 11 taf.
- Fraser, J.M. 1978. Comparative recoveries of planted yearling and fall-fingerling brook trout (*Salvelinus fontinalis*) from Ontario Lakes. J. Fish. Res. Board Can. 35: 391-396.
- Fraser, T.H. 1972. Some thoughts about the teleostean fish concept the Paracanthopterygii. Jap. J. Ichthyol. 19: 232-242.
- Freeman, M.M.R. 1965. Reproduction and distribution in arctic *Gasterosteus aculeatus* L. (Teleostei: Gasterosteidae). Ph.D. Thesis. McGill Univ., Montreal, v + 174 p.
- Fridberg, G. and Olsson, R. 1959. The praeoptico-hypophysial system, nucleus tuberis lateralis and the subcommissural organ of *Gasterosteus aculeatus* after changes in osmotic stimuli. Zeitschr. Zellforsch. Mikrosk. Anat. Abt. A, 49: 531-540.
- Friedrich, G.W. 1933. A catalog of the fishes of central Minnesota. Copeia, 1933: 27-30.
- Fries, B.F., Ekström, C.U. and Sundevall, C.J. 1836. Skandnaviens Fiskar... Stockholm, p. 17-22, pl. 4, fig. 1-3.
- Fries, G. 1965. Längen -, Gewichts- und Eiverhältnisse beim driestacheligen Stichling (*Gasterosteus aculeatus* L.). Z. Fisch. N.F. 13: 171-180.

- Frohne, W.C. 1953. Mosquito breeding in Alaskan salt marshes, with especial reference to *Aedes punctodes* Dyar. *Mosquito News*, 13: 96-103.
- Frost, G.A. 1929. A comparative study of the otoliths of the Neopterygian fishes (continued). *Ann. Mag. Nat. Hist.*, ser. 10, vol. 4: 257-264, pl. III.
- Frost, W.E. 1954. The food of pike, *Esox lucius* L., in Windermere. *J. Anim. Ecol.* 23: 339-360.
- Frost, W.E. 1977. The food of charr, *Salvelinus willoughbii* (Guenther), in Windermere. *J. Fish. Biol.* 11: 531-548.
- Frost, W.E. and Brown, M.E. 1967. The trout. Collins, London, 286 p.
- Fugelli, K. and Lange, R. 1965. Osmotic responses of erythrocytes in the euryhaline teleosts, the flounder, *Pleuronectes flesus* L. and the three-spined stickleback, *Gasterosteus aculeatus* L. *Scand. Cell Res. Rep.* 4: 44-45.
- Gadeau De Kerville, H. 1897. Faune de la Normandie. Paris, Vol. VI, p. 366-376.
- Gaigalas, K.S. 1974. Threespine stickleback *Gasterosteus aculeatus* of the Kurshi Zaliv and results of it in experimental commercial fishing. *Vopr. Ikhtiol.* 14: 814-821. In Russian.
- Ganning, B. 1971. Studies on chemical, physical and biological conditions in Swedish rockpool ecosystems. *Ophelia*, 9: 51-105.
- Garden, A. 1830. *Gasterosteus aculeatus*. (Some account of). *Loudon's Mag. Nat. Hist.* 3: 329-332.
- Garden, E. 1843. *Gasterosteus*. Ein kleiner Beitrag zur Naturgeschichte des Stichlings. *Isis*, 1834: 227-230.
- Garrey, W.E. 1905. A sight reflex shown by sticklebacks. *Biol. Bull.*, Woods Hole, 8: 79-84.
- Garside, E.T. 1969. Distribution of insular fishes of Sable Island, Nova Scotia, Canada. *J. Fish. Res. Board Can.* 26: 1390-1392.
- Garside, E.T. and Chen, L.A. 1974. The second record of brook stickleback *Culaea inconstans* (Kirtland), in Nova Scotia with comments on immigration. *Can. Field-Nat.* 88: 491-492.
- Garside, E.T. and Hamor, T. 1973. Meristic variation in the threespine stickleback, *Gasterosteus aculeatus* L., in eastern Canadian waters. *Can. J. Zool.* 51: 547-551.
- Garside, E.T., Heinze, D.G. and Barbour, S.E. 1977. Thermal preference in relation to salinity in the threespine stickleback, *Gasterosteus aculeatus* L., with an interpretation of its significance. *Can. J. Zool.* 55: 590-594.
- Garside, E.T. and Kerekes, J.J. 1969. Eastern extension of the range of the blackspotted stickleback, *Gasterosteus wheatlandi*, in Newfoundland. *J. Fish. Res. Board Can.* 26: 460-461.

- Garside, E.T., Smair, J.M. and Waugh, D.L. 1972. Insular fishes of Iles de la Madeleine, Gulf of St-Lawrence, Canada. *Can. Field-Nat.* 86: 275-278.
- Gas, M. 1970. Revue bibliographique sur la caryologie des Téléostéens. Etude critique des méthodes employées et des résultats obtenus. *Biologie méd.* 59: 54-81.
- Gaschott, O. 1929. Die Stichlinge (Gasterosteidae). In: Demoll, R. and Maier, H.N. *Handbuch der Binnenfische. Mitteleurop.* Stuttgart, 3: 131-141, 1 pl., 2 figs.
- Gaygalas, U.S. 1975. The three-spined stickleback *Gasterosteus aculeatus* of the Kurshyu Mares Courland Lagoon. *J. Ichthyol.* 14: 706-712.
- Gee, K.S. 1978. The distribution and growth of coarse fish in gravel-pit lakes in south-east England. *Freshwater Biol.* 8: 385-394.
- Gee, P.A. and Moore, K.L. 1970. Chromatin patterns in fishes with emphasis on sexual dimorphism. *Can. J. Zool.* 48: 1283-1286.
- Géhin, J.B. 1868. Révision des poissons du département de la Moselle, avec quelques considérations sur le Darwinisme. Metz. p. 49-56.
- Gentil, A. 1883. Ichthyologie de la Sarthe. *Bull. Soc. Agric. Sc. Arts de la Sarthe, Le Mans*, 29: 36-362.
- Gergens, - . 1862. Ein Über Land wandernder Fisch (*Gasterosteus aculeatus*). *Natur.* 11: 80.
- Gerell, R. 1968. Food habits of the mink, *Mustela vison* Schreb. in Sweden. *Viltrevy*, 5: 120-194.
- Gervais, P. 1866. Nouvelles remarques sur les poissons fluviatiles de l'Algérie. *C. R. Acad. Sci., Paris*, 63: 1051.
- Gervais, P. 1869. *Gasterosteus (brachycentrus)* from Algiers. *Zool. Paléont. génér.* p. 202, pl. 45, fig. 1.
- Gervais, H.F.P. and Boulart, R. 1876. Les Poissons. I, Poissons d'eau douce. Paris, 232 p., 56 fig., 60 pl.
- Giard, A. 1900a. Sur l'adaptation brusque de l'Épinoche (*Gasterosteus trachurus* Cuv. et Val.) aux eaux alternativement douces et marines. *Compt. Rend. Soc. Biol. Paris*, 52: 46-48.
- Giard, A. 1900b. Les épinoches et l'eau de mer. *Rev. des Rev. Hist. Nat.* 1: 81-82.
- Gibson, R.M. 1980. Optimal prey-size selection by three-spined sticklebacks (*Gasterosteus aculeatus*) - a test of apparent-size hypothesis. *Z. Tierpsychol.* 52 (3): 291.
- Gilbert, C.H. 1895. 6. The ichthyological collections of the steamer Albatross during the years 1890 and 1891. *U.S. Comm. Fish. Fisher. Part XIX, Rep. Commissioner 1893*: 393.

- Gilbertson, L.G. 1979. Variation and natural selection in an Alaskan population of the threespine stickleback (*Gasterosteus aculeatus* L.). Ph.D. Thesis, Univ. Washington.
- Gilhen, J. 1970. The brook stickleback, *Culaea inconstans* (Kirtland): New to Nova Scotia. Can. Field-Nat. 84: 401-402.
- Gilhen, J. 1974. The fishes of Nova Scotia's lakes and streams. Nova Scotia Museum, Halifax, v + 49 p.
- Gill, T. 1861. Catalogue of the fishes of the eastern coast of North America, from Greenland to Georgia. Proc. Acad. Nat. Sci., Philadelphia, 1861: 39-40.
- Gill, T.N. 1865. Synopsis of the fishes of the Gulf of St. Lawrence and Bay of Fundy. Can. Nat., (n.s.), 2: 244-266.
- Gill, T.N. 1885. On the mutual relations of the hemibranchiate fishes. Proc. Acad. Nat. Sci. Philad. 1884: 154-166.
- Gill, T. 1906. Parental care among fresh-water fishes. Smithson. Inst. Ann. Rep. (1905): 403-531.
- Girard, C. 1849. Fishes of Nova Scotia and Labrador. Boston J. Nat. Hist. 6: 254, pl. VII, fig. 1.
- Girard, C. 1854a. Descriptions of new fishes... Proc. Acad. Nat. Sci., Philadelphia, 7: 133-134.
- Girard, C. 1854b. Observations upon a collection of fishes... Proc. Acad. Nat. Sci., Philadelphia, 7: 147-148.
- Girard, C. 1855. A list of the fishes collected in California by Mr. E. Samuels, with descriptions of the new species. Boston J. Nat. Hist. 6: 537.
- Girard, C.F. 1857. Contribution to the ichthyology of the western coast of the United States, from specimens in the museum of the Smithsonian Institution. Proc. Acad. Nat. Sci. Philadelphia, 1856 (1857), 8: 131-137.
- Girard, C. 1858. Report on fishes collected on the survey. Explorations and Surveys for a railroad from the Mississippi River to the Pacific Ocean. War Department, Washington. Part IV, Zoological Report: xiv + 400, pl. + p. 7-34, pl.
- Girsa, I.I. 1969. Reaction to light in some freshwater fishes in the course of early development and in altered physiological states. Vopr. Ikhtirol. 9: 172-183 (In Russian), Probl. Ikhtirol. 9: 126-135 (In English).
- Girsa, I.I. 1975. Daily feeding rhythm of some yearling fishes of the White Sea in the presence of a different photoperiod. Vopr. Ikhtirol. 15: 117-125. In Russian. J. Ichthyol. 15: 102-110. In English.



- Cistel, J. 1840. On the nests of the fifteen-spines Stickleback, or *Gasterosteus spinachia* of Linnaeus. Ann. Mag. Nat. Hist. 5: 148-149.
- Glaser, D. 1966. Studies on the absolute threshold of tastes of fish. Z. Vergleichende Physiol. 52: 1-25. In German.
- Glaser, D. 1968. Zum Verhalten blinder Fische. Z. Tierpsychol. 25: 648-658.
- Glaser, L. 1865. Nest des Stichlings im Aquarium. Zool. Garten, 6. Jahrg. 189-192.
- Gloger, C.L. 1833. Schlesiens Wirbelthier-Fauna. Breslau. p. 77.
- Gmelin, J.F. 1789. Pisces. In: Linnaeus, C. Systema Naturae per regna tria naturae, secundum classes, ordines, genera, species, cum characteribus, differentiis, synonymis, locis. Ed. XIII, 1 (3): 1126-1516.
- Godfrey, H. 1955. On the ecology of Skeena River whitefishes, *Coregonus* and *Prosopium*. J. Fish. Res. Board Can. 12: 499-542.
- Gofman-Kadoshnikov, P.B., Khodakova, V.I., Chizhova, T.P. and Kravtsov, E.G. 1963. The role of the stickle-back (*Gasterosteus aculeatus*) in the spread of diphyllobothriasis. Med. Parazitol. i Parazitar Bolezni, 32: 460-465.
- Goldsmith, M. 1915. Réactions physiologiques et psychiques des Poissons. Paris, thèse, p. 12.
- Golubev, A.V. and Marusov, E.A. 1979. A study of chemoreception in the White Sea threespine (*Gasterosteus aculeatus*) during the reproductive period. Biol. Nauki, (no. 9): 33-35. In Russian.
- Gomelyuk, V.E. 1976. Effects of environmental factors on the behavior of the male threespine stickleback *Gasterosteus aculeatus* L. from the White Sea during care of progeny. Vopr. Ikhtiolog. 16: 1043-1053. (In Russian). J. Ichthyol. 16: 949-958. (In English).
- Goode, G.B. 1879. Catalogue of the collection to illustrate the animal resources and the fisheries of the U.S. Bull. U.S. Nat. Mus. 1879, no. 14: 53-54.
- Goode, G.B. 1880. Exhibit of the fisheries and fish culture of the U.S. Bull. U.S. Nat. Mus. 1880, no. 18: 31.
- Goode, G.B. and Bean, T.H. 1879. A list of the fishes of Essex County, including those of Massachusetts Bay according to the latest results of the works of the U.S. Fish Commission. Bull. Essex Inst. 38 p.
- Goodrich, E.S. 1909. Cyclostomes and fishes. In: Lankester, R. (Ed.). A treatise on Zoology, pt. 7. Adams and Charles, London.
- Gordon, B.L. 1974. A guide book to the marine fishes of Rhode Island. Book and Tackle Shop, Watch Hill, R.I. xi + 136 p.

- Gordon, G. 1852. A list of the fishes that have been found in the Moray Firth... *Zoologist*, London, 10: 34-58.
- Gosline, W.A. 1971. Functional morphology and classification of Teleostean fishes. Univ. Press of Hawaii, Honolulu, ix + 208 p.
- Goto, A., Oishi, K. and Takata, K. 1979. Breeding habits, growth and food of the nine-spined stickleback, *Pungitius pungitius*, in an artificial waterway of the Kunebetsu River system, Hokkaido, Japan. *Bull. Fac. Fish. Hokkaido Univ.* 30 (4): 239-251. In Japanese.
- Gottfried, H. and Van Mullem, P.J. 1967. On the histology of the interstitium and the occurrence of steroids in the stickleback (*Gasterosteus aculeatus* L.) testis. *Acta Endocrinol.* 56: 1-15.
- Gourret, P. 1897. Les étangs saumâtres du Midi de la France et leurs pêcheries. *Ann. Mus. Hist. Nat.*, Marseille, 5 (2).
- Goyens, J. and Sevenster, P. 1976. Effect of the heredity factor and of population density on ontogenesis of aggressiveness in the stickleback (*Gasterosteus aculeatus* L.). *Neth. J. Zool.* 26: 427-431. In French.
- Grabda, J. 1956. Badania nad rozwojem *Lernaea esocina* (Burm., 1835) i *Lernaea cyprinacea* L. 1758. (Research on the development of *Lernaea esocina* (Burmeister, 1835) and *Lernaea cyprinacea* L. 1758). *Wiadomosci Parazytol.* 1956 (5 Suppl.), : 257-258.
- Grabda, J. 1971. Kolcogłowy Acanthocephala. *Kat. Fauny Polski*, 17: 3-40.
- Graetz, E. 1933. Die Durchlässigkeit der Körperoberfläche des Süßwasserstichlings und ihre Beziehung zur Osmoregulation. I. Die Chloriddurchlässigkeit in chloridfreien Aussenmedien. II. Osmoregulation durch Nierenarbeit, Permeabilität körperfremder Ionen, Wasserimpermeabilität, Theorie der Permeabilitätsveränderung. *Zool. Jahrb. Abt. Allg. Zool. U. Physiol.* 52 (3): 451-464. 53 (1): 1-40.
- Granier, J. 1976. Présence de *Potamopyrgus jenkinsi* (Smith) dans le département de l'Isère. *Bull. Mens. Soc. Linn. Lyon*, 45: 41-43.
- Greenbank, J. and Nelson, P.R. 1959. Life history of the threespine stickleback *Gasterosteus aculeatus* Linnaeus in Karluk Lake and Bare Lake, Kodiak Island, Alaska. *Fishery Bull. Fish Wildl. Serv. U.S.*, 59: 537-559.
- Greenfield, D.W. and Deckert, G.D. 1973. Introgressive hybridization between *Gila orcutti* and *Hesperoleucus symmetricus* (Pisces: Cyprinidae) in the Cuyama River basin, California: II. Ecological aspects. *Copeia*, 1973: 417-427.
- Greenfield, J.P. and Ireland, M.P. 1978. A survey of the macrofauna of a coal-waste polluted Lancashire fluvial system. *Environ. Pollut.* 16: 105-122.

- Greenwood, P.H., Rosen, D.E., Weitzman, S. and Myers, G. 1966. Phyletic studies of teleostean fishes, with a provisional classification of living forms. Bull. Amer. Mus. Nat. Hist. 131: 339-455.
- Gregory, W.K. 1933. Fish Skulls: A Study of the Evolution of Natural Mechanisms. Trans. Am. Phil. Soc., n. s. 23 (2): vii + 75-481.
- Griffini, A. 1903. Ittiologia italiana. Manuali Hoepli, Milano. xii + 475 p., 244 fig.
- Griswold, B.L. 1970. The ecology of the ninespine stickleback, *Pungitius pungitius* (Linnaeus), in western Lake Superior. Ph.D. Thesis, Univ. of Minnesota. 113 p.
- Griswold, B.L. and Smith, L.L. 1972. Early survival and growth of the ninespine stickleback, *Pungitius pungitius*. Trans. Am. Fish. Soc. 101: 350-352.
- Griswold, B.L. and Smith, L.L. 1973. The life history and trophic relationship of the ninespined stickleback, *Pungitius pungitius*, in the Apostle Islands area of Lake Superior. U.S. Natl. Mar. Fish. Serv. Fish. Bull. 71: 1039-1060.
- Gritsenko, O.F. and Churikov, A.A. 1977. Biology of the char of the genus *Salvelinus* and their role in bay ichthyocenoses in the southwest Sakhalin oblast: II. Nutrition. Vopr. Ikhtiolog. 17: 668-676. In Russian. J. Ichthyol. 17: 591-599. In English.
- Grochmalicki, J. 1920. Notes sur la zoographie polonaise, *Citellus guttatus* Pall. et *Gasterosteus aculeatus* L. Kosmos, Bull. Soc. pol. nat., Leopold. 45: 190-193. In Polish.
- Gronow, L.T. 1854. Catalogue of fishes collected and described by Laurence Theodore Gronow, now in the British Museum. Edited from the manuscript by J. E. Gray, London, vii + 196 p.
- Gross, H.P. 1977. Adaptive trends of environmentally sensitive traits in the three-spined stickleback, *Gasterosteus aculeatus* L. Z. Zool. Syst. Evolut. Forsch. 15: 252-278.
- Gross, H.P. 1978a. Natural selection by predators on the defensive apparatus of the three-spined stickleback, *Gasterosteus aculeatus* L. Can. J. Zool. 56: 398-413.
- Gross, H.P. 1978b. Observations on the geographic variation of the marine coastal fish *Spinachia spinachia*. Mar. Biol. (Berl.), 47: 297-302.
- Gross, H.P. 1979. Geographic variation in European ninespine sticklebacks, *Pungitius pungitius*. Copeia, 1979: 405-412.

- Gross, H.P. 1980a. Geographic variation, natural selection and threespine sticklebacks. Second Int. Congr. Syst. Evol. Biol., Univ. British Columbia, Vancouver, July 17-24, 1980, p. 105.
- Gross, H.P. 1980b. Evolution of body form in sticklebacks: trade-off optimisation. Second Int. Congr. Syst. Evol. Biol., Univ. British Columbia, Vancouver, July 17-24, 1980, p. 220.
- Gueylard, F. 1923. Résistance des Epinoches aux variations de salinité. Compt. Rend. Soc. Biol. Paris, 89: 78-80.
- Gueylard, F. 1924a. De l'adaptation aux changements de salinité. Recherches biologiques et physiochimiques sur l'Epinoche (*Gasterosteus leiurus* Cuv. et Val.). Thesis, Paris, Vigot frères.
- Gueylard, F. 1924b. De l'adaptation aux changements de salinité. Recherches biologiques et physiochimiques sur l'Epinoche (*Gasterosteus leiurus*, Cuv. et Val.). Arch. Phys. Biol. 3: 79-197.
- Guichenot, M. 1869. Notice sur quelques poissons inédits de Madagascar et de la Chine. Nouv. Arch. Mus. Hist. Nat., Paris, 5: 204-206.
- Guichenot, M. 1870. *Gasterosteus sinensis*, sp. n. Nouv. Arch. Mus. 5: 204, pl. 12, fig. 4.
- Guiton, P. 1960. On the control of behaviour during the reproductive cycle of *Gasterosteus aculeatus*. Behaviour, 15 (3/4): 163-184.
- Gunnerød, T.B., Low, L.L., Mathisen, O.A., Nunnallee, E.P., Poe, P.H. and Roger, P.B. 1971. Kvichak sockeye salmon studies. Res. Fish. Coll. Fish. Univ. Wash. 1970 (340): 12-16.
- Gunter, G. 1942. A list of the fishes of the mainland of North and Middle America recorded from both freshwater and sea water. Amer. Midl. Nat. 28: 305-326.
- Günther, A. 1853. Die Fische des Neckars. Jahr. Ver. Varterl. Natur. Württemberg, Stuttgart, 9: 253-259.
- Günther, A. 1859. Catalogue of Acanthopterygian fishes in the British Museum. London, vol. 1: 2-7.
- Günther, A. 1880. An introduction to the study of fishes. Edinburgh.
- Guoliang, Chang, Lin Jinlu, Li Suling and Liang Qiping. 1978. A preliminary paleomagnetic survey of the Nihewan Bed. Sci. Geol. Sin. (3): 247-252. In Chinese.
- Gurney, R. 1913. Some notes on the parasitic copepod *Thersitina gasterostei* Pagenstecher. Ann. Mag. Nat. Hist. 12: 415-424.
- Gurvich, G. 1938. The stickleback (*Gasterosteus aculeatus* L.) and its importance in the White Sea fishery. Priroda, Nos. 7/8. In Russian.

- Gusev, A.V. 1951. Parasitic copepods of several marine fishes. Paraz. Sbornik, 13: 394-463. In Russian.
- Gusev, A.V. 1955. Monogenetic trematodes of fishes from the Amur River System. Trudy Zool. Inst. AN SSSR, 19: 171-398. In Russian.
- Gutz, M. 1970. Experimental studies on adaptation to salinity shown by the different races of the three-spined stickleback (*Gasterosteus aculeatus* L.). Int. Rev. Gesamten. Hydrobiol. 55: 845-894. In German.
- Gyarulaitis, A.B. 1976. Morphological, biological and commercial fishing characteristics of Kurski Zaliv perch: 2. Biological characteristics. Liet. Tsr. Mokslu. Akad. Darb. Ser. C Biol. Mokslai, 2: 121-132. In Russian.
- Gyarulaitis, A.B. 1978. Ecological variability in the pike perch of waters in the Lithuanian SSR: 5. Formation of pike perch reserves in the Kaunas Hydroelectric Station reservoir. Liet. Tsr. Mokslu. Akad. Darb. Ser. C Biol. Mokslai, 2: 85-94. In Russian.
- Gyldenholm, A.O. and Scheel, J.J. 1971. Chromosome numbers of fishes. I. J. Fish. Biol. 3: 479-486.
- Haartman, L. 1947. Tangspiggen *Spinachia vulgaris* Fleming, anträffad i Alands skärgård. Memoranda Soc. Fauna fenn. Helsinki, 23: 50.
- Haas, H.J. 1908. Einiges über Gasterosteidae. Wochenschr. Aquar.-Terrar. Kunde, S. Jahrg. 206-207.
- Haas, R.L. 1943. A list of the fishes of McHenry County, Illinois. Copeia, 1943: 160-164.
- Hackert-Korde, K. 1975. Histological and histochemical studies on the kidney of the three-spined stickleback *Gasterosteus aculeatus* L.: I. Morphological changes in the renal epithelial cells during the spawning period. II. Substrate histochemical findings on the renal secretion. Z. Mikrosk.-Anat. Forsch. (Leipz.), 89: 373-385, 89: 386-392. In German.
- Hackert-Korde, K. 1976. Histologic and histochemical studies of the kidneys of sticklebacks *Gasterosteus aculeatus* L.: III. The behavior of some phosphatases in dependence on secretion formation. Z. Mikrosk.-Anat. Forsch. (Leipz.), 90: 192-199. In German.
- Hackert-Korde, K. 1977. Histochemical investigations on the fish kidney (*Gasterosteus aculeatus* L.). Anat. Anz. 142: 86-88.
- Hackstock-Schellenberg, F. 1964. Die Süßwasserfische Mitteleuropas und ihr Fang. Albert-Müller Verlag, Rorschlikon-Zurich. 212 p.

- Hagen, D.W. 1966. Isolating mechanisms and speciation in *Gasterosteus aculeatus* L. Ph.D. Thesis, Dept. of Zoology, Univ. of British Columbia ix + 123 p.
- Hagen, D.W. 1967. Isolating mechanisms in threespine sticklebacks (*Gasterosteus*). J. Fish. Res. Board Can. 24: 1637-1692.
- Hagen, D.W. 1973. Inheritance of numbers of lateral plates and gill rakers in *Gasterosteus aculeatus*. Heredity, 30: 303-312.
- Hagen, D.W. and Gilbertson, L.G. 1972. Geographic variation and environmental selection in *Gasterosteus aculeatus* L. in the Pacific Northwest, America. Evolution, 26: 32-51.
- Hagen, D.W. and Gilbertson, L.G. 1973a. The genetics of plate morphs in freshwater threespine sticklebacks. Heredity, 31: 75-84.
- Hagen, D.W. and Gilbertson, L.G. 1973b. Selective predation and the intensity of selection acting upon the lateral plates of threespine sticklebacks. Heredity, 30: 273-287.
- Hagen, D.W. and McPhail, J.D. 1970. The species problem within *Gasterosteus aculeatus* on the Pacific coast of North America. J. Fish. Res. Board Can. 27: 147-155.
- Hagen, D.W. and Moodie, G.E.E. 1979. Polymorphism for breeding colors in *Gasterosteus aculeatus*. I. Their genetics and geographic distribution. Evolution, 33: 641-648.
- Hagen, D.W. and Moodie, G.E.E. 1980. An hypothesis to account for the global distribution of plate morphs in *Gasterosteus aculeatus*. Second Int. Congr. Syst. Evol. Biol., Univ. British Columbia, Vancouver, July 17-24, 1980, p. 104.
- Hagen, D.W., Moodie, G.E.E. and Moodie, P.F. 1972. Territoriality and courtship in the Olympic mud-minnow (*Novumbra hubbsi*). Can. J. Zool. 50: 1111-1115.
- Hagen, D.W., Moodie, G.E.E. and Moodie, P.F. 1980. Polymorphism for breeding colours in *Gasterosteus aculeatus*. II. Reproductive success as a result of convergence for threat display. Evolution, 34: 1050-1059.
- Haitlinger, R. and Wolanska, L. 1965. Some data on *Schistocephalus solidus* (O. F. Muller, 1776) plerocercoid. Acta Parasitol. Pol. 13 (1/3): 103-108.
- Hale, P.A. 1965. The morphology and histology of the digestive systems of two freshwater teleosts, *Poecilia reticulata* and *Gasterosteus aculeatus*. J. Zool. (Lond.), 146: 132-149.
- Hall, M.F. 1956. A comparative study of the reproductive behaviour of the sticklebacks (*Gasterosteidae*). Ph.D. Thesis, Oxford Univ., 370 p.

- Hallam, J.C. 1959. Habitat and associated fauna of four species of fish in Ontario streams. *J. Fish. Res. Board Can.* 16: 147-173.
- Hallet, C. 1977. Contribution to the study of the diet of the kingfisher *Alcedo atthis* in the Lesse River valley. *Aves*, 14: 128-144.
- Halvorsen, O. 1970. Morphological studies of *Diphyllobothrium plerocercoids*. *Nytt. Mag. Zool.* 18:98.
- Hamada, K. 1975. Excessively enlarged thyroid follicles of the three spined stickleback, *Gasterosteus aculeatus aculeatus*, reared in freshwater. *Jpn. J. Ichthyol.* 21: 183-190.
- Hancock, A. 1852. Observations on the nidification of *Gasterosteus aculeatus* and *Gasterosteus spinachia*. *Trans. Tyneside Nat. Field Club*, 2: 311-321, 2 pls. *Ann. Mag. Nat. Hist.* 2 ser. 10: 241-248. *Zoologist*, 12: 4409-4417. *Froriep's Tagsber. (Zool.)*, 3, no. 668: 217-222.
- Hanek, G. and Fernando, C.H. 1971. Monogenetic trematodes from the Bay of Quinte area, Ontario. 2. Genus *Gyrodactylus* Nordmann, 1832. *Can. J. Zool.* 49: 1331-1341.
- Hanek, G. and Molnar, K. 1974. Parasites of freshwater and anadromous fishes from Matamek river system, Quebec. *J. Fish. Res. Board Can.* 31: 1135-1139.
- Hanek, G. and Threlfall, W. 1969a. *Thersitina gasterostei* (Pagenstecher, 1861) (Copepoda: Ergasilidae) from *Gasterosteus wheatlandi* Putnam 1867. *Can. J. Zool.* 47: 627-629.
- Hanek, G. and Threlfall, W. 1969b. Digenetic trematodes from Newfoundland, Canada. 1. Three species from *Gasterosteus aculeatus* Linnaeus, 1758. *Can. J. Zool.* 47: 793-794.
- Hanek, G. and Threlfall, W. 1969c. Monogenetic trematodes from Newfoundland Canada. I. New species of the genus *Gyrodactylus* Nordmann, 1832. *Can. J. Zool.* 47: 951-955.
- Hanek, G. and Threlfall, W. 1969d. Digenetic trematodes from Newfoundland, Canada. 2. Two species from *Gasterosteus aculeatus* Linnaeus, 1758. *Can. J. Zool.* 47: 1086-1087.
- Hanek, G. and Threlfall, W. 1970a. *Ergasilus auritus* Markewitsch, 1940 (Copepoda: Ergasilidae) from *Gasterosteus aculeatus* Linnaeus, 1758. *Can. J. Zool.* 48: 185-187.
- Hanek, G. and Threlfall, W. 1970b. Helminth parasites of the fourspine stickleback (*Apeltes quadracus* (Mitchill)) in Newfoundland. *Can. J. Zool.* 48: 404-406.
- Hanek, G. and Threlfall, W. 1970c. Parasites of the threespine stickleback (*Gasterosteus aculeatus*) in Newfoundland and Labrador. *J. Fish. Res. Board Can.* 27: 901-907.

- Hanek, G. and Threlfall, W. 1970d. Parasites of the ninespine stickleback *Pungitius pungitius* (L.) in Newfoundland and Labrador. *Can. J. Zool.* 48: 600-602.
- Hanek, G. and Threlfall, W. 1971. Metazoan parasites of the twospine stickleback, *Gasterosteus wheatlandi* Putnam 1867, in Newfoundland. *Amer. Midl. Nat.* 85: 275-276.
- Hankinson, T.L. 1923. The creek fish of western New York. *Copeia*, 1923 (115): 29-34.
- Hansen, D.F. 1939. Variation in the number of spines and rays in the fins of the brook stickleback. *Trans. Illinois Acad. Sci.* 32: 207-212.
- Hansen, H.J. 1883. *Zoologia danica Fiske*. Copenhagen, p. 27-32, pl. V, fig. 1-4.
- Hansen, P.-D. 1980. Uptake and transfer of the chlorinated hydrocarbon lindane ( $\gamma$ -BHC) in a laboratory freshwater food chain. *Environ. Pollut. Ser. A Ecol. Biol.* 21(2): 97-108.
- Harden-Jones, F.R. 1968. *Fish migration*. Edward Arnold, London, viii + 325 p.
- Hardy, J.D. 1978. Development of fishes of the mid-Atlantic Bight. An Atlas of egg, larval and juvenile stages. Vol. 11. Anguillidae through Syngnathidae. *Biol. Serv. Prog., Fish Wildl. Serv., U.S. Dept. Interior*, 458 p.
- Harlan, J.R. and Speaker, E.B. 1956. *Iowa Fish and Fishing*. 3rd Ed. State of Iowa, 377 p. 4th Ed., 1969, 365 p.
- Harney, M.A. and Norden, C.R. 1972. Food habits of the coho salmon *Oncorhynchus kisutch*, in Lake Michigan. *Trans. Wisc. Acad. Sci. Arts Lett.* 60: 79-85.
- Harrington, R.W. 1959. Photoperiodism in fishes in relation to the annual sexual cycle. *Publ. Amer. Ass. Adv. Sci.* 55: 651-667.
- Harris, C.J. 1968. *Otters*. Weidenfeld and Nicolson, London.
- Hart, J.L. 1973. *Pacific fishes of Canada*. *Bull. Fish. Res. Bd. Canada*, 180: xii + 740 p.
- Hart, M. and Sevenster, P. 1970. Behavioral genetic study of the three-spined stickleback *Gasterosteus aculeatus*. *Genen. Phaenen.* 14: 19.
- Hart, M.T. 1978. A study of a short term behaviour cycle creeping through in the three-spined stickleback (*Gasterosteus aculeatus* L.): 2. *Behaviour*, 67: 1-66.
- Harting, P. 1878. *Variabiliteit der stekelbaarzen*. *Album Natuur*, 1878 (Wetensch. bijblad.): 15-16.



- Hartley, P.H.T. 1948. Food and feeding relationships in a community of fresh-water fishes. *J. Anim. Ecol.* 17: 1-14.
- Hartmann, F. 1979. Three spines on a stickleback. *Natural History*, 88 (10) : 32-35.
- Hartmann, G.L. 1827. *Helvetische Ichthyology, oder ausführliche Naturgeschichte der in der Schweiz sich vorfindenden Fish.* Zurich, p. 70-73.
- Hasler, A.D. 1971. Orientation and fish migration (p. 429-510). In: Hoar, W.S. and Randall, D.J. (Eds.) *Fish Physiology*. Vol. 6. Academic Press, New York, xvi + 559 p.
- Hay, D.E. 1974. Ecological genetics of threespine sticklebacks (*Gasterosteus*). Ph.D. Thesis, Univ. British Columbia. *Diss. Abs. Int.* 35B: 5718.
- Hay, D.E. and McPhail, J.D. 1975. Mate selection in threespine sticklebacks. *Can. J. Zool.* 53: 441-450.
- Hay, O.P. 1907. A new fossil stickleback fish from Nevada. *Proc. U. S. Nat. Mus.* 32: 271-273.
- Hay, O.P. 1929. Second bibliography and catalogue of the fossil Vertebrata of North America. Vol. 1. 916 pp. Carnegie Instn. of Washington. Publ. 390.
- Hayes, F.R. and Livingstone, D.A. 1955. The trout population of a Nova Scotia lake as affected by habitable water, poisoning of the shallows and stocking. *J. Fish. Res. Board Can.* 12: 618-635.
- Hazel, C.R., Thomsen, W. and Meith, S.J. 1971. Sensitivity of striped bass and stickleback to ammonia in relation to temperature and salinity. *Calif. Fish. Game*, 57: 138-153.
- Healy, A. 1956. Pike (*Esox lucius* L.) in three Irish Lakes. *Sci. Proc. R. Dublin Soc.* 27: 51-67.
- Healy, E.G. 1957. The nervous system. In: Brown, M.E. (Ed.). *The physiology of fishes*, Vol. 2: 1-119, Academic Press, London.
- Heard, W.R., Wallace, R.L. and Hartman, W.L. 1969. Distribution of fishes in fresh water of Katmai National Monument, Alaska and their zoogeographical implications. *U. S. Fish. Wildl. Serv. Spec. Sci. Rep.* 590: iii + 20 p.
- Heckel, J.J. and Kner, R. 1858. *Die Süßwasserfische der Österreichischen Monarchie mit Rücksicht auf der angrenzenden Länder.* Wilhelm Engelmann, Leipzig, xii + 388 p., 203 fig.
- Heilborn, A. 1931. *Der stichling (Gasterosteus).* Brehm Bücher, Berlin, 8: 30 pp.

- Heilborn, A. 1949. Der Stichling. Geest and Portig, Leipzig, 32 p.
- Heilner, V.C. 1920. Immunity enjoyed by sticklebacks. *Copeia*, 1920 (82) : 38.
- Heincke, F. 1889. Untersuchungen über die Stichlinge. Öfver. Vet. Akad. Förh., Stockholm, 46: 395-410.
- Held, E.E. 1972. Johnston Atoll studies. Res. Fish. Coll. Fish. Univ. Wash., 1971 (355): 35-36.
- Held, E.E., Eagle, R.J. and Walden, S.J. 1971. Johnston Atoll studies. Res. Fish. Coll. Fish. Univ. Wash., 1970 (340): 28-29.
- Held, J.W. and Peterka, J.J. 1974. Age, growth, and food habits of the fathead minnow, *Pimephales promelas*, in North Dakota saline lakes. Trans. Am. Fish. Soc. 103: 743-756.
- Heller, R. and Milinski, M. 1979. Optimal foraging of sticklebacks (*Gasterosteus aculeatus*) on swarming prey. Anim. Behav. 27 (4): 1127-1141.
- Henderson, I.W., Chan, D.K.O., Sandor, T. and Chester-Jones, I. 1970. The adrenal cortex and osmo-regulation in teleosts. In: Hormones and the Environment Mem. Soc. Endocrinol. 18: 31-53 (Benson, G.K. and Philipps, J.G. Eds.), Univ. Press, Cambridge.
- Henderson, N.E. and Peter, R.E. 1969. Distribution of fishes of southern Alberta. J. Fish. Res. Board Can. 26: 325-338.
- Henry, R.A. and Johnson, R.C. 1978. Distribution of the genus *Leptospira* in soil and water. Appl. Environ. Microbiol. 35: 492-499.
- Hentschel, H. 1973. Vergleichend histologisch-histochemische Untersuchungen an den Harnorganen von Stichlingen (Gasterosteidae, Pisces). Dr. rer. nat. Thesis, Technischen Universität, Hannover.
- Hentschel, H. 1977. The kidney of *Spinachia spinachia* (L.) Flem. (Gasterosteidae, Pisces): I. Investigations of juvenile sticklebacks: Anatomy, circulation and fine structure. Z. Mikrosk.-Anat. Forsch. (Leipz.), 91: 2-21.
- Hentschel, H. 1979. The kidney of a teleost, *Spinachia spinachia*. 2. Histochemical identification of sialic acid-containing glycoprotein and fine structure of mucus secreting cells. Tissue and Cell, 11 (3): 517-531.
- Hentschel, H. and Meyer, W. 1979. Oxidative enzymes in the urinary apparatus of several freshwater fishes. Histochem. J. 11: 231-250.
- Herzenstein, S. and Warpachowski, N. 1887. Notizen über die Fischfauna des Amur-Beckens und der angrenzenden Gebiete. Trudui St. Petersburg Nat., 18: 1-58, pl. In Russian and Latin.

- Hess, W.N. 1918. A seasonal study of the kidney of the five-spined stickleback, *Eucalia inconstans*. Indianapolis Proc. Acad. Sci. 1917: 295-296.
- Hesse, R. 1940. Osmoregulation als Energieverbrauch. Jahrb. Preuss. Akad. Wiss. Phys.-Math. Kl. 1940: 79-80.
- Heuts, M.J. 1942. Chloride-excretion bij *Gasterosteus aculeatus* L. Ann. Soc. Roy. Zool. Belgique, 73: 69-72.
- Heuts, M.J. 1943. La régulation osmotique chez l'Épinochette (*Pygosteus pungitius* L.). Ann. Soc. Roy. Zool. Belgique, 74: 99-105.
- Heuts, M.J. 1944a. Calcium-ionen en geografische Verspreiding van *Gasterosteus aculeatus* (Calcium ions and the geographical distribution of *Gasterosteus aculeatus*). Natuurwetensch. Tijdschr. 26: 10-14.
- Heuts, M.J. 1944b. Laterale bepantsering en groei bij *Gasterosteus aculeatus*. (Relation between the number of lateral scales and growth in *Gasterosteus aculeatus*.) Natuurwetensch. Tijdschr. 26: 40-52.
- Heuts, M.J. 1946a. La régulation minérale en fonction de la température chez *Gasterosteus aculeatus*. Son importance au point de vue de la zoogéographie de l'espèce. Ann. Soc. Roy. Zool. Belgique, 76: 88-99.
- Heuts, M.J. 1946b. Physiological isolating mechanisms and selection within the species *Gasterosteus aculeatus* L. Nature, Lond. 158 (4023): 839-840.
- Heuts, M.J. 1947a. Laterale Bepantsering en Groei bij *Gasterosteus aculeatus* II. (Lateral shields and growth in *Gasterosteus aculeatus* II). Natuurwetensch. Tijdschr. 29: 193-196.
- Heuts, M.J. 1947b. The phenotypical variability of *Gasterosteus aculeatus* (L.) populations in Belgium. Its bearing on the general geographical variability of the species. Verh. kon. Vlaam. Acad. Wetensch. Lett. Schone, Kunston Belg. Kl. Wetensch. 9: 1-63.
- Heuts, M.J. 1947c. Experimental studies on adaptive evolution in *Gasterosteus aculeatus* L. Evolution, 1: 89-102.
- Heuts, M.J. 1949. Racial divergence in fin ray variation patterns in *Gasterosteus aculeatus*. J. Genet. 49: 183-191.
- Heuts, M.J. 1956. Temperature adaptation in *Gasterosteus aculeatus* L. Pubbl. Staz. Zool. Napoli, Napoli, 28: 44-61.
- Heuts, M.J. 1958. Three-spined stickleback *Gasterosteus aculeatus* Linnaeus. Material for Handbook of Biological Data, 9 pp.
- Hickman, C.P. and Trump, B.F. 1969. The kidney. In: Hoar, W.S. and Randall, D.J. (Eds), Fish physiology 1: 91-239. Academic Press, London and New York.

- Hildebrand, S.F. 1939. An annotated list of the fishes collected on the several expeditions to Greenland, the Fox Basin region, and the coast of Labrador by Captain R.A. Bartlett, from 1925 to 1935. Medd. Gronland Udg. Komm. Viden. Undersog. Gronland, 125: 1-12.
- Hildebrand, S.F. and Schroeder, W.C. 1928. Fishes of Chesapeake Bay. U. S. Bur. Fish. Bull. 53 (pt. 1): 1-388.
- Hinegardner, R. 1968. Evolution of cellular DNA content in teleost fishes. Amer. Nat. 102: 517-523.
- Hinegardner, R. and Rosen, D.E. 1972. Cellular DNA content and the evolution of teleostean fishes. Amer. Nat. 106: 621-644.
- Hinks, D. 1943. The fishes of Manitoba. Dept. Mines Nat. Res., Manitoba x + 102 p.
- Hirai, K., Tanaka, S. and Kato, F. 1973. The distribution of three-spine stickleback *Gasterosteus aculeatus aculeatus* (Linné) (land-locked form) in the Oono basin related to partial fountain drying. Ann. Rept. Noto. Mar. Lab. 13: 77-84.
- Hirsch, G.C. 1939. Einiges über die Restitution von Produkten in tierischen Zellen. Verh. Deutsch. Zool. Ges. Leipzig, 41: 255-295.
- Hislop, J.R.G. 1979. Preliminary observations on the near-surface fish fauna of the northern North Sea in late autumn. J. Fish. Biol. 15: 697-704.
- Hoar, W.S. 1961. The effect of reproductive (pituitary and gonadal) hormones on the sexual development of the male three-spined stickleback (*Gasterosteus aculeatus*). Symposium on limnology and fresh-water fisheries at the tenth Pacific Science Congress of the Pacific Science Association, Honolulu, Hawaii, 1961. Pacific Sci. Congr. Abstr. Symp. Pap. 10: 157 (Abstract only).
- Hoar, W.S. 1962a. Reproductive behaviour of fish. Gen. Comp. Endocrinol. Suppl. 1: 206-216.
- Hoar, W.S. 1962b. Hormones and the reproductive behaviour of the male threespined stickleback (*Gasterosteus aculeatus*). Anim. Behav. 10: 247-266.
- Hoar, W.S. 1965. The endocrine system as a chemical link between the organism and its environment. Trans. Roy. Soc. Canada, 3: 175-200.
- Hoar, W.S. 1969. Reproduction. In: Hoar, W.S. and Randall, D.J. (Eds.) Fish Physiology 3: 1-72. Academic Press, London and New York.
- Hoff, E.C. and Hoff, H.E. 1929. *Proteocephalus pugetensis*, a new tapeworm from a stickleback. Trans. Amer. Microsc. Soc. 48: 54-61.

- Hoffman, G.L. 1958. Experimental infection with strigeoid cercariae. J. Parasitol. 44: 229.
- Hoffman, G.L. 1967. Parasites of North American freshwater fishes. Univ. California Press, Berkley.
- Hoffman, G.L. and Hoyme, J.B. 1958. The experimental histo-pathology of the "tumour" on the brain of the stickleback caused by *Diplostomun baeri eucaliae* Hoffman and Hundley, 1957 (Trematoda: Strigeoidea). J. Parasitol. 44: 374-378.
- Hoffman, G.L. and Hundley, J.B. 1957. The life-cycle of *Diplostomun baeri eucaliae* n. subsp. (Trematoda: Strigeidae). J. Parasitol. 43: 613-627.
- Hoffman, M. 1979. The use of Pielou's method to determine sample size in food studies, p. 56-61. In: Lipovsky, S.J. and Simenstad, C.A. (Eds.) Gutshop' 78. Fish food habits studies. Publ. Wash. Sea Grant.
- Holandre, -. 1826. Faune du département de la Moselle. Metz. p. 10.
- Holciz, J. 1976. List of lampreys and fishes of Slovakia. Biologia (Bratisl.), 31: 641-647. In Czech.
- Holmes, P.F. 1965. The natural history of Malham tarn. Fld. Stud. 2: 199-223.
- Holt, E.W.L. 1893. Note on *Gasterosteus pungitius* Linn. J. Mar. Biol. Assoc., 95, n. s. 3. no. 1: 120.
- Honma, Y., Shioda, S., and Yoshie, S. 1977. Changes in the thyroid gland associated with the diadromous migration of the threespine stickleback, *Gasterosteus aculeatus*. Jpn. J. Ichthyol. 24: 17-25.
- Honma, Y., Teshigawara, H. and Chiba, A. 1976. Changes in the cells of the adenohypophysis associated with the diadromous migration of the three-spine stickleback, *Gasterosteus aculeatus* L. Arch. Histol. Jpn., 39: 1-14.
- Honma, M. and Yamada, J. 1978. Water movement and alkaline phosphatase activity in the intestine of sticklebacks adapted to seawater or freshwater. Bull. Fac. Fish. Hokkaido Univ. 29: 110-117.
- Honma, Y., Shioda, S. and Yoshie, S. 1975. Changes in endocrine cells associated with the diadromous migration of three-spined stickleback. Part 2. Thyroid. Zool. Mag. (Tokyo), 84 (4): 474.
- Honma, Y., Teshigawara, H. and Chiba, A. 1975. Changes in endocrine cells associated with the diadromous migration of three-spined stickleback. Part 1. Adeno-hypophysis. Zool. Mag. (Tokyo), 84 (4): 473.
- Hoogland, R.D. 1951. On the fixing-mechanism in the spines of *Gasterosteus aculeatus* L. K. Nederland Akad. Wetenschapp. Amsterdam. Proc. 54: 171-180.

- Hoogland, R., Morris, D. and Tinbergen, N. 1957. The spines of sticklebacks (*Gasterosteus* and *Pygosteus*) as a means of defence against predators. (*Perca* and *Esoc*). Behaviour, 10 (3/4): 205-236.
- Hopkins, C.A. 1959. Seasonal variations in the incidence and development of the cestode *Proteocephalus filicollis* (Rud. 1810) in *Gasterosteus aculeatus* (L. 1776) (sic). Parasitology, 49: 529-542.
- Hopkins, C.A. and Smyth, J.D. 1951. Notes on the morphology and life history of *Schistocephalus solidus* (Cestoda: Diphyllbothriidae). Parasitology, 41: 283-291.
- Hopkirk, J.D. 1973. Endemism in fishes of the Clear Lake region of central California. Univ. Calif. Publs. Zool. 96: 1-135.
- Hora, S.L. 1921. Notes on the occasional absence of the paired fins in freshwater fishes... Rec. Indian Mus. 22: 27-32.
- Horsfall, J.H. 1864. Observations on the three-spined stickleback, its ova and fry (*Gasterosteus aculeatus* Linn. and *G. spinulosus* Yarrell). Intell. Observ. 5: 4-7.
- Houghton, W. 1865. Sticklebacks (*Gasterosteus aculeatus*) and other nest-making fish. Intell. Observ. 7: 259-263.
- Houghton, W. 1895. British Freshwater Fishes. Hull and York, 2nd Ed., p. 11-16.
- Hourston, A.S. 1958. Population studies on juvenile herring in Barkley Sound British Columbia. J. Fish. Res. Board Can. 15: 909-960.
- Hourston, A.S. and Herlinveaux, R.H. 1957. A "mass mortality" of fish in Alberni Harbour, B.C. Prog. Rep. Pacific Coast Stat., Fish. Res. Board Can. 109: 3-6.
- Howe, K.M. 1973. Systematics of the *Gasterosteus* complex (Pisces: Gasterosteidae) in northern California. M.A. Thesis, California State College, Sonoma, ix + 191 p.
- Hsien-T'ing, L. and Nien-Chung, W. 1974. A new *Pungitius* from Nihowan formation of North China. Vertebrata Palasiatica, 12: 89-96, + 2 plates.
- Hubbs, C. 1947. Mixture of marine and freshwater fishes in the Lower Salinas River, California. Copeia, 1947: 147-149.
- Hubbs, C. 1970. Teleost hybridization studies. Proc. Calif. Acad. Sci. 38 (15): 289-298.
- Hubbs, C.L. 1923. Notes on a small collection of fishes from Monhegan Island, Maine. Copeia, 1923 (123): 101-103.

- Hubbs, C.L. 1929. The Atlantic American species of the fish genus *Gasterosteus*. Occ. Pap. Mus. Zool., Univ. Michigan, 200: 1-9.
- Hubbs, C.L. and Green, C.W. 1927. Further notes on the fishes of the Great Lakes and tributary waters. Pap. Mich. Acad. Sci., Arts, Lett. 8: 371-392.
- Hubbs, C.L. and Lagler, K.F. 1947. Fishes of the Great Lakes region. Bull. Cranbrook Inst. Sci., 26: 186 p. 1958 Ed. Univ. Michigan Press, Ann Arbor. xv + 213 p.
- Hughes, G.M. 1963. Comparative Physiology of Vertebrate Respiration. Heinemann, London.
- Hultfeldt-Kaas, -. 1923. Einwanderung und Verbreitung der Susswasserfische in Norwegen. Archiv. Hydrobiol. 14: 265-266 and 286-288, K 12.
- Hui Wai, E. and Hoar, W.S. 1962. The secondary sex characters and reproductive behaviour of gonadectomized sticklebacks treated with methyl testosterone. Can. J. Zool. 41: 611-628.
- Hunninen, A.V. and Cable, R.M. 1941. Studies on the life history of *Anisoporus manteri* Hunninen and Cable, 1940 (Trematoda: Allocreadiidae). Biol. Bull. 80: 415-428.
- Hunt, B.P. and Carbine, W.F. 1951. Food of young pike, *Esox lucius* L., and associated fishes in Peterson's Ditches, Houghton Lake, Michigan. Trans. Am. Fish. Soc. 80: 67-83.
- Hunt, P.C. and Jones, J.W. 1972. The food of brown trout in Llyn Alaw, Anglesey, North Wales. J. Fish. Biol. 4: 333-352.
- Hunter, J.G. 1968. Fish and Fisheries, p. 360-378. In: Science, History and Hudson Bay, Vol. 1, Ottawa.
- Huntingford, F.A. 1973. A comparison of anti-predator behaviour and aggression towards conspecifics in the three-spined stickleback, *Gasterosteus aculeatus*. D. Phil. Thesis, Univ. Oxford, iv + 136 pp.
- Huntingford, F.A. 1976a. The relationship between anti-predator behaviour and aggression among conspecifics in the three-spined stickleback, *Gasterosteus aculeatus*. Anim. Behav. 24: 245-260.
- Huntingford, F.A. 1976b. A comparison of the reaction of sticklebacks in different reproductive conditions towards conspecifics and predators. Anim. Behav. 24: 694-697.
- Huntingford, F.A. 1976c. An investigation of the territorial behaviour of the three-spined stickleback (*Gasterosteus aculeatus*) using principal components analysis. Anim. Behav. 24: 822-834.
- Huntingford, F.A. 1977. Inter- and intraspecific aggression in male sticklebacks. Copeia, 1977: 158-159.

- Huntingford, F.A. 1979. Pre-breeding aggression in male and female three-spined sticklebacks (*Gasterosteus aculeatus*). *Aggressive Behav.* 5: 51-58.
- Huntingford, F.A. 1981. Further evidence for an association between lateral scute number and aggressiveness in the threespine stickleback, *Gasterosteus aculeatus*. *Copeia*, 1981: 717-720.
- Huxley, T.H. 1859. Observations on the development of some parts of the skeleton of fishes. *Quart. J. Microscop. Sci.* 7: 33-46.
- Hynes, H.B.N. 1950. The food of fresh-water sticklebacks (*Gasterosteus aculeatus* and *Pygosteus pungitius*), with a review of methods used in studies of the food of fishes. *J. Anim. Ecol.* 19: 36-58.
- Ida, H. 1976. Removal of the family Hypoptychidae from the suborder Ammodytoidei, order Perciformes, to the suborder Gasterosteoidae, order Syngnathiformes. *Jpn. J. Ichthyol.* 23: 33-42.
- Igarashi, K. 1958. On the three-spined stickleback *Pungitius sinensis* found in Fukui Prefecture. *Zool. Mag. Tokyo*, 67: 173-175. In Japanese.
- Igarashi, K. 1962. Observations on the development of the scutes in ten-spined stickleback, *Pungitius sinensis* (Guichenot). *Bull. Jap. Soc. Sci. Fish.* 28: 393-398.
- Igarashi, K. 1963. Observation on the development of the scutes in ten-spined stic(k)leback, *Pungitius pungitius* (Linnaeus). *Bull. Jap. Soc. Sci. Fish.* 29: 342-348. In Japanese.
- Igarashi, K. 1964. Observation on the development of the scutes in the landlocked form of three-spined stic(k)leback, *Gasterosteus aculeatus aculeatus* Linnaeus. *Bull. Jap. Soc. Sci. Fish.* 30: 95-103.
- Igarashi, K. 1965. Observation on the development of the scute in landlocked three-spined stickleback, *Gasterosteus aculeatus microcephalus*. *Bull. Jap. Soc. Sci. Fish.* 31: 33-39. In Japanese.
- Igarashi, K. 1968. Observation on the development of the scutes in a ten-spined stickleback, Musashi tomiyo, *Pungitius* sp. *Bull. Jap. Soc. Sci. Fish.* 34: 1083-1087. In Japanese.
- Igarashi, K. 1969a. Studies on the lateral scutes of the stickleback (*Gasterosteidae*) in Japan.- VI. An observation on the development of the scutes in the ten-spined stickleback, *Pungitius kaibarae* (Tanaka). *Jap. J. Ichthyol.* 16: 10-16.
- Igarashi, K. 1969b. On the distribution and variation of *Pungitius pungitius* in the Mogami basin with particular regard to its scutes. *Zool. Mag., Tokyo*, 78: 340-350. In Japanese.



- Igarashi, K. 1970a. Formation of the scutes in the marine form of the three-spined stickleback, *Gasterosteus aculeatus aculeatus* (L.). Annot. Zool. Jap. 43: 34-42.
- Igarashi, K. 1970b. On the variation of the scute in the three-spined stickleback, *Gasterosteus aculeatus aculeatus* (Linnaeus) from Nasu area, Tochigi-ken. Annot. Zool. Jap. 43: 43-49.
- Igarashi, K. 1970c. Studies on the lateral scutes of sticklebacks (Gasterosteidae) in Japan - VII. Development of the scutes of the ten-spined stickleback, *Pungitius tymensis* (Nikolsky). Jap. J. Ichthyol. 17: 45-50.
- Ikeda, K. 1933a. Effect of castration on the secondary sexual characters of anadromous three-spined stickleback, *Gasterosteus aculeatus aculeatus* (L.). Jap. J. Zool. 5: 135-157.
- Ikeda, K. 1933b. The distribution and variation of *Gasterosteus* in Japan. Zool. Mag. 45 (534): 141-173. In Japanese.
- Ikeda, K. 1934. On the variation and inheritance of lateral shields in the three-spined stickleback. Jap. J. Genetics, 9: 104-106. In Japanese.
- Ikeda, K. 1935. On the sticklebacks of the Kurile Islands. Bull. biogeogr. Soc. Tokyo, 5: 213-232. In Japanese.
- Ikehara, K. 1977. Studies on the fish eggs and larvae accompanied with drifting sea weeds in the Sado Strait and its vicinity. Bull. Jpn. Sea Reg. Fish. Res. Lab. 28: 17-28.
- Ikezaki, F.M. and Glenn, L. 1957. *Gyrodactylus eucaliae* n. sp. (Trematoda: Monogenea) from the brook stickleback, *Eucalia inconstans*. J. Parasitol. 43: 451-455.
- Il'in, B.S. 1933. Halistatic biocenosis of the Black Sea. Priroda, 7: 63-65. In Russian.
- Il'in, B.S. 1949. Article on threespine stickleback in Commercial Fishes of the U.S.S.R. Moskva, Pishchepromizdat. x + 230 plates, 788 p. inserts. In Russian.
- Immers, J. 1953. The influence of the sexual cycle on the metabolism of glycogen in the liver, gonads, and skin of the stickleback (*Gasterosteus aculeatus* L.) and minnow (*Phoxinus laevis* Ag.). Arkiv. Zool. 4: 327-339.
- Ireland, M.P. 1969. Effect of urophysectomy in *Gasterosteus aculeatus* on survival in freshwater and sea-water. J. Endocr. 43: 133-134.
- Isakov, L.S. 1970. On resistance of some specific ectoparasites of *Gasterosteus* to changes in the regime of salinity. Parazitologiya, 4: 18-24. In Russian.
- Ishigaki, K. 1967. Distribution and morphological variation of eight-spined sticklebacks (genus *Pungitius*) in Kushiro and Nemuro districts, Hokkaido. Zool. Mag. 76 (8): 249-254. In Japanese.

- Jacobs, D.L. 1951. Nesting of the brook stickleback (Abstract). Proc. Minnesota Acad. Sci. 16: 33-34.
- Järvekulg, A. 1963. Interesting fishes of the Väinameri (Moonsund). Eesti Loodus, 1963: 210-217.
- Jarvis, W.L. and Southern, W.E. 1976. Food habits of ring-billed gulls breeding in the Great Lakes region. Wilson Bull. 88: 621-631.
- Jaskowski, J. 1962. Materialy do znajomosci ichtiofauny Warty i jej doplywow. Frag. Faun. 9: 449-499.
- Jenkins, J.T. 1936. The fishes of the British Isles both fresh water and salt. 2nd Ed., Frederick Warne, New York. 408 p.
- Jenni, D.A. 1972. Effects of conspecifics and vegetation on nest site selection in *Gasterosteus aculeatus* L. Behaviour, 42: 97-118.
- Jenni, D.A., Van Iersel, J.J.A. and Van Dem Assem, J. 1969. Effects of pre-experimental conditions on nest site selection and aggression in *Gasterosteus aculeatus* L. Behaviour, 35: 61-76.
- Jensen, A.S. 1909. The fishes of East-Greenland. Medd. om Grønland, 29: 213-276, pl. XI - XIII.
- Jenyns, L. 1835. A manual of British vertebrate animals. Cambridge and London, 559 p.
- Jepps, M.W. 1938. Notes on the breeding of Sticklebacks. Proc. Zool. Soc. London, A 108: 253-255.
- Jessop, C.S., Porter, T.R., Blouw, M. and Sopuck, R. 1973. Fish resources of the Mackenzie River valley. Special Report: An intensive study of the fish resources of two main stem tributaries. Task Force on Northern Oil Development, Fisheries Service, Dept. Environment, Canada. xiv + 148 p.
- Joensen, J.S. and Tåning, A.V. 1970. Marine and freshwater fishes. In: Jensen, A.S. et al. (Eds.). Zoology of the Faroes, Copenhagen, 241 p.
- Johannsen, W. 1912. *Gasterosteus spinachia* L. Wochenschr. Aquar.-Terrar. Kunde, 9 Jahrg. 2-3.
- Johansen, F. 1926. Fishes collected in the Gaspé Peninsula during August of 1922. Can. Field-Nat. 40: 175-178.
- Johnsen, S. 1936. On the variation of fishes in relation to environment (Preliminary account). Bergens Mus. Aarb. 4: 1-26.
- Johnsen, S. 1945. Studies on variation in fish in north European waters. 1. Variation in size. Bergens Mus. Aarb. 1944, 3: 3-129.
- Johnson, L. 1966. Great Bear Lake. Can. Geogr. J. Aug: 58-67.
- Johnson, L. 1972. Keller Lake: characteristics of a culturally unstressed salmonid community. J. Fish. Res. Board Can. 29: 731-740.

- Johnston, G. 1834a. A list of the fishes of Berwickshire, exclusive of the Salmones. Trans. Hist. Berwick Nat. Club, 1: 171.
- Johnston, G. 1834b. On the nests of the fifteen-spined stickleback, or *Gasterosteus spinachia* of Linnaeus. Proc. Hist. Berwick Nat. Club, 1: 200-201
- Johnston, J.M. 1967. The egg laying behavior of *Phyllodistomum folium* in vivo and under experimental conditions. Parasitology, 57: 13.
- Joly, N. 1866. Coup d'oeil sur les origines de la pisciculture fluviale et sur l'état actuel de cette industrie en France. Toulouse.
- Jones, A.N. 1972. Notes on the origin of the fresh water fish of west Wales. Nat. Wales, 13: 2-10.
- Jones, D.H. and John, A.W.G. 1978. A three-spined stickleback, *Gasterosteus aculeatus* L. from the North Atlantic. J. Fish. Biol. 13: 231-236.
- Jones, J.E. 1871. Nid d'épinochette. Feuille. Jeunes Naturalistes, 2: 100.
- Jones, J.R.E. 1935. The toxic action of heavy metal salts on the three-spined stickleback (*Gasterosteus aculeatus*). J. Exp. Biol. 12: 165-173.
- Jones, J.R.E. 1938. The relative toxicity of salts of lead, zinc and copper to the stickleback (*Gasterosteus aculeatus* L.) and the effect of calcium on the toxicity of lead and zinc salts. J. Exp. Biol. 15: 394-407.
- Jones, J.R.E. 1939. The relation between the electrolytic solution pressures of the metals and their toxicity to the stickleback (*Gasterosteus aculeatus* L.). J. Exp. Biol. 16: 425-437.
- Jones, J.R.E. 1947a. The oxygen consumption of *Gasterosteus aculeatus* L. in toxic solutions. J. Exp. Biol. 23: 298-311.
- Jones, J.R.E. 1947b. The reactions of *Pygosteus pungitius* L. to toxic solutions. J. Exp. Biol. 24: 110-122.
- Jones, J.R.E. 1948. A further study of the reactions of fish to toxic solutions. J. Exp. Biol. 25: 22-34.
- Jones, J.R.E. 1952. The reactions of fish to water of low oxygen concentration. J. Exp. Biol. 29: 403-415.
- Jones, J.R.E. 1964. Fish and river pollution. Butterworths, London.
- Jones, J.W. 1959. The Salmon. Collins. London. xvi + 192 p.
- Jones, J.W. and Hynes, H.B.N. 1950. The age and growth of *Gasterosteus aculeatus*, *Pygosteus pungitius* and *Spinachia vulgaris*, as shown by their otoliths. J. Anim. Ecol. 19: 59-73.
- Jordan, C.M. 1970. Upper lethal temperatures of the threespine stickleback *Gasterosteus aculeatus* L., in relation to thermal and osmotic acclimation, ambient salinity and morphometric characters. M.Sc. Thesis, Dalhousie University, Halifax, N.S.

- Jordan, C.M. and Garside, E.T. 1972. Upper lethal temperatures of three-spine stickleback, *Gasterosteus aculeatus* (L.), in relation to thermal and osmotic acclimation, ambient salinity, and size. *Can. J. Zool.* 50: 1405-1411.
- Jordan, D.S. 1876. A manual of the vertebrate animals of the northern U.S. Chicago.
- Jordan, D.S. 1877. On the fishes of Northern Indiana. *Proc. Acad. Philadelphia*, 1877: 42-82.
- Jordan, D.S. 1885. Catalogue of the fishes of North America. Report U.S. Fish Comm. 87, part xiii: 63.
- Jordan, D.S. 1888. A manual of the vertebrate animals of the northern U.S. Chicago, 5th Ed., p. 97-98.
- Jordan, D.S. 1891. Relation of temperature to vertebrae among fishes. *Proc. U.S. Nat. Mus.* 14: 107-120.
- Jordan, D.S. 1907. The fossil fishes of California, with supplementary notes on other species of extinct fishes. *Univ. California Publ., Bull. Dept. Geol.* 5: 95-144, pl.
- Jordan, D.S. 1908. Note on a fossil stickleback fish from Nevada. *Smithsonian Misc. Coll.* 52: 117.
- Jordan, D.S. and Copeland, H.E. 1876. Check list of the fishes of the fresh-waters of North America. *Bull. Buffalo Soc. Nat. Sci.* 3: 140-141.
- Jordan, D.S. and Evermann, B.W. 1896. The fishes of North and Middle America. T.F.H. Publ., New Jersey, 1963 Reprint. 4 vols.
- Jordan, D.S. and Evermann, B.W. 1917. The Genera of Fishes. Stanford University, California. 576 p., + xviii.
- Jordan, D.S. and Evermann, B.W. 1927. New genera and species of North American fishes. *Proc. Calif. Acad. Sci.*, ser. 4, 16: 501-507.
- Jordan, D.S. and Gilbert, C.H. 1880. List of the fishes of the Pacific coast of the U.S. *Proc. U.S. Nat. Mus.* 3.
- Jordan, D.S. and Gilbert, C.H. 1883. Synopsis of the fishes of North America. *Bull. U.S. Nat. Mus.* 16 (1882): lvi + 1018 p.
- Jordan, D.S. and Gilbert, C.H. 1899. The Fishes of Behring Sea. In: Jordan, D.S. Fur seals and fur-seal islands of the North Pacific Ocean, iii, Washington, p. 433-509, pls. 42-85.
- Jordan, D.S. and Hubbs, C.L. 1925. Record of fishes obtained by D.S. Jordan in Japan, 1922. *Mem. Carnegie Mus.* 10: 93-346.
- Jordan, D.S. and Jouy, P.L. 1881. Check-list of duplicates of fishes from the Pacific coast of North America. *Proc. U.S. Nat. Mus.* 4: 1.

- Jordan, D.S. and Snyder, J.O. 1901. List of fishes collected in 1883 and 1885 by Pierre Louis Jouy and preserved in the United States National Museum, with descriptions of six new species. Proc. U.S. Nat. Mus. 23: 740-769, pl. 31-38.
- Jordan, D.S. and Starks, E.C. 1903. A review of the Hemibranchiate fishes of Japan. Proc. U.S. Nat. Mus. 26: 57-73.
- Kabata, Z. 1971. Four Bomolochidae (Copepoda) from fishes of British Columbia. J. Fish. Res. Board Can. 28: 1563-1572.
- Kafanov, D.L. and Yazykova, I.M. 1971. On the epizootology of *Schistocephalus pungitii* (Ligulidae) in the Manych-Gudilo Lake. Zool. Zh. 50: 1572-1574. In Russian.
- Kähsbauer, P. 1961. Catalogus Faunae Austriae Teil. XXIIa: Cyclostomata, Teleostomi (Pisces). Springer-Verlag, Wien. 56 p.
- Kaj, J. 1948. *Pygosteus pungitius* L. pod Poznaniem. Przyczynek do znajomości cierniczka w Polsce. Spraw. Poznansk. Tow. Przyj. Nauk, 15: 131-132. In Polish.
- Kaj, J. 1949. Contribution to the knowledge of *Pygosteus pungitius* L. in Poland. Prace Kom. mat.-przyr. Tow. Przyj. Nauk. 12: 111-122. In Polish.
- Kalb, C.J. 1975. Annual performance report for lake and stream investigations. Population studies of game fish and evaluation of managed lakes in the Upper Cook Inlet drainage. Alaska Dept. Fish Game, Div. Sport Fish., Ann. Rept., Study G - III D, 15: 24 p.
- Kamohara, T. 1967. Fishes of Japan in Color. Hoikusha Publ. Co., Osaka. xv + 135 p.
- Kampe, W.D. 1962. Vergleichende funktionsmorphologische Untersuchungen an den Viscerocranien einiger räuberisch lebender Knochenfische. Zool. Beitr. (N.F.), 6: 391-496.
- Kanevskii, Y.P. and Fleishman, D.G. 1971. Investigations of food relations in the ichthyocenosis of Lake Dal'nii (Kamchatka) based on rubidium and cesium concentrations in hydrobionts. Ekologiya, 2: 5-8. In Russian. Sov. J. Ecol. 2: 191-193. In English.
- Karpov, V.G., Krogius, F.V., Krokhin, E.M. and Menshutkin, V.V. 1969. A model of the ichthyocoenosis of Lake Dal'noe executed on an electronic computer. Tr. Vses. Nauch-Issled. Inst. Morsk. Ryb. Khoz. Okeanograf., 67: 76-87. Trans. Ref. Zh. Biol. 1970 No. 3165. In Russian.
- Kasinsky, H.E., De Mille, D., Carveth, R. and McPhail, J.D. 1979. Intraspecific variability of testicular histones in *Xenopus laevis* and *Gasterosteus aculeatus*. Am. Zool. 19 (3): 962.

- Katz, M. 1961. Acute toxicity of some organic insecticides to three species of salmonids and to the threespine stickleback. *Trans. Amer. Fish. Soc.* 90: 264-268.
- Kazakov, B.E. 1973. The helminth fauna of freshwater fish of the Kolskiy Peninsula. *Trudy gel'mint. Lab.* 23: 64-70.
- Kazancheev, E.N. 1963. Fishes of the Caspian Sea. Moscow, 180 p. In Russian.
- Kazanski, B.N. 1951. Experimental analysis on the growth of oocytes in fish. *C. R. Acad. Sci. URSS*, 80: 277-280. In Russian.
- Keast, A. 1968. Feeding of some Great Lakes fishes at low temperatures. *J. Fish. Res. Board Can.* 25: 1199-1218.
- Keenlyside, M.H.A. 1955. Some aspects of the schooling behaviour of fish. *Behaviour*, 8: 183-248.
- Keleher, J.J. 1952. Notes on fishes collected from Lake Winnipeg region. *Can. Field-Nat.* 66: 170-173.
- Keleher, J.J. and Kooyman, B. 1957. Supplement to Hinks' "The Fishes of Manitoba". Manitoba Dept. Mines Natural Resources. pp. 103-117 of a new printing of Hinks' original handbook.
- Kelso, J.R.M. and Leslie, J.K. 1979. Entrainment of larval fish by the Douglas Point generating station, Lake Huron, in relation to seasonal succession and distribution. *J. Fish. Res. Board Can.* 36: 37-41.
- Kelso, J.R.M. and Ward, F.J. 1977. Unexploited percoid populations of West Blue Lake, Manitoba, Canada and their interactions. *J. Fish. Res. Board Can.* 34: 1655-1669.
- Kendall, W.C. 1896. Description of a new stickleback, *Gasterosteus gladiunculus*, from the coast of Maine. *Proc. U.S. Nat. Mus.* 18: 623-624.
- Kendall, W.C. 1902. Notes on sticklebacks. *Science*, n. s. 15: 588-589.
- Kendall, W.C. 1908. Fauna of New England. 8. List of the pisces. *Occ. Pap. Boston Soc. Nat. Hist.* 7: x + 152 p.
- Kendall, W.C. 1924. An annotated list of a collection of fishes made by Francis Harper in the Athabasca region in 1920, to which is appended a list of species collected by Dr. R. T. Morris in the district between Lake Winnipeg and Hudson Bay in 1905. *Contrib. Can. Biol., Fish. Res. Board Can.*, n.s. 1: 419-440.
- Kendall, W.K. 1914. An annotated catalogue of the fishes of Maine. *Proc. Portland Soc. Nat. Hist.* 3: 1-198.
- Kennedy, C.R. 1974. A checklist of British and Irish freshwater fish parasites with notes on their distribution. *J. Fish. Biol.* 6: 613-644.
- Kerr, T. 1942. A comparative study of some Teleost pituitaries. *Proc. Zool. Soc. London*, 112: 37-56.

- Kerr, T. 1948. The pituitary in normal and parasitized roach (*Leuciscus rutilus* Flem.). Quart. J. Micr. Sci. 89: 129-137.
- Kessler, K. 1859. Auszüge aus dem Berichte über eine an die nordwestlichen Küsten der Schwarzen Meeres und durch die westliche Krym unternommene Reise (II. Stachelflosser). Byull. Mosk. Obshch. Ispyt. Prir. 32 (2): 199-202.
- Kessler, K. 1876. Fishes collected by Col. Prejevalsky in Mongolia. In: Prejaval'sky, N. Mongolia i Strana Tangutov. St. Petersburg. vol. 2, pt. 4, p. 1-36, pls. 1-3.
- Kessler, K. 1877. The Aralo-Caspian Expedition. IV. (Fishes of the Caspio-Pontine Region). Suppl. Trans. St. Petersburg Nat. Hist. Soc. 360 p. 26 figs.
- Khaibulaev, K.Kh. 1971. New species of trypanosomes in the blood of fishes from the Caspian Sea. Parazitologiya, 5: 551-555. In Russian.
- Khalmurin, D.R. 1975. Ichthyofauna and fish production in Lake Krivoe. Trudy Zool. Inst. Leningrad, 56: 196-206. In Russian.
- Khalturin, D.K. and Mukhamediarov, F.B. 1975. Ichthyofauna and fish production of Lake Krivoye, p. 196-206. In: Vinberg, G.G. (Ed.). The Biological Productivity of Northern Lakes. 1. Lakes Krivoye and Krugloye. Nauka, Leningrad, 228 p. In Russian.
- Khlebovich, V.V. 1968. Osmotic regulation in the three-spined stickleback *Gasterosteus aculeatus* L. in water of different salinity. Zool. Zh. 47: 591-594. In Russian.
- Kikuchi, H. 1965. Additional list of fishes in Lake Hinuma, Ibaraki Prefecture (2). Bull. Fac. lib. Arts Ibaraki Univ. (Nat. Sci.), No. 16: 13-18.
- Kimsey, J.B. and Fisk, L.O. 1960. Keys to the freshwater and anadromous fishes of California. California Fish Game, 46: 453-479.
- Kinahan, J.R. 1852. Observations on the spawning of *Gasterosteus leiurus*. Zoologist, London, 10: 3526-3527.
- Kinahan, J.R. 1854a. On the nidus and ova of *Gasterosteus leiurus*. Nat. Hist. Rev. 1: 235-236.
- Kinahan, J.R. 1854b. On the spawning of the smooth-tailed stickleback (*Gasterosteus leiurus*) with a list of the fishes inhabiting the Dodder. Proc. Nat. Hist. Soc. Dublin, 1: 129-134. Nat Hist. Rev. 1854: 81-83.
- Kindred, J.E. 1971. An attempt at a subjective and objective classification of the acidophilic granulocytes of some marine fishes. Biol. Bull. mar. biol. lab. Woods Hole, 140: 416-426.

- Kirkerud, L.A., Martinsen, P.O., Christophersen, C.G. and Bjerck, Ø. 1974. Nitrite toxicity in a polluted marine environment, an experimental study. Ann. Rep. Norw. Nat. IBP Comm. 1974 (Appendix 2): 1-54.
- Kirtland, J.P. 1840. Descriptions of five new species of fishes. Boston J. Nat. Hist. 3: 273-274, pl. II, fig. 1.
- Kislalioglu, M. and Gibson, R.N. 1974. Field and laboratory observations on prey-size selection in *Spinachia spinachia* (L.), p. 29-41. In: Barnes, H. (Ed.), Ninth European Marine Biology Symposium, Oban, U.K.
- Kislalioglu, M. and Gibson, R.N. 1976a. Prey "handling time" and its importance in food selection by the 15-spined stickleback, *Spinachia spinachia* (L.). J. Exp. Mar. Biol. Ecol. 25: 151-158.
- Kislalioglu, M. and Gibson, R.N. 1976b. Some factors governing prey selection by the 15-spined stickleback, *Spinachia spinachia* (L.). J. Exp. Mar. Biol. Ecol. 25: 159-170.
- Kleerekooper, H. 1969. Olfaction in Fishes. Indiana Univ. Press, Bloomington, viii + 222 p.
- Klimaj, A. and Rutkowicz, S. 1970. Atlas Ryb Polnocnego Atlantyku. Wydawnictwo Morskie, Gdansk. 93 + 400 p.
- Knipovich, N.M. 1923. Key for the identification of fishes of the Black Sea and Sea of Azov. Moscow, 130 p. In Russian.
- Knipovich, N.M. 1926. Guide for determination of the fishes of Barents-Sea, White-Sea and Kara-Sea. Trans. Inst. Sci. Expl. North, 27: 183 p., 126 figs. In Russian.
- Knocker, H.H. 1868. Stickleback in salt water. Sci. Gossip, 1868: 87.
- Kobayashi, J. 1932. General observation of Japanese gasterosteiid fishes. J. Sci. Hiroshima Univ. Ser. B, Div. 1: 145-154.
- Kobayashi, J. 1933. Ecology of a stickleback, *Pungitius sinensis* var. *kaibarae* (Tanaka). J. Sci. Hiroshima Univ. Ser. B, Div. 1: 71-89.
- Kobayashi, H. 1957a. Some new information found in the sticklebacks of Hokkaido. Hokkaido Gakugei Univ. 8(1): 44-51. In Japanese.
- Kobayashi, H. 1957b. Cross experiments with three species of sticklebacks, *Pungitius pungitius* (L.), *Pungitius tymensis* (Nikolsky), and *Pungitius sinensis* (Guichenot), with reference to the systematic relationship. Hokkaido Gakugei Univ. 10 (2): 363-384. In Japanese.
- Kobayashi, H. 1962. Morphological and genetical observations in hybrids of some teleost fishes. 1. J. Hokkaido Gakugei Univ. (Sect. 2B) 13 (Suppl.): 1-112.
- Koblitskaya, A.F. 1966. Classification key of fish-fry in the Volga delta. Akad. Nauk. SSSR, Moscow, 166 p. In Russian.



- Koch, H.J.A. 1968. Migration pp. 305-349. In: Barrington, E.J.W. and C.B. Jørgensen (Eds.). Perspectives in endocrinology. Hormones in the lives of lower vertebrates. Academic Press, New York. 583 p.
- Koch, H.J. and Heuts, M.J. 1942. Influence de l'hormone thyroïdienne sur la régulation osmotique chez *Gasterosteus aculeatus* L. forme *gymnurus*. Ann. Soc. Roy. Zool. Belgique, 73: 165-172.
- Koch, H.J. and Heuts, M.J. 1943. Régulation osmotique, cycle sexuel et migration de reproduction chez les épinoches. Arch. Internat. Physiol. 53: 253-266.
- Kochsiek, U.A. and Tubb, R.A. 1967. Salinity tolerance of *Fundulus diaphanus*, *Culaea inconstans* and *Pimephales promelas* (distribution). Proc. S. Dak. Acad. Sci. 46: 95-99.
- Köhler, W. 1926. Zur Biologie des gemeinen Stichlings (*Gasterosteus aculeatus* L.). (Breeding habits of the Stickleback). Naturforscher, 2 (12): 619-621.
- Kojima, N. 1974. A case of larval specimen of double monstrosity (duplicitas anterior) found in the three-spined stickleback, *Gasterosteus aculeatus*, propagated in sea water. Collecting Breed., Tokyo, 36: 230. In Japanese.
- Kokhmenko, L.V. 1970. Dietary characteristics of char *Salvelinus alpinus* (L.) in Lake Azabache. Izv. Tikhookean. Nauchno-Issled. Inst. Ryb. Khoz. Okeanogr. 78: 117-128. In Russian.
- Kokhmenko, L.V. 1972. Feeding of mikizha *Salmo mykiss* Walb. in some Kamchatka waters. Vopr. Ikhtiol. 12: 319-328. In Russian.
- Kokhmenko, L.V. 1974. Trophic factors of certain fishes from foothill rivers in the Soviet far east. Izvestiya tikhookean. nauchno-issled. Inst. ryb. Khoz. Okeanogr. 90: 199-204. In Russian.
- Komnick, H. and Bierther, M. 1969. On the histochemical localization of ions by electron microscopy, with special reference to the chloride reaction. Histochemie, 18: 337-362. In German.
- Komonen, A. 1948. Vuoksen pohjoisen suuhaaran kalastosta. Luonnen Tutkiga, Helsinki, 52: 110-113.
- Kosswig, C. 1954. Beitrag zur Zoogeographie der Seen in Marmaragebiet. Hydrobiol. Istanbul, 1B: 276-283.
- Kosswig, C. 1964. Problems of polymorphism in fishes. Copeia, 1964: 65-75.
- Kosswig, C. and Battalgil, F. 1943. Beiträge zur türkischen Faunengeschichte. I. Süßwasserfische. C. R. Ann. Arch. Soc. Turque Sci. Phys. Nat. 8: 32-63.

- Koster, W.J. 1957. Guide to the fishes of New Mexico. Univ. New Mexico Press, vii + 116 p.
- Koster, W.J. 1968. The origin of *Semotilus*, *Chrosomus* and *Culaea* populations in New Mexico. MS, 19 pp.
- Kottcamp, G.M. and Moyle, P.B. 1972. Use of disposable beverage cans by fish in the San Joaquin Valley. Trans. Am. Fish. Soc. 101: 566.
- Kreuger, W.H. 1961. Meristic variation in the fourspine stickleback, *Apeltes quadracus*. Copeia, 1961: 442-450.
- Kritsky, D.C. 1971. Studies on the fine structure of the monogenetic trematode, *Gyrodactylus eucaliae* Ikezaki and Hoffman, 1957. Diss. Abstr. Int. 32 (B): 1924-1925.
- Kritsky, D.C. and Kruidenier, F.J. 1976. Fine structure and development of the body wall in the monogenean, *Gyrodactylus eucaliae* Ikezaki and Hoffman, 1957. Proc. Helminthol. Soc. Wash. 43: 47-58.
- Kroggius, F.V. 1973. Population dynamics of growth of young sockeye salmon in Lake Dalnee. Hydrobiologia, 43: 45-51.
- Krokhin, E.M. 1957. Determination of daily food intake of young sockeye and threespine sticklebacks by the respiration method. Izv. Tikhook. nauchno-issled. Inst. Morskovo Rybn. Khoz. Okean. 44: 97-110. In Russian.
- Krokhin, E.M. 1969. Energy flow in the pelagic of Lake Dal'nee (Kamchatka). Dokl. Akad. Nauk SSSR, 189: 1118-1121. In Russian.
- Krokhin, Y.M. 1970. Estimation of the biomass and abundance of the threespine stickleback (*Gasterosteus aculeatus* L.) in Lake Dal'neye based on the food consumption. Vopr. Ikhtiol. 10: 637-642. In Russian. J. Ichthyol. 10: 471-475. In English.
- Krøyer, H. 1838. Danmarks Fiske. Copenhagen. Vol. 1: 169-205.
- Krdger, F. 1928. Untersuchungen über die Ursachen des Todes des Stichlings (*Gasterosteus aculeatus*) in reinen Chlornatrium-lösungen. Zeitschr. Wiss. Biol. Abt. C. Zeitschr. Vergleich. Physiol. 7 (4): 696-735.
- Krull, J.N. 1968. Some observations concerning fish found on the Montezuma National Wildlife Refuge, New York. U.S.A. N. Y. Fish Game J. 15: 201-202.
- Kryzanovskij, S.G. 1968. Aspects of the development of fish hybrids between various taxa. Moscow, Nauka. 220 p. In Russian.
- Kühlmann, D.H.H. 1963. Beobachtungen zur Biologie von *Gasterosteus aculeatus* L. und Gedanken zur Bekämpfung als Schädling. Z. Fisch. N.F. 11: 301-309.

- Kulamowicz, A. 1959. Cierniczek - *Pygosteus pungitius* (L.) ze stawu „Rydwan” w dorzeczu Bzury. Zesz. nauk. Univ. Lodz., Ser. 2, Zeszyt. 5: 115-131.
- Kulamowicz, A. 1964. Cierniczek, *Pungitius pungitius* L. (Gasterosteidae) w dorzeczu Pilicy. (Nine-spined stickleback, *Pungitius pungitius* L. (Gasterosteidae), in the Pilica River basin). Przegł. Zool. 8 (3): 265-268.
- Kuntz, A. and Radcliffe, L. 1918. Notes on the embryology and larval development of twelve teleostean fishes. Washington Bull. Bur. Fish. 35 (1915-1916): 87-134, 126 fig.
- Kunts, R.E. and Ming, D.Z. 1970. Vertebrates of Taiwan taken for parasitological and biomedical studies by US Naval Medical Research Unit No. 2, Taipei, Taiwan, Republic of China. Quart. J. Taiwan Mus. 23 (1 - 2): 1-37.
- Kuperman, B.I. 1978. Life cycle and biological characteristics of cestodes from salmon from waters of the Kamchatka peninsula. Biol. Morya (Vladivost.), 4: 53-60. In Russian.
- Kusa, M. 1953. On some properties of the cortical alveoli in the egg of the stickleback. Annot. Zool. Jap. 26: 138-144.
- Kusa, M. 1957. Osmotic behaviour of isolated cortical alveoli of stickleback eggs. Annot. Zool. Jap. 30: 67-70.
- Kusa, M. 1958a. Observations on the cortex excised from the stickleback egg. Bull. Marine Biol. Sta. Asamushi Tohoku Univ. 9: 49.
- Kusa, M. 1958b. Explosion of isolated cortical alveoli of the stickleback egg. Annot. Zool. Jap. 31: 212-215.
- Kusa, M. 1966. Lactate dehydrogenase isozyme patterns of the stickleback, *Pungitius pungitius*. Proc. Jap. Acad. 42: 146-150.
- Kusa, M. 1968. Notes on some bodily characters in a specialized form of the ten-spined stickleback, *Pungitius pungitius*. Jap. J. exp. morph. 22: 113-114. In Japanese.
- Kusaka, T. 1974. The urohyal of fishes. Univ. Tokyo Press, xiv + 320 p.
- Kutsirii, E.D. 1950. The diet of young of several fish of the Dniester liman. Trudy Odesskogo Gosudarstvennogo Universiteta, 12 (2(68)): 25-29. In Russian.
- Kynard, B.E. 1972. Male breeding behaviour and lateral plate phenotypes in the threespine stickleback (*Gasterosteus aculeatus* L.). Ph.D. Thesis, Univ. Washington, 150 pp. Diss. Abs. Int. 33B: 2413.

- Kynard, B.E. 1978a. Nest desertion of male *Gasterosteus aculeatus*. *Copeia*, 1978: 702-703.
- Kynard, B.E. 1978b. Breeding behavior of a lacustrine population of threespine sticklebacks (*Gasterosteus aculeatus* L.). *Behaviour*, 67 (3-4): 178-207.
- Kynard, B.E. 1979a. Nest habitat preference of low plate number morphs in threespine sticklebacks (*Gasterosteus aculeatus*). *Copeia*, 1979: 525-528.
- Kynard, B.E. 1979b. Population decline and change in frequencies of lateral plates in threespine sticklebacks (*Gasterosteus aculeatus*). *Copeia*, 1979: 635-638.
- Kynard, B. and Curry, K. 1976. Meristic variation in the threespine stickleback, *Gasterosteus aculeatus*, from Auke Lake, Alaska. *Copeia*, 1976: 811-813.
- Lacepède, B. 1801. *Histoire naturelle des Poissons*. Paris, Vol. III: 588 p., 34 pl.
- Lackey, R. 1969. Food interrelationships of salmon, trout, alewives and smelt in a Maine Lake. *Trans. Amer. Fish. Soc.* 98: 641-646.
- Ladiges, W. and Vogt, D. 1965. *Die Süßwasserfische Europas bis zum Ural und Kaspischen Meer*. Verlag Paul Parey, Hamburg und Berlin. 250 p.
- Lafont, A. 1871. Note pour servir à la faune de la Gironde. *Actes Soc. Linn., Bordeaux*, 28, 2.
- Lagler, K.F. and Hubbs, F.V. 1940. Food of the long-nose gar (*Lepisosteus oxyurus*) and the bowfin (*Amia calva*) in southern Michigan. *Copeia*, 1940: 239-241.
- Lagler, K.F. and Ostenson, B.T. 1942. Early spring food of the otter in Michigan. *J. Wild. Manag.* 6: 244-254.
- Lam, T.J. 1968. Effect of prolactin on plasma electrolytes of the early-winter marine threespine stickleback *Gasterosteus aculeatus*, form *trachurus*, following transfer from sea to fresh water. *Can. J. Zool.* 46: 1095-1097.
- Lam, T.J. 1969a. The role of prolactin in osmotic and ionic regulation of the marine form (*Trachurus*) of the threespine stickleback, *Gasterosteus aculeatus* L., in fresh water. Ph.D. Thesis, Univ. British Columbia.
- Lam, T.J. 1969b. A new technique for the collection of urine of small fishes and for study of exchanges of materials via the head region. *Can. J. Zool.* 47: 225-228.
- Lam, T.J. 1969c. Effect of prolactin on loss of solutes via the head region of the early-winter marine threespine stickleback (*Gasterosteus aculeatus* L. form *trachurus*) in fresh water. *Can. J. Zool.* 47: 865-869.

- Lam, T.J. 1969d. Evidence of loss of C<sup>14</sup>-inulin via the head region of the threespine stickleback, *Gasterosteus aculeatus*, form *trachurus*. Comp. Biochem. Physiol. 28: 459-463.
- Lam, T.J. 1969e. The effect of prolactin on osmotic influx of water in isolated gills of the marine threespine stickleback, *Gasterosteus aculeatus* L., form *trachurus*. Comp. Biochem. Physiol. 31: 909-913.
- Lam, T.J. 1972. Prolactin and hydromineral regulation in fishes. Gen. Comp. Endocrinol. Suppl. 3: 328-338.
- Lam, T.J., Chan, K. and Hoar, W.S. 1979. Effect of progesterone and estradiol - 17  $\beta$  on ovarian fluid secretion in the threespine stickleback, *Gasterosteus aculeatus* L., form *trachurus*. Can. J. Zool. 57: 468-471.
- Lam, T.J. and Hoar, W.S. 1967. Seasonal effects of prolactin on freshwater osmoregulation of the marine form (*trachurus*) of the stickleback *Gasterosteus aculeatus*. Can. J. Zool. 45: 509-516.
- Lam, T.J. and Leatherland, J.F. 1969a. Effects of prolactin on the glomerulus of the marine threespine stickleback, *Gasterosteus aculeatus* L., form *trachurus*, after transfer from seawater to freshwater, during the late autumn and early winter. Can. J. Zool. 47: 245-250.
- Lam, T.J. and Leatherland, J.F. 1969b. Effect of prolactin on freshwater survival of the marine form (*trachurus*) of the threespine stickleback, *Gasterosteus aculeatus*, in the early winter. Gen. Comp. Endocrinol. 12: 385-387.
- Lam, T.J. and Leatherland, J.F. 1970. Effect of hormones on survival of marine form (*trachurus*) of the threespine stickleback (*Gasterosteus aculeatus* L.) in deionized water. Comp. Biochem. Physiol. 33: 295-302.
- Lam, T.J., Nagahama, Y., Chan, K. and Hoar, W.S. 1978. Overripe eggs and postovulatory corpora lutea in the threespine stickleback, *Gasterosteus aculeatus* L., form *trachurus*. Can. J. Zool. 56: 2029-2036.
- Lamsa, A. 1963. Downstream movements of brook sticklebacks, *Eucalia inconstans* (Kirtland), in a small southern Ontario stream. J. Fish Res. Board Can. 20: 587-589.
- Landois, H. 1871a. Der kleine Stichling (*Gasterosteus pungitius* L.) und sein Nestbau. Zool. Garten, 12 Jahrg. 1-10. Natur und Offenbarung 17: 169-177.
- Landois, H. 1871b. Beobachtungen über zwei in Westphalen bisher wenig beobachtete Fische, *Gasterosteus pungitius* L. und *Petromyzon planeri* Bl. Verh. Naturhist. Ver. Preuss. Rheinl. Westphal. 28. Jahrg. (3 ser. 8. Jahrg.): 53-57.

- Landry, G. 1976. First mention in Quebec of *Glugea anomala* in *Gasterosteus aculeatus*. Nat. Can. (Que.), 103: 583-584.
- Landry, M.R. 1978. Population dynamics and production of a planktonic marine copepod, *Acartia clausii*, in a small temperate lagoon on San Juan Island, Washington. Int. Rev. Gesamten. Hydrobiol. 63: 77-119.
- Lange, R. and Fugelli, K. 1965. The osmotic adjustment in the euryhaline teleosts, the flounder, *Pleuronectes flesus* L. and the three-spined stickleback, *Gasterosteus aculeatus* L. Comp. Biochem. Physiol. 15: 283-292.
- Lanham, U. 1962. The Fishes. Columbia Univ. Press, New York and London. 118 p., 24 pl.
- Lapin, Y.E. (Ed.) 1978. Ecology of the White Sea fishes. Nauka, Moscow. 199 p. In Russian.
- Larson, G.L. 1972. Social behavior and feeding ability of two phenotypes of *Gasterosteus aculeatus* in relation to their spatial and trophic segregation in a temperate lake. Ph.D. Thesis Univ. British Columbia. Diss. Abst. Int. 34B: 923.
- Larson, G.L. 1976. Social behavior and feeding ability of two phenotypes of *Gasterosteus aculeatus* in relation to their spatial and trophic segregation on a temperate lake. Can. J. Zool. 54: 107-121.
- Laupe, L. 1904. Meine Beobachtungen beim Brutgeschäft des dreistacheligen Stichlings (*Gasterosteus aculeatus*). Aus d. Heimat, Stuttgart, 17: 113-120.
- Laurent, P.J. 1972. Lac Léman: effects of exploitation, eutrophication and introductions on the salmonid community. J. Fish. Res. Board Can. 29: 867-875.
- Laurent, P.J. 1975. *Argulus* in the lake of Geneva. Schweiz. Z. Hydrol. 37: 249-252.
- Lawler, G.H. 1958. Variation in number of dorsal spines in the brook stickleback, *Eucalia inconstans*. Can. J. Zool. 26: 127-129.
- Lawler, G.H. 1965. The food of the pike, *Esox lucius*, in Heming Lake, Manitoba. J. Fish. Res. Board Can. 22: 1357-1377.
- Lawler, G.H. and Watson, N.H.F. 1958. Limnological studies of Heming Lake, Manitoba, and two adjacent lakes. J. Fish. Res. Board Can. 15: 203-218.
- Lawrence, W.I. 1959. The sticklebacks. *Gasterosteus aculeatus* (Linnaeus). *Apeltes quadracus* (Mitchill). *Pungitius pungitius* (Linnaeus). Canadian Fish Culturist, 38: 73-75.
- Lea, G.R. 1968. Lateral plates in the three-spined stickleback (*Gasterosteus aculeatus* L.) as a defence against predators. B.Sc. Thesis, Univ. British Columbia.

- Leatherland, J.F. 1970a. Seasonal prolactin secretion in the anadromous threespine stickleback *Gasterosteus aculeatus* form *trachurus*. In: Brown, P.S. 119th meeting 25th Annual General Meeting Soc. Endocrin. London, England, May 21-22. *J. Endocrinol.* 48: 31-32.
- Leatherland, J.F. 1970b. Seasonal variation in the structure and ultra-structure of the pituitary of the marine form (*trachurus*) of the threespine stickleback, *Gasterosteus aculeatus* L. 1. Rostral pars distalis. *Z. Zellforsch. Mikroskop. Anat.* 104: 301-317.
- Leatherland, J.F. 1970c. Seasonal variation in the structure and ultra-structure of the pituitary gland in the threespine stickleback, *Gasterosteus aculeatus* L. 2. Proximal pars distalis and neuro-intermediate lobe. *Z. Zellforsch. Mikroskop. Anat.* 104: 318-336.
- Leatherland, J.F. 1970d. Histological investigation of pituitary homotransplants in the marine form (*trachurus*) of the threespine stickleback, *Gasterosteus aculeatus* L. *Z. Zellforsch. Mikroskop. Anat.* 104: 337-344.
- Leatherland, J.F. 1970e. Effect of pituitary homotransplants on peripheral target organs in intact threespine sticklebacks *Gasterosteus aculeatus* L. form *trachurus*. *Can. J. Zool.* 48: 1341-1344.
- Leatherland, J.F. 1975. Structure and fine structure of the pars distalis in cyclostome, holostean and telostean representatives. *Gen. Comp. Endocrinol.* 26: 2-15.
- Leatherland, J.F. and Lam, T.J. 1969a. Effect of prolactin on the density of mucous cells on the gill filaments of the marine form (*trachurus*) of the threespine stickleback, *Gasterosteus aculeatus* L. *Can. J. Zool.* 47: 787-792.
- Leatherland, J.F. and Lam, T.J. 1969b. Prolactin and survival in deionized water of the marine form (*trachurus*) of the three-spine stickleback, *Gasterosteus aculeatus* L. *Can. J. Zool.* 47: 989-995.
- Leatherland, J.F. and Lam, T.J. 1971. Effects of prolactin, corticotrophin and cortisol on the adenopophysis and interrenal gland of anadromous threespine sticklebacks, *Gasterosteus aculeatus* L. form *trachurus*, in winter and summer. *J. Endocrinol.* 51: 425-436.
- Le Danois, Ed. 1913. Contribution à l'étude systématique et biologique des poissons de la Manche Occidentale. *Ann. Inst. Océanog., Monaco*, 5 (5): 1-124, 319 fig.
- Lee, D.S., Gilbert, C.R., Hocutt, C.H., Jenkins, R.E., McAllister, D.E. and Stauffer, J.R. 1980. Atlas of North American Freshwater Fishes. North Carolina State Museum of Natural History, x + 854 p.

- Léger, L. 1909. Poissons et pisciculture dans le Dauphiné. Trav. Lab. Piscic. Univ. Grenoble, 1909: 53-54.
- Legget, W.C. and Power, G. 1969. Differences between two populations of landlocked Atlantic salmon (*Salmo salar*) in Newfoundland. J. Fish. Res. Board Can. 26: 1585-1596.
- Legore, R.S. and Desvoigne, D.M. 1973. Absence of acute effects on three-spine sticklebacks (*Gasterosteus aculeatus*) and coho salmon (*Oncorhynchus kisutch*) exposed to resuspended harbor sediment contaminants. J. Fish. Res. Board Can. 30: 1240-1242.
- Leider, U. 1961. Zur Wirkung des Cancerogens und Mutagens Malachitgrün (p - Dimethylaminofuchson - dimethyliminooxalat (sulfat)) auf Mitosen bei Fischen und Fischerien. Naturwissenschaften, 48: 437-438.
- Leim, A.H. and Scott, W.B. 1966. Fishes of the Atlantic Coast of Canada. Bull. Fish. Res. Board Can. 155: 485 p.
- Leiner, M. 1929. Ecological studies on *Gasterosteus aculeatus*. Z. Wiss. Biol. Abt. A. Morph. u. Ökol. Tiere, 14: 360-399. In German.
- Leiner, M. 1930. Fortsetzung der Ökologischen Studien an *Gasterosteus aculeatus*. Z. Morph. Ökol. Tiere, 16: 499-540.
- Leiner, M. 1931a. Ökologisches von *Gasterosteus aculeatus* L. Zool. Anz. 93: 317-333.
- Leiner, M. 1931b. Der Laich und Brutpflegeinstinkt des Zwergstichlings *Gasterosteus (Pygosteus) pungitius*, (L.). Z. Morph. Ökol. Tiere, 21: 765-788.
- Leiner, M. 1934a. Die drei Europäischen Stichlinge (*Gasterosteus aculeatus* L., *Gasterosteus pungitius* L. und *Gasterosteus spinachia* L.) und ihre Kreuzungsprodukte. Vergleichende Betrachtung ihrer Laichzeit, ihrer Körperformen und ihrer Brutpflegetätigkeit. Z. Morph. Ökol. Tiere, 28: 107-154.
- Leiner, M. 1934b. Beiträge zur ontogenetischen Entwicklung der drei europäischen Stichlingsarten und ihrer Kreuzungsprodukte. Z. Wiss. Zool. 145: 366-388.
- Leiner, M. 1940. Kurze Mitteilung über den Brutpflegeinstinkt von Stichlingsbastarden. Zeitschr. Tierpsychol. 4: 167-169.
- Leiner, M. 1957. Stichlingsbastarde. Natur. u. Volk, 87: 294-300.
- Leiner, M. 1960. Über die Ei - und - Larven - Entwicklung beim Dreistacheligen Stichling. Nat. u. Volk. 90: 417-420.
- Leloup, E. and Konietzko, B. 1956. Recherches biologiques sur les eaux Saumâtres du Bas-Escaut. Mém. Inst. Sci. Nat. Belg. 132: 1-100.



- Lemarié, E. 1866. Poissons des Départements de Charente, Charente-Inférieure, Deux-Sèvres, Vendée, Vienne. Niort, 1886: 11.
- Lemmetyinen, R. 1973a. Clutch size and timing of breeding in the Arctic tern in the Finnish archipelago. *Ornis Fenn.* 50: 18-28.
- Lemmetyinen, R. 1973b. Feeding ecology of *Sterna paradisaea* Pontopp. and *S. hirundo* L. in the archipelago of southwestern Finland. *Ann. Zool. Fenn.* 10: 507-525.
- Lemmetyinen, R. 1975. The three-spined stickleback *Gasterosteus aculeatus* in the food chains of the northern Baltic. *Merentutkimuslaitoksen Julk.* 239: 155-161.
- Lemmetyinen, R. 1976. Feeding segregation in the Arctic tern and common tern in southern Finland. *Auk*, 93 (3): 636-640.
- Lemmetyinen, R. and Mankki, J. 1975. The three-spined stickleback (*Gasterosteus aculeatus*) in the food chains of the northern Baltic. In: *Proc. Third Baltic Symp. Marine Biology, Merentutkimuslait.* Julk. 239: 155-161.
- Lemmetyinen, R. and Raitis, T. 1972. Occurrence of *Schistocephalus solidus* Creplin (Cestoidea, Dibothriocephalidae) in common and arctic terns in southern Finland. *Ann. Zool. Fenn.* 9: 208-211.
- Leonhardt, E.E. 1907. Die beiden Süßwasserstichlinge. *Deutsch. Fischerei Corresp.* 11: August u. September.
- Lester, R.J.G. 1971. The influence of *Schistocephalus* plerocercoids on the respiration of *Gasterosteus* and a possible resulting effect on the behaviour of the fish. *Can. J. Zool.* 49: 361-366.
- Lester, R.J.G. 1972. Attachment of *Gyrodactylus* to *Gasterosteus* and host response. *J. Parasitol.* 58: 717-722.
- Lester, R.J.G. 1973. Dynamics of *Gyrodactylus* populations on sticklebacks (*Gasterosteus aculeatus*). Ph.D. Thesis, Univ. British Columbia. Diss. Abst. Int. 34B: 3010.
- Lester, R.J.G. 1974. Parasites of *Gasterosteus aculeatus* near Vancouver, British Columbia. *Syesis*, 7: 195-200.
- Lester, R.J.G. and Adams, J.R. 1974a. A simple model of a *Gyrodactylus* population. *Int. J. Parasitol.* 4: 497-506.
- Lester, R.J.G. and Adams, J.R. 1974b. *Gyrodactylus alexanderi*: reproduction, mortality and effect on its host *Gasterosteus aculeatus*. *Can. J. Zool.* 52: 827-833.
- Lester, R.J.G. and Huizinga, H.W. 1977. *Diplostomum adamsi* sp. n.: Description, life cycle and pathogenesis in the retina of *Perca flavescens*. *Can. J. Zool.* 55: 64-73.

- Letch, C.A. 1979. Host restriction, morphology and isoenzymes among trypanosomes of some British freshwater fishes. *Parasitology*, 79: 107-117.
- Letch, C.A. and Ball, S.J. 1979. Prevalence of *Trypanosoma cobitis* Mitrophanow, 1883 in fishes from the River Lee. *Parasitology*, 79: 119-124.
- Levander, K.M. 1900. *Gasterosteus aculeatus* af 82 mm. längd. Meddel. Soc. Fauna Flora Fenn. 25: 134.
- Levins, R. 1968. Evolution in changing environments. Princeton Univ. Press, Princeton.
- Lewis, D.B., Walkey, M. and Dartnall, H.J.G. 1972. Some effects of low oxygen tensions on the distribution of the three-spined stickleback *Gasterosteus aculeatus* L. and the nine-spined stickleback *Pungitius pungitius* (L.). *J. Fish. Biol.* 4: 103-108.
- Lewis, J.W. and Ball, S.J. 1979. Attachment of the epimastigotes of *Trypanosoma cobitis* to the crop wall of the leech vector *Hemiclepsis marginata*. *Z. Parasitenkd.* 60: 29-36.
- Li, S.K. 1976. Sexual selection in the three-spined stickleback (*Gasterosteus aculeatus* L.). Ph.D. Thesis, Univ. California, Davis. Diss. Abs. Int. 37B: 4747.
- Li, S.K. and Owings, D.H. 1975. Intra-sexual selection in the three-spined stickleback, *Gasterosteus aculeatus*. *Am. Zool.* 15 (3): 812.
- Li, S.K. and Owings, D.H. 1978a. Sexual selection in the three-spined stickleback: I. Normative observations. *Z. Tierpsychol.* 46: 359-371.
- Li, S.K. and Owings, D.H. 1978b. Sexual selection in the three-spined stickleback: II. Nest raiding during the courship phase. *Behaviour* 64 (3/4): 298-304.
- Libosvasky, J. 1970. Survey carried out at Lac la Martre, Northwest Territories, in summer 1969, and the entangling capacity of gill nets of different twine, color and age when fishing for whitefish and lake trout. Tech. Rep., Fish. Res. Bd. Canada, Dept. Environment, Fisheries and Marine Service, Freshwater Institute, Winnipeg. 35 p.
- Liley, N.R. 1969. Hormones and reproductive behaviour in fishes. In: Hoar, W.S. and Randall, D.J. (Eds.). *Fish Physiology*, 3: 73-116. Academic Press, London and New York.
- Lilljeborg, W. 1884. *Sveriges och Norges Fiskar*. Upsala, 1: 342-378.
- Limbaugh, C. 1962. Life history and ecological notes on the tubenose, *Aulorhynchus flavidus*, a hemibranch fish of western North America. *Copeia*, 1962: 549-555.

- Lindberg, G.U. 1927. A list of fishes collected by A.A. Emel'yanov in the Rivers Botchi and Kopi which flow into the Sea of Japan, with a description of a new species of the genus *Cottus* (*C. emeljanovi*). Trudy Dal'nev. Hidrog, Uprav., 8 ser. 2: 1-9. In Russian.
- Lindberg, G.U. 1928. Southern elements in the ichthyofauna of Peter the Great Bay, Sea of Japan. Dokl. Akad. Nauk. SSSR, A 25: 529-534. In Russian.
- Lindberg, G.U. 1936. Data on the Maritime Territory fishes. Trudy Zool. Inst. AN SSSR, 3: 393-407.
- Lindberg, G.U. 1947. Preliminary list of fishes of the Sea of Japan. Izv. Tikhook. Nauch.-Issled. Okean. Inst. Ryb. Khoz. 25: 125-206. In Russian.
- Lindberg, G.U. 1974. Fishes of the World. A key to families and a checklist. Israel Program for Scientific Translations, Jerusalem. v + 545 p.
- Lindberg, G.U. and Dul'keit, G.A. 1929. Data on the fishes of the Shantar (Okhotsk) Sea. Izv. TONS, 3, 139 p. In Russian.
- Lindberg, G.U. and Heard, A.S. 1972. Dictionary of the names of freshwater fishes of the U.S.S.R. on the languages of the peoples of the U.S.S.R. and European countries. Nauka, Leningrad. 367 p. In Russian.
- Lindberg, G.U. and Legeza, M.I. 1965. Fishes of the Sea of Japan and the adjacent areas of the sea of Okhotsk and the Yellow Sea. 2. Teleostomi XII Acipenseriformes - XXVIII. Polynemiformes. Nauka, Moscow. 391 p. In Russian.
- Lindegaard, C. and Jonasson, P.M. 1974. Life cycles of *Chironomus hyperboreus* and *Tanytarsus gracilentus* (Chironimidae, Diptera) in Lake Myvatn, Northern Iceland. In: Sladeczek, V. (Ed.), Proc. Int. Ass. Theoret. Appl. Limnology, 19: 3155-3163.
- Lindsey, C.C. 1956. Distribution and taxonomy of fishes in the Mackenzie drainage of British Columbia. J. Fish. Res. Board Can. 13: 759-789.
- Lindsey, C.C. 1957. Possible effects of water diversions on fish distribution in British Columbia. J. Fish. Res. Board Can. 14: 651-668.
- Lindsey, C.C. 1962a. Experimental study of meristic variation in a population of threespine sticklebacks, *Gasterosteus aculeatus*. Can. J. Zool. 40: 271-312.
- Lindsey, C.C. 1962b. Observations on meristic variation in ninespine sticklebacks, *Pungitius pungitius*, reared at different temperatures. Can. J. Zool. 40: 1237-1247.

- Lingle, G.R. and Sloan, N.F. 1980. Food habits of white pelicans (*Pelecanus erythrorhynchos*) during 1976-1977 at Chase Lake National Wildlife Refuge, North Dakota, U.S.A. *Wilson Bull.* 92: 123-125.
- Linnaeus, C. 1758. *Systema Naturae*, p. 230-338. Ed. X, Vol. 1. Nantes & Pisces. 824 p. Reprint 1956, London.
- Linnaeus, C. 1800. *Fauna Suecica*. Leipzig. p. 338.
- Liu Hsien-T'ing and Wang Nien-Chung. 1974. A new *Pungitius* from the Nihowan formation of North China. *Vertebr. Palasiat.* 12: 89-98.
- Livingstone, D.A. 1951. The fresh water fishes of Nova Scotia. *Proc. N.S. Inst. Sci.* 23 (Pt. 1): 90 p.
- Lom, J., Canning, E.U. and Dykova, I. 1979. Cell periphery of *Glugea anomala xenomas*. *Protozool.* 26: (3 part 1) 44A-45A.
- Lom, J. and Laird, M. 1976. Parasitic protozoa from marine and euryhaline fish of Newfoundland and New Brunswick: II. Microsporida. *Trans. Am. Microsc. Soc.* 95: 569-580.
- Lom, J. and Stein, G.A. 1966. Trichodinids from sticklebacks and a remark on the taxonomic position of *Trichodina domerguei* (Wall.). *Vestník Česk. Společnosti Zool.* 30: 39-48.
- Lom, J. and Weiser, J. 1969. Notes on two microsporidian species from *Silurus glanis* and on the systematic status of the genus *Glugea* Thélohan. *Folia Parasit.* 16: 193-200.
- Lönnberg, A.J.E. 1898. Bidrag till storspiggens biologi. *Swensk Fiskeritidskr.* 7: 28-32.
- Lozano Rey, L. 1935. Los peces fluvialis de Espina. *Memorias Academia Ciencias Madrid*, 5: 1-390.
- Lozano Rey, D.L. 1947. Peces Ganoideos y Fisostomos. *Mem. Real Acad. Ciencias Madrid*, XI: xv + 839 p., 190 fig., 20 pl.
- Lühe, M. 1911. Seestichling (*Gasterosteus spinachia* L.). *Schrift. Phys.-oeken. Ges. Königsberg*, 52 Jahrg. 215.
- Lunel, G. 1882. Observations sur quelques Gastérostéides et sur la variabilité des caractères distinctifs attribués aux poissons de cette famille. *Mém. Soc. Sci. Nat. Saone - et - Loire*, 4: 147-168.
- Lux, F.E. and Nichy, F.E. 1971. Numbers and lengths by season, of fishes caught with an otter trawl near Woods Hole, Massachusetts, September 1961 to December 1962. *U.S. Dept. Commer., Natl. Mar. Fish. Serv., Special Sci. Rep.* 662: 1-15.
- Lyons, K.M. 1970. Fine structure of the outer epidermis of the viviparous monogenean *Gyrodactylus* sp. from the skin of *Gasterosteus aculeatus*. *J. Parasitol.* 56: 1110-1117.

- Lythgoe, G. and Lythoee, G. 1971. Fishes of the Sea. Blandford Press, London. 320 p.
- MacCrimmon, H.R. and Skobe, E. 1970. The fisheries of Lake Simcoe. Fish and Wildlife Branch, Dept. of Lands and Forests, Ontario 140 p.
- MacKay, H.H. 1969. Fishes of Ontario. Fish Wildlife Branch, Dept. Lands Forests, Ontario. 2nd Ed. xi + 292 p.
- MacLean, J.A. 1969. The effect of temperature on the distribution of the brook stickleback, *Culaea inconstans* (Kirtland) in the Roseau River, Manitoba. M.Sc. Thesis, Univ. of Manitoba, Winnipeg, Manitoba. 125 p.
- MacLean, J.A. 1974. Variation and natural selection in a population of sticklebacks (*Gasterosteus*). Ph.D. Thesis, Univ. British Columbia. Diss. Abs. Int. 35B: 5722.
- MacLean, J. 1980. Ecological genetics of threespine sticklebacks in Heisholt Lake. Can. J. Zool. 58: 2026-2039.
- MacLean, J.A. and Gee, J.H. 1971. Effects of temperature on movements of pre-spawning brook sticklebacks, *Culaea inconstans*, in the Roseau River, Manitoba. J. Fish. Res. Board Can. 28: 919-923.
- Macovski, E. and Macovski, E. 1938a. Untersuchungen über die Permeabilität lebender Membranen. IV. Permeabilität des Keimenepitheliums von "*Gasterosteus*" für Telepathin. Arch. Exp. Path. u. Pharmakol. 189: 45-52.
- Macovski, E. and Macovski, E. 1938b. Untersuchungen über die Permeabilität lebender Membranen. V. Permeabilität des Keimenepitheliums von "*Gasterosteus aculeatus*" für einige organische Säuren. Arch. Exp. Path. u. Pharmakol. 189: 140-150.
- Maggi, P. and Alzieu, C. 1977. Study of the harmfulness of poly-di-methyl siloxane oils to marine organisms. Sci. Peche, 269: 1-4.
- Mahon, R., Balon, E.K. and Noakes, D.L.G. 1979. Distribution, community structure and production of fishes in the upper Speed River, Ontario, Canada: A preimpoundment study. Environ. Biol. Fishes, 4: 219-244.
- Maitland, P.S. 1965. The feeding relationships of salmon, trout, minnows, stone loach and three-spined sticklebacks in the River Endrick, Scotland. J. Anim. Ecol. 34: 109-133.
- Maitland, P.S. 1972a. Loch Lomond: man's effects on the salmonid community. J. Fish. Res. Board Can. 29: 849-860.
- Maitland, P.S. 1972b. A key to the freshwater fishes of the British Isles with notes on their distribution and ecology. Freshwater Biological Association Scientific Publication, 27: 139 p.

- Maitland, P.S. and East, K. 1976. The fresh water fish fauna of Shetland Britain. *Glasg. Nat.* 19: 321-324.
- Makino, S. 1934a. Notes on the chromosomes of some freshwater teleosts. *Jap. J. Genetics*, 9: 100-103. In Japanese.
- Makino, S. 1934b. The chromosomes of the sticklebacks, *Fungitius tymensis* (Nikolsky) and *P. pungitius* (Linnaeus). *Cytologica*, 5: 155-168.
- Malmgren, A.J. 1863. Kritisk Öfversigt af Finlands Fisk-Fauna. Akad. Afh. Helsingfors, Translated into German by C.F. Frisch in Weigm. Arch. 1864: 259-351.
- Mander, P.B. 1973. The ten-spined stickleback. *Sorby Rec.* 3: 58-65.
- Manion, P.J. 1977. Downstream movement of fish in a tributary of southern Lake Superior. *Prog. Fish-Cult.* 39: 14-16.
- Mankki, J. and Vauras, J. 1974. Littoral fish populations after an oil tanker disaster in the Finnish SW archipelago. *Ann. Zool. Fenn.* 11: 120-126.
- Manly, B.J.F. 1978. Analysis of differential predation. *Heredity*, 40: 315-316.
- Mann, R.H.K. 1971. The populations, growth and production of fish in four small streams in southern England. *J. Anim. Ecol.* 40: 155-190.
- Mann, R.H.K. and Orr, D.R.O. 1969. A preliminary study of the feeding relationships of fish in a hard-water and a soft-water stream in Southern England. *J. Fish. Biol.* 1: 31-44.
- Mansueti, R.J. 1957. Revised key to Maryland freshwater fishes. Maryland Dept. Res. Educ., Chesapeake Biol. Lab. ref. 57-22, 26 p. (mimeo).
- Mansueti, R.J. and Scheltema, R.S. 1953. Summary of fish collections made in the Chesapeake Bay area of Maryland and Virginia during October 1953. Maryland Dept. Educ. Res., Chesapeake Biol. Lab. Field Summary 1: 25 p., 17 tables (mimeo).
- Manzer, J.I. 1976. Distribution, food, and feeding of the threespine stickleback, *Gasterosteus aculeatus*, in Great Central Lake, Vancouver Island, with comments on competition for food with juvenile sockeye salmon, *Oncorhynchus nerka*. U.S. Natl. Mar. Fish. Serv. Fish. Bull. 74: 647-668.
- Marcotte, F. 1860. Les animaux vertébrés de l'arrondissement d'Abbeville. Amiens. p. 417-418.
- Maresca, M. 1926. Considerazioni sulla bionomia di *Gasterosteus aculeatus* L. del fiume Sarno nelle Campania con alcuni dati somatometrici. *Arch. Zool.*, Italiano, Napoli, 11: 199-242, pl.
- Margolis, L. and Arthur, J.R. 1979. Synopsis of the parasites of fishes of Canada. *Bull. Fish. Res. Board Can.* 199: vi + 269 p.

- Marinov, B. 1965a. *Fungitius platygaster* (Kessler) new fish species in the Danube basin in Bulgaria. Abs. Bulg. Scient. Lit. Biol. Bioch. 4: 6 (Abstract).
- Marinov, B. 1965b. *Fungitius platygaster* (Kessler) - une nouvelle espèce de poisson pour la Bulgarie. God. Sof. Univ. Biol. (Zool.), 58: 125-127.
- Markely, M.H. 1940. Notes on the food habits and parasites of the stickleback, *Gasterosteus aculeatus* (Linnaeus), in the Sacramento River, California. Copeia, 1940: 223-225.
- Markovtsev, V.G. 1972. Feeding and food relationships of young sockeye and three-spine stickleback in Lake Dalnee. Izv. Tikhookean. Nauchno-Issled. Inst. Rybn. Khoz. Océonogr. (TINRO), 82: 227-233. (Transl. from Russian by Fish. Res. Board Can. Transl. Ser. No. 2830, 1973).
- Markowski, S. 1966. The diet and infection of fishes in Cavendish Dock, Barrow-in-Furness. J. Zool., Lond. 150: 183-197.
- Marshall, N.B. 1971a. Explorations in the life of fishes. Harvard Univ. Press, Cambridge, Massachusetts. 204 p.
- Marshall, N.B. 1971b. La vie des poissons. Ed. Rencontre, Lausanne. Encycl. Nat., vol. 8: 1-384, fig. 1-302, vol. 9: 385-768, fig. 303-645.
- Martens, - and Friedel, -. 1871. *Gasterosteus pungitius* distribution in Germany. Zool. Gart. 1871: 28-31.
- Martens, E. 1871. Ueber das Vorkommen des Kleinen Stichlings (*Gasterosteus pungitius*). Zool. Garten, 12. Jahrg. 28.
- Martin, D. 1967. Sticklebacks. Sch. Sci. Rev. 48: 417-427.
- Martin, R. and Rollinat, R. 1894. Vertébrés sauvages du département de l'Indre. Paris. p. 402-403.
- Martin, R. and Rollinat, R. 1914. Descriptions et moeurs des Mammifères, Oiseaux, Reptiles, Batraciens et Poissons de la France centrale. Paris. p. 401-403.
- Maskell, M., Parkin, D.T. and Verspoor, E. 1977. Apostatic selection by sticklebacks upon a dimorphic prey. Heredity, 39: 83-90.
- Mason, J.C. 1975. Seaward movement of juvenile fishes, including lunar periodicity in the movement of coho salmon (*Oncorhynchus kisutch*) fry. J. Fish. Res. Board Can. 32: 2542-2547.
- Mathews, C.P. 1971. Contribution of young fish to total production of fish in the River Thames near Reading. J. Fish. Biol. 3: 157-180.
- Matsubara, K. 1963. Fish morphology and hierarchy. Ishizaki-Shoten, Tokyo. 2nd Ed. 3 vols.

- Matsuno, T. and Katsuyama, M. 1976. Comparative biochemical studies of carotenoids in fishes: XI. Carotenoids of two species of flying fish, mackerel pike, killifish, three-spined stickleback and Chinese eight-spined stickleback. Bull. Jpn. Soc. Sci. Fish. 42: 761-763. In Japanese.
- Matthiessen, P. and Brafield, A.E. 1973. The effects of dissolved zinc on the gills of the stickleback *Gasterosteus aculeatus* (L.). J. Fish. Biol. 5: 607-613.
- Matthiessen, P. and Brafield, A.E. 1977. Uptake and loss of dissolved zinc by the stickleback *Gasterosteus aculeatus* L. J. Fish. Biol. 10: 399-410.
- Mauduyt, M. 1847. Ichthyologie de la Vienne. Poitiers.
- Mayr, E. 1963. Animal species and evolution. Harvard Univ. Press, Cambridge, Massachusetts.
- Mayr, E. 1970. Evolution and behaviour. Verh. Dtsch. Zool. Ges. 1970: 322-336. In German.
- Mazabraud, A., Wegnez, M. and Denis, H. 1975. Biochemical research on oogenesis: RNA accumulation in the oocytes of teleosts. Dev. Biol. 44: 326-332.
- Mazzi, V. 1947. The nucleus intermedius and the pretectal region of thalamus in some teleost fishes. Atti Accad. Lincei (Roma) Rend. Cl. Sci. Fis. Mat., Ser. 8A, 2: 667-673. In Italian.
- Mazzi, V. 1948. Some new or little known nuclei and tracts of the thalamic pretectal region of some teleosts. Arch. Ital. Anat. e Embriol. 53 (1/2): 95-116. In Italian.
- McAllister, D.E. 1960a. The twospine stickleback *Gasterosteus wheatlandi* new to the Canadian fresh-water fish fauna. Can. Field-Nat. 74: 177-178.
- McAllister, D.E. 1960b. Le *Gasterosteus wheatlandi*, nouvelle espèce de poisson pour la province de Québec. Naturaliste-Can. 87: 117-118.
- McAllister, D.E. 1960c. List of the marine fishes of Canada. Bull. Nat. Mus. Canada, 168: iv + 76 p.
- McAllister, D.E. 1964. Fish collections from eastern Hudson Bay. Can. Field-Nat. 78: 167-178.
- McAllister, D.E. 1965. Type specimens of fishes in the National Museum of Canada. With brief historical notes. Natur. Hist. Pap. Nat. Mus. Can. 31: 1-12.
- McAllister, D.E. 1968. Evolution of branchiostegals and classification of teleostome fishes. Bull. Nat. Mus. Canada, 221: xiv + 239 p.



- McAllister, D.E. and Coad, B.W. 1974. Fishes of Canada's National Capital Region/Poissons de la région de la capitale du Canada. Misc. Spec. Publ. Fish. Res. Board Can. 24: 200 p.
- McAllister, D.E., Cumbaa, S.L. and Harington, C.R. 1981. Pleistocene fishes (*Coregonus*, *Osmerus*, *Microgadus*, *Gasterosteus*) from Green Creek, Ontario, Canada. Can. J. Earth Sci. 18 (8): 1356-1364.
- McCarragher, D.B. 1972. Survival of some freshwater fishes in the alkaline eutrophic waters of Nebraska. J. Fish. Res. Board Can. 28: 1811-1814.
- McCarthy, T.K. 1975. Observations on the distribution of the freshwater leeches (Hirudinea) of Ireland. Proc. Roy. Irish Acad. B75 (21): 401-451.
- McCleave, J.D. and Fried, S.M. 1975. Nighttime catches of fishes in a tidal cove in Montsweag Bay near Wiscasset, Maine. Trans. Am. Fish. Soc. 104: 30-34.
- McCluskey, R. 1972. Breeding grey wagtails, *Motacilla cinerea*, using fish as food. Avicultural Mag. 78: 20-22.
- McConnell, J.A. and Brett, J.R. 1946. Lakes of the Skeena River drainage. III. Kitwanga Lake. Prog. Rep. Pacific Coast Stat., Fish. Res. Board Can. 68: 55-59.
- McDougal, H.D. and Mizelle, J.D. 1969. Studies on monogenetic trematodes XLIV. A new method for collection of Monogenea. Trans. Amer. Microsc. Soc. 88: 445-446.
- McFadden, T.W. 1970. Furunculosis in nonsalmonids. J. Fish. Res. Board Can. 27: 2365-2370.
- McFarland, D.J. 1974. Time sharing as a behavioral phenomenon, p. 201-225. In: Lehrman, D.S. et al. (Ed.). Advances in the study of behavior. Academic Press, New York. Vol. 5, xiii + 279 p.
- McInerney, J.E. 1969. Reproductive behaviour of the blackspotted stickleback, *Gasterosteus wheatlandi*. J. Fish. Res. Board Can. 26: 2061-2075.
- McInerney, J.E. and Evans, D.O. 1970. Action spectrum of the photoperiod mechanism controlling sexual maturation in the threespine stickleback, *Gasterosteus aculeatus*. J. Fish. Res. Board Can. 27: 749-763.
- McIntosh, W.C. and Masterton, A.T. 1897. The life histories of the British marine food fishes. London, xv + 516, fig., 20 pl.
- McIntosh, W.C. and Prince, E.E. 1890. On the development and life-histories of the teleostean food and other fishes. Trans. Roy. Soc. Edinburgh, 35 (Part III), 19: 665-944, pl. I - XXVIII.
- McKenzie, J.A. 1964. The reproductive behaviour of the brook stickleback *Eucalia inconstans* (Kirtland). Ph.D. Thesis. University of Western Ontario, London, Ontario. 135 p.

- McKenzie, J.A. 1969a. A descriptive analysis of the aggressive behaviour of the male brook stickleback, *Culaea inconstans*. Can. J. Zool. 47: 1275-1279.
- McKenzie, J.A. 1969b. The courtship behaviour of the male brook stickleback, *Culaea inconstans* (Kirtland). Can. J. Zool. 47: 1281-1286.
- McKenzie, J.A. 1974. The parental behaviour of the male brook stickleback *Culaea inconstans* (Kirtland). Can. J. Zool. 52: 649-652.
- McKenzie, J.A. and Keenleyside, M.H.A. 1970. Reproductive behaviour of ninespine sticklebacks (*Pungitius pungitius* (L.)) in South Bay, Manitoulin Island, Ontario. Can. J. Zool. 48: 55-61.
- McKenzie, R.A. 1959. Marine and freshwater fishes of the Miramichi River and estuary, New Brunswick. J. Fish. Res. Board Can. 16: 807-833.
- McPhail, J.D. 1963. Geographic variation in North American ninespine sticklebacks, *Pungitius pungitius*. J. Fish. Res. Board Can. 20: 27-44.
- McPhail, J.D. 1964-65. *Gasterosteus* study. Res. Fish. Fish. Res. Inst. Univ. Wash. 1964-1965: 49-50.
- McPhail, J.D. 1969a. The fishes of the Kodiak Island refugium p. 211-215. In: Karlstrom, T.N.V. and Ball, G.E. (Eds.). The Kodiak Island Refugium, its Geology, Flora, Fauna and History. Ryerson Press, Toronto. 262 p.
- McPhail, J.D. 1969b. Predation and the evolution of a stickleback (*Gasterosteus*). J. Fish. Res. Board Can. 26: 3183-3208.
- McPhail, J.D. 1977. Inherited interpopulation differences in size at first reproduction in threespine stickleback, *Gasterosteus aculeatus* L. Heredity, 38: 53-60.
- McPhail, J.D. 1980. Sympatric forms and the species problem in *Gasterosteus*. Second Int. Congr. Syst. Evol. Biol., Univ. British Columbia, Vancouver, July 17-24, 1980, p. 104.
- McPhail, J.D. and Lindsey, C.C. 1970. Freshwater fishes of northwestern Canada and Alaska. Bull. Fish. Res. Bd. Canada, 173: x + 381 p.
- Meadows, B.S. 1970. Observations on the return of fishes to a polluted tributary of the River Thames 1964-69. Lond. Nat. 49: 76-81.
- Meakins, R.H. 1974a. A quantitative approach to the effects of the plerocercoid of *Schistocephalus solidus* Müller, 1776 on the ovarian maturation of the three-spined stickleback *Gasterosteus aculeatus* L. Zeitschrift Parasitenk. 44: 73-79.
- Meakins, R.H. 1974b. The bioenergetics of the *Gasterosteus/Schistocephalus* host-parasite system. Pol. Arch. Hydrobiol. 21: 455-466.

- Meakins, R.H. 1975. The effects of activity and season on the respiration of the three-spined sticklebacks, *Gasterosteus aculeatus* L. Comp. Biochem. Physiol. A Comp Physiol. 51: 155-158.
- Meakins, R.H. 1976. Variations in the energy content of freshwater fish. J. Fish. Biol. 8: 221-224.
- Meakins, R.H. and Walkey, M. 1970. The effects of parasite burden on host-growth. J. Parasitol. 56 (4 Sect. 11 Pt. 2): 448-449.
- Meakins, R.H. and Walkey, M. 1973. Aspects of in vivo growth of the plerocercoid stage of *Schistocephalus solidus*. Parasitology, 67: 133-141.
- Meakins, R.H. and Walkey, M. 1975. The effects of parasitism by the plerocercoid of *Schistocephalus solidus* Muller, 1776 (Pseudophyllidea) on the respiration of the three-spined stickleback *Gasterosteus aculeatus* L. J. Fish. Biol. 7: 817-824.
- Medcof, J.C. and Thomas, M.L.H. 1974. Surfacing on ice of frozen-in marine bottom materials. J. Fish. Res. Board Can. 31: 1195-1200.
- Medlen, A.B. 1951. Preliminary observations on the effects of temperature and light upon reproduction in *Gambusia affinis*. Copeia, 1951: 148-152.
- Meehan, W.R. 1964. Infection in a juvenile coho salmon resulting from ingestion of a threespine stickleback. Progr. Fish-Cult. 26: 142-143.
- Meek, A. 1916. The migrations of fish. London, 427 p.
- Meesters, A. 1940. Über die Organization des Gesichtsfeldes der Fische. Z. Tierpsychol. 4: 84-149.
- Meggitt, F.J. 1914. The structure and life history of a tapeworm (*Ichthyotaenia filicollis* Rud.) parasitic in the stickleback. Proc. Zool. Soc. Lond. 1914: 113-138.
- Meinken, H. 1974. On the distribution of the fish and reptiles in the Bremen area from 1905 to 1965: Sixty years of progressive expansion of urban and cultivated areas, 60 years of ever increasing suppression of the fish and reptile world. Abh. Naturwiss. Ver. Bremem, 37: 453-586. In German.
- Merker, E. 1943. The influence of salt concentration in the habitat upon the heat resistance of freshwater animals. Internat. Rev. ges. Hydrobiol. u. Hydrogr. 43: 1-56. In German.
- Merla, G. 1967. Wild fish in carp pond- serious nutrient competitors of carp. Deut. Fish. Ztg. 14 (12): 377-382. In German.
- Merriman, D. and Schedl, H.P. 1941. The effects of light and temperature on gametogenesis in the four-spined stickleback, *Apeltes quadracus* (Mitchill). J. Exp. Zool. 88: 413-449.

- Metz, H. 1974. Stochastic models for the temporal fine structure of behaviour sequences. In: McFarland, D.J. Motivational Control Systems Analysis, p. 5-86. Academic Press, London and New York.
- Mezhnin, F.I. 1975. Interrenal and chromaffin tissues of the Teleostei. Izv. Akad. Nauk SSSR Ser. Biol. 6: 901-909. In Russian.
- Mikodina, E.V. 1978. Some structural characteristics of egg membranes of the nesting fish lump sucker *Cyclopterus lumpus* L. and three-spined stickleback *Gasterosteus aculeatus* L. Biol. Nauki (Mosc.), 12: 60-65. In Russian.
- Mikulin, A.E., Kotik, L.V. and Dubrovin, V.N. 1978. Consistent patterns in the dynamics of changes of carotenoid pigments during the embryonic development of bony fish eggs. Biol. Nauki, (Mosc.), 9: 31-37. In Russian.
- Milinski, M. 1977a. Experiments on the selection by predators against spatial oddity of their prey. Z. Tierpsychol. 43: 311-325.
- Milinski, M. 1977b. Do all members of a swarm suffer the same predation? Z. Tierpsychol. 45: 373-388.
- Milinski, M. 1979a. An evolutionary stable feeding strategy in sticklebacks (*Gasterosteus aculeatus*). Z. Tierpsychol. 51: 36-40.
- Milinski, M. 1979b. Can an experienced predator (*Gasterosteus aculeatus*) overcome the confusion of swarming prey (*Daphnia*) more easily? Anim. Behav. 27: 1122-1126.
- Milinski, M. and Curio, E. 1975. Experiments on predator selection against prey straying from the swarm. Z. Tierpsychol. 37: 400-402.
- Milinski, M. and Heller, R. 1978. Influence of a predator on the optional foraging behaviour of sticklebacks (*Gasterosteus aculeatus* L.). Nature, Lond. 275: 642-644.
- Miller, D.J. and Lea, R.N. 1972. Guide to the coastal marine fishes of California. Dept. Fish Game, California, Fish Bull. 157: 235 p.
- Miller, M.J. 1936. *Bunoderina eucaliae* gen. et sp. nov., a new papillose Alloeoadiidae from the Stickleback. Canadian J. Res. Sec. D Zool. Sci. 14 (2): 11-14.
- Miller, R.R. 1939. Occurrence of the cyprinodont fish *Fundulus parvipinnis* in freshwater in San Juan Creek, southern California. Copeia, 1939: 168.
- Miller, R.R. 1960. The type locality of *Gasterosteus aculeatus williamsoni* and its significance in the taxonomy of Californian sticklebacks. Copeia, 1960: 348-350.
- Miller, R.R. 1961. Speciation rates in some freshwater fishes of Western North America. In: Blair, W.F. (Ed.). Vertebrate Speciation, p. 537-560. Univ. Texas Press, Austin.

- Miller, R.R. 1971. Our vanishing North American fishes. *Aquarium Hobby*, 1: 17-26.
- Miller, R.R. 1972. Threatened freshwater fishes of the United States. *Trans. Am. Fish. Soc.* 101: 239-252.
- Miller, R.R. and Hubbs, C.L. 1969. Systematics of *Gasterosteus aculeatus*, with particular reference to intergradation and introgression along the Pacific coast of North America: A commentary on a recent contribution. *Copeia*, 1969: 52-69.
- Millet, P.A. 1828. Faune de Maine-et-Loire. Paris. p. 750-751.
- Minckley, W.L. 1973. Fishes of Arizona. Arizona Game and Fish Department xv + 293 p.
- M'Intosh, W.C. 1866. Observations on the marine zoology of North Uuist, Outer Hebrides. *Proc. Royal Soc. Edinburgh*, 5: 614.
- Mitchill, S.L. 1815. The fishes of New York described and arranged. *Trans. Lit. Phil. Soc., N Y.* 1 (5): 355-492, 6 pl.
- Mitenev, V.K. 1975. Two new species of parasites from fishes *Myzobilatus schulmani* sp. nov. of the Kola Peninsula water bodies. *Parazitologiya (Leningr.)*, 9: 459-461.
- Mittal, A.K. and Whitear, M. 1978. A note on cold anaesthesia of poikilotherms. *J. Fish. Biol.* 13: 519-520.
- Mittelstaedt, M. 1971. Cybernetics of gravity orientation. *Verh. Dtsch. Zool. Ges.* 65: 185-200. In German.
- Miyadi, D. 1929. Notes on the skin and the cutaneous sense organs of some cobitoid and gasterosteid fishes, with special reference to the rudimentary nature of the lateral canal system. *Mem. Coll. Sci. Kyoto Imperial Univ. Ser. B Art. 4, 4 (?)*: 81-96.
- Miyadi, D., Kawanabe, H. and Mizuno, N. 1976. Coloured illustrations of the freshwater fishes of Japan. Hoikusha, Osaka. 462 p, 56 pl. In Japanese.
- Möbius, K.A. 1885a. Das Nest des Seestichlings. *Schrift. Naturw. Ver. Schleswig-Holstein*, 6:56. *Ann. Mag. Nat. Hist.* 16 (5): 153.
- Möbius, K.A. 1885b. Die Niere des männlichen Seestichlings, eine Spinn-drüse. *Biol. Centralblatt.* 5: 647-648.
- Möbius, K.A. 1886. Ueber die Eigenschaften und den Ursprung der Schleim-fäden des Seestichlingsnest. *Arch. Mikr. Anat.* 25: 554-563, pl.
- Möbius, K.A. 1893. Ein eierhaltiges Nest des Seestichlings, *Gasterosteus spinachia* L. *Sitzber. Ges. Naturf. Freunde Berlin*, 1893: 167.
- Möbius, K. and Heincke, F. 1883. Die Fische der Ostsee. Berlin, 206 p.

- Moenkhaus, W.J. 1911. Cross fertilization among fishes. Proc. Indiana Acad. Sci. 1910: 353-393.
- Moiseev, P.A. 1936. Composition of the ichthyofauna of the Sedanka River, in connection with the construction of the Vladivostok Water Works. Vestnik DUFAN SSSR, 18: 133-140.
- Mokievskii, O.B. 1949. The freshwater littoral of the Amur liman and its fauna. Doklady Akad. Nauk SSSR, 66: 1187-1190. In Russian.
- Molenda, E. and Fiedler, K. 1971. The effect of prolactin on the behavior of male sticklebacks (*Gasterosteus aculeatus* L.). Z. Tierpsychol. 28: 463-474. In German.
- Moles, A., Rice, S.D. and Korn, S. 1979. Sensitivity of Alaskan freshwater and anadromous fishes to Prudhoe Bay crude oil and benzene. Trans. Am. Fish. Soc. 108 (4): 408-414.
- Molnar, K. and Fernando, C.H. 1974. Some new *Eimeria* (Protozoa, Coccidia) from freshwater fishes in Ontario, Canada. Can. J. Zool. 52: 413-419.
- Molnar, K. and Hanek, G. 1974. Seven new *Eimeria* spp. (Protozoa, Coccidia) from freshwater fishes of Canada. J. Protozool. 21: 489-493.
- Monod, T. 1968. Le complexe urophore des poissons téléostéens. Mem. Inst. Fond. d'Afrique Noire, Ifan-Dakar, 81: vi + 705 p.
- Monod, T. 1973. Gasterosteidae, p. 280-286. Check-list of the fishes of the north-eastern Atlantic and of the Mediterranean. Vol. 1. UNESCO, Paris, xxii + 683.
- Moodie, G.E.E. 1970. Predation as a mechanism in the evolution of an unusual population of sticklebacks in the Queen Charlotte Islands, Canada (Pisces: Gasterosteidae). Ph.D. Thesis, Univ. of Alberta, Edmonton, Alberta, 86 p.
- Moodie, G.E.E. 1972a. Predation, natural selection and adaptation in an unusual threespine stickleback. Heredity, 28: 155-167
- Moodie, G.E.E. 1972b. Morphology, life history, and ecology of an unusual stickleback (*Gasterosteus aculeatus*) in the Queen Charlotte Islands, Canada. Can. J. Zool. 50: 721-732.
- Moodie, G.E.E. 1977. Meristic variation, asymmetry and aspects of the habit of *Culaea inconstans* (Kirtland) the brook stickleback, in Manitoba. Can. J. Zool. 55: 398-404.
- Moodie, G.E.E., McPhail, J.D. and Hagen, D.W. 1973. Experimental demonstration of selective predation on *Gasterosteus aculeatus*. Behaviour, 47: 95-105.
- Moodie, G.E.E. and Reimchen, T.E. 1973. Endemism and conservation of sticklebacks in the Queen Charlotte Islands. Can. Field-Nat. 87: 173-175.
- Moodie, G.E.E. and Reimchen, T.E. 1976a. Phenetic variation and habitat differences in *Gasterosteus* populations of the Queen Charlotte Islands. Syst. Zool. 25: 49-61.

- Moodie, G.E.E. and Reimchen, T.E. 1976b. Glacial refugia, endemism, and stickleback populations of the Queen Charlotte Islands, British Columbia. *Can. Field-Nat.* 90: 471-474.
- Moon-ki Chung (Ed.). 1961. *Illustrated Encyclopedia. The Fauna of Korea (2). Fishes.* Central Book Publishing Co., Seoul, Korea. 861 p. In Korean.
- Moore, G.A. 1968. Fishes, p. 21-165. In: Blair, W.F. et al. *Vertebrates of the United States.* McGraw-Hill, New York. ix + 616 p.
- Moore, J.W. and Moore, I.A. 1976. The basis of food selection in some estuarine fishes: Eels, *Anguilla anguilla* (L.), whiting, *Merlangius merlangus* (L.), sprat, *Sprattus sprattus* (L.) and stickleback, *Gasterosteus aculeatus* L. *J. Fish. Biol.* 9: 375-390.
- Moore, R.A. 1933. Morphology of the kidneys of Ohio fishes. *Contr. Fr. T. Stone Lab. Ohio St. Univ.* 5: 1-34.
- Moreau, E. 1881. *Histoire naturelle des poissons de la France.* Paris. Vol. 1, vii + 480 p., 82 figs.
- Moreau, E. 1892. *Manuel d'ichthyologie française.* G. Masson, Paris. viii + 650 p.
- Moreau, E. 1898. Les poissons du Département de l'Yonne. *Bull. Soc. Sci. Hist. Nat. Yonne, Auxerre, 1898:* 169-178.
- Moreau, G. and Legenore, L. 1979. Relation between habitat and fish populations: Attempt at defining a numerical method for northern rivers. *Hydrobiologia*, 67: 81-88.
- Morris, D. 1952. Homosexuality in the ten-spined stickleback (*Pygosteus pungitius* L.). *Behaviour*, 4: 233-261.
- Morris, D. 1955. The causation of pseudofemale and pseudomale behaviour: A further comment. *Behaviour*, 8: 46-56.
- Morris, D. 1958. The reproductive behaviour of the ten-spined stickleback (*Pygosteus*). *Behaviour, Suppl.* 6: 1-154.
- Morris, D. 1970. *Patterns of Reproductive Behaviour.* Jonathan Cape, London.
- Morris, J., Morris, L. and Witt, L. 1972. The fishes of Nebraska. Nebraska Game and Parks Commission, Lincoln. 98 p.
- Morrow, J.E. 1974. *Illustrated keys to the fresh-water fishes of Alaska.* Alaska Northwest Publ. Co., Anchorage. 78 p.
- Morrow, J.E. 1980. *The freshwater fishes of Alaska.* Alaska Northwest Publ. Co., Anchorage, Alaska. xv + 248 p.
- Morry, C.J. and Cole, L.J. 1977. Limnology and fish populations of Red Indian Lake, a multi-use reservoir. *Tech. Rep. Fish. Mar. Serv. Res. Dev.* 691: 122 p.

- Morton, J. 1972. Man the ritual animal. *Aust. N. Z. J. Psychiatr.* 6: 133-138.
- Mourgue, M. 1901. Note sur une variété de l'épinoche. Epinoche à deux épines (*Gasterosteus biaculeatus* Cresp.). *Bull. Soc. Hist. Nat. Toulouse*, 34: 29-31.
- Mourier, J.P. 1970a. Structure fine de *Rhabdospora thelohani* Henneguy, protiste parasite de *Gasterosteus aculeatus* L. *Z. Parasitenk.* 34: 198-206.
- Mourier, J.P. 1970b. Structure fine du rein de l'Epinoche (*Gasterosteus aculeatus* L.) au cours de sa transformation muqueuse. *Z. Zellforsch. Mikroskop Anat.* 106: 232-250.
- Mourier, J.P. 1972. Etude de la cytodifférenciation du rein de l'Epinoche femelle après traitement par la méthyltestostérone. *Z. Zellforsch. Mikrosk. Anat.* 123: 96-111.
- Mourier, J.P. 1976a. Ultrastructural modifications of renal cells in the three-spined stickleback (*Gasterosteus aculeatus* L.) after castration. *Cell Tissue Res.* 168: 527-548.
- Mourier, J.P. 1976b. Effects of an antiandrogen, cyproterone acetate, on the kidney of the three-spined stickleback (*Gasterosteus aculeatus* L.). *Cell Tissue Res.* 173: 357-366.
- Mourier, J.P. 1979. Incorporation of tritium - labeled - thymidine in the nephron of *Gasterosteus aculeatus* and its stimulation by methyltestosterone: A high-speed scintillation autoradiographic study. *Cell Tissue Res.* 201 (2): 249-262.
- Moyle, P.B. 1976. *Inland fishes of California.* Univ. California Press, Berkeley. viii + 405 p.
- Muckensturm, B. 1965a. Possibilités inattendues de manipulation chez l'Epinoche (*Gasterosteus aculeatus*). *C. R. Hebd. Séances Acad. Sci. (Paris)*, 260: 3183-3184.
- Muckensturm, B. 1965b. Le nid et le territoire chez l'Epinoche (*Gasterosteus aculeatus*). *C. R. Hebd. Séances Acad. Sci. (Paris)*, 260: 4825-4826.
- Muckensturm, B. 1967a. Note préliminaire sur la signification de la livrée nuptiale de l'Epinoche mâle. *C. R. Hebd. Séances Acad. Sci. Ser. D Sci. Natur. (Paris)*, 264 (3): 489-492.
- Muckensturm, B. 1967b. L'Epinoche et les leurres, complexité de la réaction. *C. R. Hebd. Séances Acad. Sci. Ser. D Sci. Natur. (Paris)*, 264 (5): 745-748.



- Muckensturm, B. 1968. The reaction of sticklebacks to bait does not originate from a confusion with a congeneric individual. C. R. Hebd. Seances Acad. Sci. Ser. D Sci. Natur. (Paris), 266 (20): 2114-2116. In French.
- Muckensturm, B. 1969. La signification de la livrée nuptial de l'épinoche. Rev. Comp. Animal, 3 (2): 39-64.
- Muckensturm, B.C. and Puterflam, Y.G. 1980. Importance of content in signal interpretation in three spine stickleback males. C. R. Soc. Biol. Series D, 290 (19): 1273-1276.
- Mukhomediyarov, F.B. 1966. Three-spined stickleback (*Gasterosteus aculeatus* L.) in the Kandalashka bay of the White Sea. Vopr. Ikhtiol. 6: 454-467. In Russian.
- Müllegger, S. 1906. Direkte Ueberführung von Stichligen in Seewasser. Blätt. Aquar.-Terrar. Kunde, 17: 320-321.
- Muller, H. 1952. Bau und Wachstum der Netzhaut des Guppy (*Lebistes reticulatus*). Zool. Jahrb. Abt. allg. Zool. u. Physiol. Tiere, 63: 275-324.
- Müller, O. 1964. Weichselzeitliche eisgestaute Seen als wesentliche Elemente in der Ausbreitungsgeschichte von marinen Glazialrelikten Nordpolarmeeres. Arch. Hydrobiol., Beih. Ergebn. Limnol. 1: 1-90.
- Mullins, L.J. 1950. Osmotic regulation in fish as studied with radioisotopes. Acta physiol. scand. 21: 303-314.
- Munro, A.L.S., Liversidge, J. and Elson, K.G.R. 1976. The distribution and prevalence of infections pancreatic necrosis virus in wild fish in Loch Awe. Proc. R. Soc. Edinb. Sect. B. (Nat. Environ.), 75 (4): 223-232.
- Munro, J.A. and Clemens, W.A. 1937. The American merganser in British Columbia and its relation to the fish population. Bull. Fish. Res. Board Can. 55: 50 p.
- Muntz, W.R.A. 1967. Visual shape perception: II. Mechanics of visual form recognition in animals (monkey, pigeon, rabbit, cat, sticklebacks, hawk, fish, frog, toad, *Limulus*). In: Proceedings of a symposium on models for the perception of speech and visual form. p. 126-138. The M.I.T. Press, Cambridge, Mass. and London.
- Münzing, J. 1959. Biology, variability and genetics of *Gasterosteus aculeatus*. Investigations in the Elbe River region. Int. Rev. Ges. Hydrobiol. Hydrog. 44: 317-382. In German.
- Münzing, J. 1961. *Gasterosteus aculeatus* L. (Pisces) in Ostseeraum. (Das heutige Bild der Verbreitung und postglaziale Entwicklung). Mitt. Hamburg. Zool. Mus. Inst. 59: 61-72.
- Münzing, J. 1962a. Die Populationen der marinen Wanderform von *Gasterosteus aculeatus* L. (Pisces) an den holländischen und deutschen Nordseeküsten. Nederl. J. Sea Res. 1 (4): 508-525.

- Münzing, J. 1962b. Ein neuer semiarmatus - Typ von *Gasterosteus aculeatus* L. (Pisces) aus dem Izniksee. Mitt. Hamburg. Zool. Mus. Inst. 60: 181-194.
- Münzing, J. 1963a. Die Verbreitung des Dreistahligen Stachlings in Europa. Natur. und Museum, 93: 284-290.
- Münzing, J. 1963b. The evolution of variation and distributional patterns in European populations of the three-spined stickleback, *Gasterosteus aculeatus*. Evolution, 17: 320-332.
- Münzing, J. 1964. Variabilität und Verbreitung von *Gasterosteus aculeatus* L. (Pisces) in Europa. Verh. Ver. naturw. Unternh. Heimatforsch. Hamb. 36: 1-22.
- Münzing, J. 1966. Variabilität, Verbreitung und Ökologie von *Pungitius pungitius* (L.), (Pisces) in Norddeutschland. Faun.-Ökol. Mitt. 3: 36-50.
- Münzing, J. 1969. Variabilität, Verbreitung und Systematik der arten und unterarten in der gattung *Pungitius* Coste, 1948 (Pisces, Gasterosteidae). Sonderdr. Zeit. Zool. Syst. Evol. 7: 206-233.
- Münzing, J. 1972. Polymorphic populations of *Gasterosteus aculeatus* L. (Pisces, Gasterosteidae) in secondary intergradation zones of the German Bight and adjacent areas. The geographic variation of the lateral bony shields. Faun. Ökol. Mitt. 4: 69-84. In German.
- Mural, R.J. 1973. The Pliocene sticklebacks of Nevada with a partial osteology of the Gasterosteidae. Copeia, 1973: 721-735.
- Muramoto, J. and Igarashi, K. 1969. A preliminary note on the chromosomes and enzymatic patterns of three forms of sticklebacks. J. Fac. Sci. Hokkaido Univ., Ser. IV (Zool.), 17: 266-270.
- Muramoto, J., Igarashi, K., Itoh, M. and Makino, S. 1969. A study of the chromosomes and enzymatic patterns of sticklebacks of Japan. Proc. Jap. Acad. 45: 803-807.
- Muus, B.J. and Dahlstrøm, P. 1971. Freshwater fish of Britain and Europe. Collins, London. 222 p.
- Myers, G.S. 1930. The killifish of San Ignacio and the stickleback of San Ramon, Lower California. Proc. California Acad. Sci. 19: 95-104.
- Myers, G.S. 1949. Usage of anadromous, catadromous and allied terms for migratory fishes. Copeia, 1949: 89-97.

- Nagell, B., Notini, M. and Grahn, O. 1974. Toxicity of four oil dispersants to some animals from the Baltic Sea. *Mar. Biol. (Berl.)* 28: 237-243.
- Nakajima, K. and Egusa, S. 1979. Surface pattern and size of spores of three species of the genus *Glugea* observed with a scanning electron microscope, with special reference to a comparison between *G. plectroglossi* and *Glugea* sp. Awakura, 1974. *Fish Pathol.* 13: 153-158. In Japanese.
- Nakamura, M. 1963. Keys to the freshwater fishes of Japan fully illustrated in colors. Hokuryukan, Tokyo, 258 p. In Japanese.
- Nakamura, M. and Takeuchi, N. 1973. Freshwater fishes in the Hidaka area, Hokkaido. *Mem. Natl. Sci. Mus. (Tokyo)*, 6: 201-206.
- Narver, D.W. 1969. Phenotypic variation in threespine sticklebacks (*Gasterosteus aculeatus*) of the Chignik River System, Alaska. *J. Fish. Res. Board Can.* 26: 405-412.
- Narver, D.W. 1975. Notes on the ecology of cutthroat trout (*Salmo clarki*) in Great Central Lake, Vancouver Island, British Columbia. *Tech. Rep. Environ. Can. Fish. Mar. Serv.* 567: 20 p.
- Natochin, Y.V., Sokolova, M.M., Gusev, G.P., Shakmatova, E.I. and Lavrova, E.A. 1970. Study of the role of the kidneys in homeostasis of cations in migrating and freshwater fish of Lake Dalnee (Kamchatka). *Vopr. Ikhtiol.* 10: 125-136. In Russian. *J. Ichthyol.* 10: 101-111. In English.
- Neave, F. 1945. A mortality in the fish life of Quamichan Lake, V.I. *Prog. Rep. Pacific Coast Stat., Fish. Res. Board Can.* 65: 70-72.
- Needler, A.W.H. 1939-40. A preliminary list of the fishes of Malpeque Bay. *Proc. Nova Scotia Inst. Sci.* 20 (2): 33-41.
- Nelson, E.W. 1876. A partial catalogue of the fishes of Illinois. *Bull. Illinois Mus. Nat. Hist.* 1876 (1): 42.
- Nelson, J.S. 1965. Effects of fish introduction and hydroelectric development on fishes in the Kananaskis River System, Alberta. *J. Fish. Res. Board Can.* 22: 721-753.
- Nelson, J.S. 1968a. Ecology of the southernmost sympatric population of the brook stickleback, *Culaea inconstans*, and the ninespine stickleback, *Pungitius pungitius*, in Crooked Lake, Indiana. *Indiana Acad. Sci.* 77: 185-192.
- Nelson, J.S. 1968b. Deep-water ninespine sticklebacks *Pungitius pungitius* in the Mississippi drainage, Crooked Lake, Indiana. *Copeia*, 1968: 326-334.
- Nelson, J.S. 1968c. Salinity tolerance of brook stickleback, *Culaea inconstans*, freshwater ninespine sticklebacks, *Pungitius pungitius*, and freshwater fourspine sticklebacks, *Apeltes quadracus*. *Can. J. Zool.* 46: 663-667.

- Nelson, J.S. 1969. Geographic variation in the brook stickleback, *Culaea inconstans*, and notes on nomenclature and distribution. J. Fish. Res. Board Can. 26: 2431-2447.
- Nelson, J.S. 1971a. Comparison of the pectoral and pelvic skeletons and of some other bones and their phylogenetic implications in the Aulorhynchidae and Gasterosteidae (Pisces). J. Fish. Res. Board Can. 28: 427-442.
- Nelson, J.S. 1971b. Absence of the pelvic complex in ninespine sticklebacks, *Pungitius pungitius*, collected in Ireland and Wood Buffalo National Park region, Canada, with notes on meristic variation. Copeia, 1971: 707-717.
- Nelson, J.S. 1976. Fishes of the World. John Wiley and Sons, New York, xiii + 416 p.
- Nelson, J.S. 1977a. Evidence for a genetic basis of pelvic skeleton absence in brook sticklebacks (Abstract). Can. Soc. Environ. Biol. Newsletter/Bull. 34 (3): 59.
- Nelson, J.S. 1977b. Evidence of a genetic basis for absence of the pelvic skeleton in brook stickleback, *Culaea inconstans* and notes on the geographical distribution and origin of the loss. J. Fish. Res. Board Can. 34: 1314-1320.
- Nelson, J.S. 1978. Review of "The Biology of the Sticklebacks" by R. J. Wootton, 1976. Academic Press, London and New York. x + 387 pp. Copeia, 1978: 552-554.
- Nelson, J.S. 1980. A review of the family and generic relationships of the Gasterosteidae. Second Int. Congr. Syst. Evol. Biol., Univ. British Columbia, Vancouver, July 17-24, 1980, p. 102.
- Nelson, J.S. and Atton, F.M. 1971. Geographic and morphological variation in the presence and absence of the pelvic skeleton in the brook stickleback, *Culaea inconstans* (Kirtland) in Alberta and Saskatchewan. Can. J. Zool. 49: 343-352.
- Nelson, J.S. and Gerking, S.D. 1968. Annotated key to the fishes of Indiana. Dept. Zoology, Indiana Univ., Bloomington. 84 p.
- Nelson, J.S. and Paetz, M.J. 1972. Fishes of the northeastern Wood Buffalo National Park region, Alberta and Northwest Territories. Can. Field-Nat. 86: 133-144.
- Nelson, J.S. and Paetz, M.J. 1974. Evidence for underground movement of fishes in Wood Buffalo National Park, Canada, with notes on recent collections made in the park. Can. Field-Nat. 88: 157-162.

- Nelson, K. 1965. After-effects of courtship in the male three-spined stickleback. *Z. Vergl. Physiol.* 50: 569-597.
- Nelson, K. 1966. A short-term periodicity in nest rebuilding of the male three-spined stickleback *Gasterosteus aculeatus*. *Amer. Zool.* 6: 535.
- Newbigin, M.I. 1913. *Animal Geography. The Faunas of the Natural Regions of the Globe.* Clarendon Press, Oxford, 238 p.
- Newman, H.H. 1915. Development and heredity in heterogenic teleost hybrids. *J. Exp. Zool.* 18: 511-576.
- Newsome, G.E. and Gee, J.H. 1978. Preference and selection of prey by creek chub (*Semotilus atromaculatus*) inhabiting the Milk River, Manitoba. *Can. J. Zool.* 56: 2486-2497.
- Nichols, J.T. 1943. The fresh-water fishes of China. *Natural History of Central Asia*, IX: xxxvi + 322 p.
- Nichols, J.T. and Breder, C.M. 1927. The marine fishes of New York and southern New England. *Zoologica (N.Y.)*, 9: 1-192.
- Nicoll, W. 1907. A contribution towards a knowledge of the Entozoa of British Marine Fishes, I. *Ann. Mag. Nat. Hist. ser. 77*, 19: 66-94.
- Nicoll, W. 1909. A contribution towards a knowledge of the Entozoa of British Marine Fishes, II. *Ann. Mag. Nat. Hist.*, ser 8, 4: 1-25.
- Nieuwenhuys, R. 1959. The structure of the telencephalon of the teleost *Gasterosteus aculeatus*. *Proc. Kon. Ned. Akad. Wetensch. Ser. C Biol. Med. Sci.* 62: 341-362.
- Nijssen, H. and De Groot, S.J. 1975. *Zoetwatervissen. Wetenschappelijke Meded. K. Ned. Nat. Veren.* 108: 1-44.
- Nikol'skii, G.V. 1940. Fishes of the Aral Sea. Moskva, 216 p. (Moscow Society of Naturalists, New Series, Zoological Section, no. 1 (16)). In Russian.
- Nikol'skii, G.V. 1948. The Amur River and its freshwater fishes. Moskva, Izd. Mosk. Obsh. Isp. Prir., 96 p. Also Khabarovsk, Kn. izd., 1953: 99 p. (new edition). In Russian.
- Nikol'skii, G.V. 1956. Fishes of the Amur basin. *Akad. Nauk SSSR, Moscow.* 551 p. In Russian.
- Nikol'skii, G.V. 1961. *Special Ichthyology. Israel Program for Scientific Translations, Jerusalem*, 538 p.
- Nikol'skii, G.V. 1963. *The ecology of fishes. Academic Press, London.* xv + 352 p.
- Nikol'skii, G.V. 1969. Parallel intraspecific variation in fishes. *Vopr. Ikhtiol.* 9: 4-9. In Russian.
- Nikolsky, N. 1889. Fauna of Saghalien Island. St. Petersburg, 334 p. In Russian.

- Nilsen, G.B. and Roed, K.H. 1978. A new aquarium for the study of temperature behaviour of fish. *Sarsia*, 63: 199-202.
- Nilsson, S. 1830. Skandinavisk Fauna Fiskarna. Lund, p. 103-112.
- Nilsson, S. 1832. Prodrömus Ichthyologiae Scandinavicae. Lund, p. 85-87.
- Noble, E.R. 1943. Nuclear cycles in the protozoan parasite *Myxidium gasterostei* n. sp. *J. Morphol.* 73: 281-292.
- Nobre, A. 1935. Fauna marinha de Portugal. 1. Vertebrados (Mamíferos, Reptis e Peixes). Porto. lxxxiv + 574 (Peixes), pl., photos.
- Nolte, W. 1933. Experimentelle Untersuchungen zum Problem der lokalisation der Assoziationsvermögens im Fischgehirn. *Z. Verg. Physiol.* 18: 255-279.
- Nordmann, A. von. 1840. Observations sur la faune pontique. In: de Demidoff, A. Voyage dans la Russie méridionale et la Crimée par la Hongrie, la Valachie et la Moldavie, exécuté en 1837 sous la direction de M. Anatole de Demidoff. Paris, 3: 355-635, atlas; 32 pl. (1842).
- Norman, J.R. 1966. A draft synopsis of the Orders, Families and Genera of recent fishes and fish-like vertebrates. British Museum (Natural History), London, 649 p.
- Norman, J.R. 1975. A history of fishes. 3rd Ed. by P.H. Greenwood, Ernest Benn, London, xxv + 467 p.
- Noskova, E.D. 1975. An evaluation of *Pungitius pungitius* numbers in the Kursk Straits and recommendations on its catch. *Ryb. Khoz.* 1975 (3): 22-23.
- Novikov, A.S. 1966. Fishes of the Kolyma River. Nauka, Moscow, 135 p. In Russian.
- O., -. 1830. Some account of the stickleback fish (*Gasterosteus aculeatus*). *Mag. Nat. Hist.* 3: 329-332, fig.
- Obruchev, D.V. (Ed.). 1967. Fundamentals of Paleontology. Vol. XI. Agnatha, Pisces. Israel Program for Scientific Translations, Jerusalem, x + 825 p.
- O'Donald, P. 1973. Models of sexual and natural selection in polygamous species. *Heredity*, 31: 145-156.
- Oettinger, H. 1937. Über Vermessungun am häutigen Bogengangs - system des Ohrlabrynthes. *Zool. Jahrb. Abt. Allg. Zool. U. Physiol.* 58: 181-200.
- Ogasawara, T. and Yamada, J. 1979. Histological changes of the prolactin cells of the stickleback (*Gasterosteus aculeatus*) in media of different osmolarities and calcium concentrations. *Zool. Mag. (Tokyo)*, 88 (3): 314-317.
- Ogawa, M. 1978. Seasonal difference of glomerular change of the Marine form of the stickleback, *Gasterosteus aculeatus* L. after transferred into fresh water. *Sci. Rep. Saitama Univ. Ser. B, Biol. Earth Sci.* 5: 117-123.

- Oguro, C. 1956. Some observations on the effect of estrogen upon the liver of the three-spined stickleback, *Gasterosteus aculeatus aculeatus* L. Annot. Zool. Japon. 29: 19-22.
- Oguro, C. 1957. Notes on the change in the kidney of *Gasterosteus aculeatus aculeatus* (L.) caused by the estrogen administration. J. Fac. Sci. Hokkaido Univ. (Ser. VI), 13: 404-407.
- Oguro, C. 1958. Effects of sex-hormones on the kidneys of the three-spined stickleback, *Gasterosteus aculeatus aculeatus* (L.). J. Fac. Sci. Hokkaido Univ. Ser. VI, Zool. 14: 40-50.
- Ohguchi, O. 1978. Experiments on the selection against colour oddity of water fleas by three-spined sticklebacks. Z. Tierpsychol. 47: 254-267.
- Ohno, S. 1974. Animal Cytogenetics, Vol. 4: Chordata 1. Protochordata, Cyclostomata and Pisces. Gebrüder Borntraeger, Berlin. viii + 92 p.
- Okada, Y. 1959-1960. Studies on the freshwater fishes of Japan. J. Fac. Fish. Univ. Mie, 4 (1959-1960): 1-860.
- Okada, Y. 1966. Fishes of Japan. Uno Shoten, Tokyo. 8 p. + 458 p. + 16 p.
- Okhryamkin, D.I. 1931. Marine fishes of the Far East. Moskva-Khabarovsk, OGIZ - Dal'kraiotsd., 49 p. In Russian.
- Oliva, O. 1953. The synopsis of Marsipobranchs and fishes of Czechoslovakia. Sbornik CSAZ, 26B: 41-46. In Czech.
- Oliver, G. 1970. Observations sur quelques poissons des eaux douces et saumâtres des Pyrénées-Orientales. Vie Milieu Ser. C Biol. Terr. 21: 199-207.
- Oliver, E. 1898. Faune de l'Allier. Moulins. p. 140-141.
- Olson, S.L., Swift, C.C. and Mokhiber, C. 1979. An attempt to determine the prey of the great auk (*Pinguinus impennis*). Auk, 96: 790-792.
- Oppermann, G. 1973. Mucous cells in the nephron of teleosts: Histochemistry of enzymes and observations on the fine structure of the kidney of the three-spined stickleback (*Gasterosteus aculeatus* L.) and the nine-spined stickleback (*Pungitius pungitius* (L.)) during the breeding period. Arch. Hydrobiol. 72: 384-406. In German.
- Oreg, F.B. and Chadwick, A. 1975. Cytological changes in the pituitary gland of the stickleback, *Gasterosteus aculeatus*, associated with hormone secretion. J. Endocrinol. 64: 10 (Abstract).
- Ormond, R.F.G. 1972. Visual responses in teleost fish. Ph.D. Thesis, Univ. Cambridge, 462 pp.
- Orr, T.S.C. 1968. *Schistocephalus solidus* in the three-and nine-spined stickleback. Parasitology, 58: 21P.

- Orr, T.S.C. and Hopkins, C.A. 1969. Maintenance of *Schistocephalus solidus* in the laboratory with observations on rate of growth of, and proglottid formation in, the plerocercoid. J. Fish. Res. Board Can. 26: 741-752.
- Orr, T.S.C., Hopkins, C.A. and Charles, G.H. 1969. Host specificity and rejection of *Schistocephalus solidus*. Parasitology, 59: 683-690.
- Osborne, P.J. and Shotton, F.W. 1968. The fauna of the channel deposit of early Saalian age at Brandon, Warwickshire. Phil. Trans. R. Soc. 254B: 417-424.
- Oshmarin, P.G. 1951. Work of the 260th Helminthological Expedition in 1946. Trudy Gel'mint. Lab. AN SSSR, 5: 207-219. In Russian.
- Ostroumov, A.G. 1977. The kokanee *Oncorhynchus nerka kennerlyi* (Suckley) in the Vorovskaya River basin in western Kamchatka. Vopr. Ikhtiol. 17: 941-943. In Russian.
- Owen, D.F. 1960. The nesting success of the heron *Ardea cinerea* in relation to the availability of food. Proc. Zool. Soc. Lond. 133: 597-617.
- Paepke, H.J. 1969. Reproductive behavior of the Indian glassperch *Chanda ranga*. Monatsschr. Ornithol. Vivarienkunde Ausg. B. Aquarien Terrarien, 16: 198-200.
- Paepke, H.-J. 1970a. Die Phänotypen des Dreistachligen Stichlings (*Gasterosteus aculeatus* L.) in brandenburgischen, Mischpopulationen. Diplom-Arbeit an der naturwiss.-math. Fakultät der Humboldt-Universität Berlin.
- Paepke, H. 1970b. Studien zur Ökologie, Variabilität und populationsstruktur des Dreistachligen und Neunstachligen Stichlings. Veroff. Bez-Mus. Potsdam, 21: 5-48.
- Paepke, H.J. 1970c. Studies zur Ökologie, Variabilität und Populationsstruktur des Dreistachligen und Neunstachligen Stichlings. II. Die Variabilität der Lateralbeschuldung von *Gasterosteus aculeatus* L. in einer brandenburgischen. Intergradationszone und ihre zoogeographisch-historischen Hintergründe. Beiträge zur Tierwelt der Mark, 7: 5-48.
- Paepke, H.J. 1971. Die Dreistachlige Stichling *Gasterosteus aculeatus*. Monatsschr. Ornithol. Vivarienk. Ausg. B. Aquarien Terrarien, 18: 112-115.
- Paepke, H.J. 1980. Bekanntes und Unbekanntes vom Seestichling. Aquarien Terrarien, 27: 423-426.
- Patz, M.J. and Nelson, J.S. 1970. The Fishes of Alberta. Govt. Alberta, iv + 282 p.
- Pallas, P.S. 1811(?1814). Zoographia rosso-asiatica... Petropoli, vol. 3, 428 p., pl.



- Palmisano, J.J. and Helm, W.T. 1971. Freshwater food habits of *Salvelinus malma* (Walbaum) on Amchitka Island, Alaska. *Bioscience*, 21: 637-641.
- Pander, H. 1912. Der Zwergstichling. *Wochenschr. Aquar.-Terrar. Kunde*, 9 Jahrg. 337-339.
- Pappenheim, P. 1909. Pisces (inkl. Cyclostomata), Fische: 90-201, fig. 97-173. In: Brauer, A. *Die Süßwasserfauna Deutschlands*. Vol. 1.
- Paratre, R. 1893. Poissons du bassin de la Loire. Châteauroux. p. 29-35.
- Parker, R.R. and Margolis, L. 1964. A new species of parasitic copepod, *Caligus elemensi* sp. nov. (Caligoida: Caligidae), from pelagic fishes in the coastal waters of British Columbia. *J. Fish. Res. Board Can.* 21: 873-889.
- Parnell, R. 1838. Prize essay on the natural and economical history of the fishes marine, fluviatile and lacustre of the river district of the Firth of Forth. *Mém. Wernerian Math. Hist. Soc.*, Edinburgh, 7: 190-200, pl. 25.
- Pascoe, D. and Cram, P. 1977. The effect of parasitism on the toxicity of cadmium to the three-spined stickleback, *Gasterosteus aculeatus* L. *J. Fish. Biol.* 10: 467-472.
- Pascoe, D. and Matthey, D. 1977a. Dietary stress in parasitized and non-parasitized *Gasterosteus aculeatus* L. *Z. Parasitenkd.* 51: 179-186.
- Pascoe, D. and Matthey, D.L. 1977b. Studies on the toxicity of cadmium to the three-spined stickleback *Gasterosteus aculeatus* L. *J. Fish. Biol.* 11: 207-215.
- Pascoe, D. and Woodworth, J. 1980. The effects of joint stress on sticklebacks (*Gasterosteus aculeatus*). *Z. Parasitenkd.* 62(2): 159-164.
- Pautsch, F., Bomirski, A., Dabrowska, T., Drewa, G., Klek-Kawinska, E., Tarzynska-Kleineder, L.L.J., Zbytniewski, Z., Zawrocka-Wrzolkowa, T., et al. 1975. Studies of the toxicity of phospho-gypsum. *Pol. Arch. Hydrobiol.* 22: 449-476.
- Pavlendo, M.N. 1910. Fishes of Peter the Great Bay. *Kazani Trd. Obsč. jest.* 42: 1-95, map.
- Pavlyutin, A.P. 1970. On the methods of determining food assimilation in aquatic animals. *Zool. Zh.* 49: 288-293.
- Pearcy, W.G. and Richards, S.W. 1962. Distribution and ecology of fishes of the Mystic River estuary, Connecticut. *Ecology*, 43: 248-259.

- Pearse, A.S. 1918. The food of the shore fishes of certain Wisconsin Lakes. Bull. U. S. Bur. Fish., 1915-1916, (18) 35: 259-260.
- Peeke, H.V.S. 1967. Habituation of aggression in the three-spined stickleback *Gasterosteus aculeatus*. Diss. Abst. Int. 27B: 2898.
- Peeke, H.V.S. 1969a. Habituation of conspecific aggression in the three-spined stickleback (*Gasterosteus aculeatus* L.). Behaviour, 35: 137-156.
- Peeke, H.V.S. 1969b. Waning of the aggressive response to male models in the three-spined stickleback (*Gasterosteus aculeatus* L.). Anim. Behav. 17: 224-228.
- Peeke, H.V.S., Figler, M.H. and Blankenship, N. 1979. Retention and recovery of habituated territorial aggressive behavior in the three-spined stickleback (*Gasterosteus aculeatus* L.). Roles of time and nest reconstruction. Behaviour, 69 (3-4): 171-182.
- Peeke, H.V.S. and Peeke, S.C. 1973. Habituation in fish with special reference to intraspecific aggressive behaviour. In: Peeke, H.V.S. and Herz, M.J. (Eds.). Habituation. 1: 59-83, Academic Press, London and New York.
- Peeke, H.V.S. and Veno, A. 1973. Stimulus specificity of habituated aggression in the stickleback (*Gasterosteus aculeatus*). Behav. Biol. 8: 427-432.
- Peeke, H.V.S. and Veno, A. 1976. Response independent habituation of territorial aggression in the three spined stickleback (*Gasterosteus aculeatus*). Z. Tierpsychol. 40: 53-58.
- Peeke, H.V.S., Wyers, E.J. and Herz, M.J. 1969. Waning of the aggressive response to male models in the three-spined stickleback (*Gasterosteus aculeatus* L.). Anim. Behav. 17: 224-228.
- Peers, J. 1864. Sticklebacks from a trout-stream near Warrington. Zoologist, 1864: 9145.
- Pelkewijk, J.J. ter and Tinbergen, N. 1936. Roodkaakjes. Levende Nat., Amsterdam, 41: 129-137.
- Pelkewijk, J.J. ter and Tinbergen, N. 1937. Eine Reizbiologische Analyse einiger Verhaltensweisen von *Gasterosteus aculeatus* L. Z. Tierpsychol. 1: 193-204.
- Pellegrin, J. 1921. Les poissons des eaux douces de l'Afrique du Nord Française; Maroc, Algerie, Tunisie, Sahara. Mem. Soc. Sci. Nat., Maroc, 1: 1-216, 96 figs.

- Penczak, T. 1959. The resistance of stickleback, *Gasterosteus aculeatus* L., to changes of osmotic pressure and the action of various salts in ambient surrounding. *Przegląd. Zool.* 3: 100-105. In Polish.
- Penczak, T. 1960a. Regeneracja płytek bocznych, pletw i kolców u ciernika (*Gasterosteus aculeatus* L.). *Zesz. nauk. Univ. Lodz, Ser. 2. mat. przyr.,* łódź, 7.
- Penczak, T. 1960b. Studies on the stickleback in (*Gasterosteus aculeatus* L.) in Poland. Part I. *Fragmenta Faunistica* (Warszawa) 8: 367-402.
- Penczak, T. 1960c. New cases of variability of the stickleback *Gasterosteus aculeatus* L. *Fragmenta Faunistica*, Warszawa, 8: 403-410.
- Penczak, T. 1961a. Significance of the regeneration of lateral plates of the stickleback (*Gasterosteus aculeatus* L.). *Nature, Lond.* 191: 621.
- Penczak, T. 1961b. Serological relationships between the nine-spined and the three-spined stickleback. *Nature, Lond.* 192: 673-674.
- Penczak, T. 1962a. Znaczenie regeneracji płytek bocznych dla taksonomii ciernika (*Gasterosteus aculeatus* L.). *Przegl. Zool.* 6: 48-89.
- Penczak, T. 1962b. The biometry of the threespine stickleback *Gasterosteus aculeatus* L. from the Ner River. *Fragmenta Faunistica* (Warszawa), 10: 137-161. In Polish.
- Penczak, T. 1962c. Morphometry of the stickleback, *Gasterosteus aculeatus* L. from the Baltic Sea. *Zool. Pol.* 12: 239-246.
- Penczak, T. 1962d. The stickleback (*Gasterosteus aculeatus* L.) from Nova Scotia, Newfoundland and the French island Saint-Pierre. *Ann. Zool.* 20: 335-341. In Polish.
- Penczak, T. 1963a. A report on the crosses between *Gasterosteus aculeatus* L. with various number of dorsal spines. *Naturwissenschaften*, 50: 49.
- Penczak, T. 1963b. Materiały do poznania rosziedlenia form *Gasterosteus aculeatus* L. w Polsce. *Zeszyty naukowe Univ. Łódzkiego ser. 2 zeszyt.* 14: 111-121.
- Penczak, T. 1964. Three-spined stickleback from Iceland *Gasterosteus aculeatus islandicus* Sauvage. *Ann. Zool. Warsz.* 22: 441-449.
- Penczak, T. 1965. Morphological variation of the stickleback (*Gasterosteus aculeatus* L.) in Poland. *Zool. Pol.* 15: 3-49.
- Penczak, T. 1966. Comments on the taxonomy of the three-spined stickleback, *Gasterosteus aculeatus* Linnaeus. *Ohio J. Sci.* 66: 81-87.
- Penczak, T. 1968. *Gasterosteus aculeatus* L. as food of *Mergus merganser* L. *Przegl. Zool.* 12: 357-358. In Polish.

- Pennant, T. 1784. Arctic Zoology. London, I: 185 p.
- Pennant, T. 1792. Arctic Zoology. London, II: 385-386.
- Pennant, T. 1812. British Zoology. Vol. III. Reptiles, Fishes. 5th Ed., Chester. viii + 546 p., 85 pl.
- Pennycuik, L. 1971a. Seasonal variations in the parasite infections in a population of three-spined sticklebacks, *Gasterosteus aculeatus* L. Parasitology, 63: 373-388.
- Pennycuik, L. 1971b. Frequency distributions of parasites in a population of three-spined sticklebacks, *Gasterosteus aculeatus* L., with particular reference to the negative binomial distribution. Parasitology, 63: 389-406.
- Pennycuik, L. 1971c. Differences in the parasite infections in three-spined sticklebacks (*Gasterosteus aculeatus* L.) of different sex, age and size. Parasitology, 63: 407-418.
- Pennycuik, L. 1971d. Quantitative effects of three species of parasites on a population of three-spined sticklebacks, *Gasterosteus aculeatus*. J. Zool. (Lond.), 165: 143-162.
- Percy, R. 1975. Fishes of the outer Mackenzie Delta. Beaufort Sea Project, Tech. Rep. 8: vi + 114 p. (Dept. Environment, Canada).
- Perlmutter, A. 1963. Observations on fishes of the genus *Gasterosteus* in the waters of Long Island, New York. Copeia, 1963: 168-173.
- Pernetta, J.C. 1976. A note on the predation of smooth newt, *Triturus vulgaris*, by European water-shrew, *Neomys fodiens bicolor*. J. Zool., Lond. 179: 215-216.
- Personius, R.G. and Eddy, S. 1955. Fishes of the Little Missouri River. Copeia, 1955: 41-43.
- Persson, P.E., Penttinen, H. and Nuorteva, P. 1978. DEHP in the vicinity of an industrial area in Finland. Environ. Pollut. 16: 163-166.
- Petters, R.C. Electro-actography in fresh-water fish. Experientia (Basel), 29: 378-380.
- Petersen, C.G.J. 1893. Tangsnarren (*Spinaechia vulgaris*). Beretn. Landbrugsminist. Dansk. Biol. Stat. (Fiskeri Beretn.), 1892, 3: 23-26.
- Peterson, R.R. 1975. Design criteria for high purity oxygen treatment of kraft mill effluent. J. Water Pollut. Control Fed. 47: 2317-2329.
- Petruschewsky, G.K. 1931. Über die Verbreitung der Plerocercoiden von *Diphyllobothrium latum* in den Fischen der Newabucht (Vorläufige Mitteilung). Zool. Anz. 94 (5/8): 139-147.

- Pfaff, T.R. 1937. Fishes collected on the fifth Thule Expedition. Rep. Fifth Thule Expedition 1921-1924, II (7): 1-19.
- Philippart, J.C. 1980. The effects of organic pollution and eutrophication on the fish fauna of the river Semois, France. Ann. Limnol. 16: 77-90. In French.
- Phillips, G.C. 1962. Survival value of the white colouration of gulls and other seabirds. D. Phil. Thesis, Univ. Oxford.
- Phromsuthirak, P. 1977. Electron microscopy of wound healing in the skin of *Gasterosteus aculeatus*. J. Fish. Biol. 11: 193-206.
- Piesik, J. 1937. Three-spined stickleback. Czasop. Przyr. Ilustr., Lodz. 11 (5-6): 117-129.
- Pietsch, T. 1978. Evolutionary relationships of the sea moths (Teleostei: Pegasidae) with a classification of gasterosteiform families. Copeia, 1978: 517-529.
- Pike, A.W. 1968. A note on the development of the metacercarial cyst of *Holostephanus luhei* Szidat, 1936. J. Helminthol. 42 (Part 1/2): 125-130.
- Pinskii, F.Ya. 1967. The diet of the stickleback (*Pungitius pungitius*) and its dietary relationship with the juveniles of the salmon (*Salmo salar* L.) in the ponds of the fish-raising enterprise "Tome" of the Latvian S.S.R. Izv. Gos. Nauch. Issled. Inst. Ozer. Rechn. Ryb. Khoz. 63: 202-205. From: Ref. Zh. Biol. 1968 No. 10186 (Translation).
- Pipping, M. 1926. Der Geruchssinn der Fische mit besonderer Berücksichtigung seiner Bedeutung für das Aufsuchen des Futters. Soc. Sci. Fennica, Commentariones Biol. 2: 1-28.
- Piton, L. 1935. Notes zoologiques. (c) Note sur une Carpe aberrante. (d) Note sur des Epinoches capturés à la Pallice (Charente-Inférieure). Bull. Soc. Linn., Lyon, 4: 96-97.
- Playfair, R.L. and Letourneux, A. 1871. Memoir on the hydrographical system and the freshwater fish of Algeria. Ann. Mag. Nat. Hist. 8: 373-394.
- Pliszka, F. 1953. Dynamika stosunkow pokarmowych ryb jeziora Harsz. Polskie Arch. Hydrobiol. 1: 271-300.
- Poll, M. 1947. Faune de Belgique. Poissons Marins. Musée royal d'histoire naturelle de Belgique, Bruxelles. 452 p., 3 maps.
- Popham, E.J. 1966. An ecological study on the predatory action of the 3 spined stickleback (*Gasterosteus aculeatus* L.). Arch. Hydrobiol. 62: 70-81.

- Popov, A.M. 1933a. Fishes of Avatcha Bay on the southern coast of Kamchatka. Copeia, 1933: 59-67.
- Popov, A.M. 1933b. Ichthyofauna of the Sea of Japan. In: Issledovaniya dal'nevostochnykh morei, no. 2: 139-155. In Russian.
- Portmann, A. 1927. Earliest stages of blood circulation in teleost embryos and development of yolk sac circulation. Verhandl. Naturf. Ges. Basel, 38: 416-426. In German.
- Potapova, T.L. 1967. Distribution of the different forms of the three-spine stickleback in the Soviet Union. Vestn. Mosk. Univ. Ser. VI Biol. Pochvoved. 1: 19-27. From: Ref. Zh. Biol. 1967 No. 101105. (Translation).
- Potapova, T.L. 1972. The intraspecies variability of threespine stickleback *Gasterosteus aculeatus* L. Vopr. Ikhtiol. 12: 25-40. In Russian. J. Ichthyol. 12: 20-33. In English.
- Potapova, T.L., Lebedeva, T.V. and Shatunovskii, M.I. 1968. Quantitative differences among the females and roe of the three-spined stickleback *Gasterosteus aculeatus* L. Vopr. Ikhtiol. 8: 184-187. In Russian. Probl. Ichthyol. 8: 143-146. In English.
- Prince, E.E. 1885. On the nest and development of *Gasterosteus spinachia* at the St. Andrews Marine Laboratory. Ann. Mag. Nat. Hist., ser. 16, 5: 487-496, pl.
- Prince, E.E. 1886. On the development of the food fishes at the St. Andrew's Marine Laboratory. Rep. Brit. Ass. 1885: 1091-1093.
- Protasov, V.R., Romanenko, E.V. and Podlipalin, Yu.D. 1965. O biologicheskom znachenii zvukov nekotorykh ryb. (The biological significance of sounds produced by some fishes). Vopr. Ikhtiol. 5: 532-539.
- Putnam, F.W. 1855. List of fishes of Essex County. Proc. Essex Inst. Salem, 1: 148.
- Putnam, F.W. 1859. Remarks on the nests of fishes. Proc. Essex Inst. 2: 367-368.
- Putnam, F.W. 1863. List of fishes sent by the Museum to different Institutions... Bull. Mus. Comp. Zool. Harvard, 1: 11.
- Putnam, F.W. 1866-1867. Remarks on a supposed non descript species of *Gasterosteus* from Massachusetts. Proc. Commun. Essex Inst., Salem, 5: 4.
- Putz, R.E. 1972. Biological studies on the hemoflagellates *Cryptobia cataractae* and *Cryptobia salmositica*. U. S. Bur. Sport Fish. Wildl. Tech. Pap. 63: 3-25.

- Quast, J.C. and Hall, E.L. 1972. List of fishes of Alaska and adjacent waters with a guide to some of their literature. NOAA Tech. Rep. NMFS SSRF - 658, 47 p.
- R., G.P. 1866. Nestbouwende visschen (*Gasterosteus*). Album Natuur. 1866: 223-224.
- Radcliffe, L. and Welsh, W.W. 1917. Notes on a collection of fishes from the head of the Chesapeake Bay. Proc. Biol. Soc. Wash. 30: 35-42.
- Raffy, A. 1954. Pouvoir d'adaptation de *Spinachia vulgaris* Flem. aux changements de salinité. Compt. Rend. Soc. Biol. Paris, 147: 2005-2007.
- Raitis, T. and Lemmetyinen, R. 1967. On the occurrence of *Schistocephalus solidus* (Cestoda) in terns. Ornis Fenn. 44(3): 68-72.
- Rajasilta, M. 1980. Food consumption of the three-spined stickleback (*Gasterosteus aculeatus* L.). Ann. Zool. Fenn. 17 (2): 123-126.
- Ramage, J. 1825. Account of a stickleback which was found with a leech alive in its intestines, June 1818. Edinburgh J. Sci. 3: 74-75.
- Ramage, J. 1826. On the food of the stickleback (*Gasterosteus aculeatus*). Ann. Phil. 28: 173. Isis (Oken), 5: 501.
- Ramult, M. 1927. The influence of certain salts upon the development of young sticklebacks (*Gasterosteus aculeatus*). Bull. Internat. Acad. Polonaise Sci. et Lettr. Cl. Si. Math. et Nat. Ser. B, 1927 (1/2): 63-66.
- Ransom, W.H. 1854. On the impregnation of the ovum in the stickleback. Proc. Roy. Soc. London, 7: 168-172.
- Ransom, W.H. 1865. On the nest of the ten-spined stickleback (*Gasterosteus pungitius*). Ann. Mag. Nat. Hist. Ser. 16, 3: 449-451.
- Ransom, W.H. 1867. On the structure and growth of the ovarian ovum in *Gasterosteus leiurus*. Quart. J. Micr. Sci., n.s. 7: 1-4. Rept. Brit. Assoc. Adv. Sci., 36 meet. 1866: 77.
- Rass, T.S. (Ed). 1971. Living animals. Fishes. Education, Moscow, Vol. 4, part 1, 655 p. In Russian.
- Rau, M.E. and Gordon, D.M. 1977. A technique for the demonstration of the metacercariae of *Apatemon gracilis pellucidus* (Yamaguti, 1933) in the deep tissues of the brook stickleback (*Culaea inconstans*). Can. J. Zool. 55: 1200-1201.
- Rau, M.E. and Gordon, D.M. 1978. The frequency distribution of tetracotyles of *Apatemon gracilis pellucidus* (Yamaguti, 1933) in stickleback *Culaea inconstans* (Kirtland) populations of homogenous age and size structure. J. Fish. Dis. 1: 259-263.

- Raunich, L., Callegarini, C. and Cucchi, C. 1971. Study of some biochemical parameters (hemo-globin lactic acid dehydrogenase) in Italian and Swedish populations of *Gasterosteus aculeatus*. *Boll. Zool.* 38: 557. In Italian.
- Raunich, L., Callegarini, C. and Cucchi, C. 1972. Ecological aspects of hemoglobin polymorphism in *Gasterosteus aculeatus* (Teleostea), p. 153-162, 3 figs., 3 tabs. In: Battaglia, B. (Ed.). Fifth European Marine Biology Symposium. Piccin Editore, Padua. 348 p.
- Rauther, M. 1926. Der Stichling in Württemberg. *Jahreshefte Ver. Natk., Stuttgart*, 82: 77-80.
- Rawson, D.S. 1930. The bottom fauna of Lake Simcoe. *Univ. Toronto Studies, Biol. Ser., Pub. Ont. Fish. Res. Lab.* 40.
- Rawson, D.S. 1957a. The life history and ecology of the yellow walleye, *Stizostedion vitreum*, in Lac La Ronge, Saskatchewan. *Trans. Amer. Fish. Soc.* 86: 15-37.
- Rawson, D.S. 1957b. Limnology and fisheries of five lakes in the Upper Churchill drainage, Saskatchewan. *Saskatchewan Dept. Nat. Res. Fish. Br. Dept.*, 2: 1-61.
- Redeke, H.C. 1912. Über den gegenwärtigen Stand unserer Kenntnis von den Rassen der wichtigsten Nutzfische. I. Allgemeiner Teil. *Conseil Perm. Inter. Expl. Mer. Copenhagen*, 14.
- Redeke, H.C. 1941. *Fauna van Nederland*. Leiden.
- Reeks, H. 1871. Notes on the zoology of Newfoundland. *Zoologist, London*, 2 (6): 2554-2555.
- Regan, C.T. 1909. The species of three-spined sticklebacks (*Gasterosteus*). *Ann. Mag. Nat. Hist., Ser. 8*, 4: 435-437.
- Regan, C.T. 1911. *The Freshwater Fishes of the British Isles*. Methuen, London, 287 p.
- Regan, C.T. 1929. Fishes. In: *Encyclopaedia Britannica*, 14th Ed., vol. 9 : 305-329.
- Regan, C.T. 1932. *Guide to the British fresh-water fishes exhibited in the Department of Zoology British Museum (Natural History)*, Cromwell Road, London, S.W. 2nd Ed., British Museum, London. 39 p.
- Régnier, J., David, R. and Sitri, R. 1938a. De l'action du chlorhydrate de cocaïne sur *Gasterosteus aculeatus* (Epinoche). Influence de divers facteurs expérimentaux. *Compt. Rend. Soc. Biol.* 129 (28): 476-478.
- Régnier, J., David, R. and Sitri, R. 1938b. De l'action du chlorhydrate de paraaminobenzoyldiéthylaminoéthanol sur *Gasterosteus aculeatus* (Epinoche). Influence de divers facteurs expérimentaux. *Compt. Rend. Soc. Biol.* 129 (28): 479-480.



- Régnier, J., David, R. and Sitri, R. 1941. Comparaison des actions "narcotiques" exercées sur *Gasterosteus aculeatus* (Epinoche) par divers anesthésiques locaux. *Compt. Rend. Soc. Biol.* 135: 187-190.
- Reimchen, T.E. 1970. Selective agents and variation in the Queen Charlotte sticklebacks (*Gasterosteus*). *Research Rep., Dept. of Zoology, University of Alberta, Edmonton.*
- Reimchen, T.E. 1980a. Spine deficiency and polymorphism in a population of *Gasterosteus aculeatus*: an adaptation to predators? *Can. J. Zool.* 58: 1232-1244.
- Reimchen, T.E. 1980b. A review of intrapopulation variation in *Gasterosteus* and its evolutionary significance. *Second Int. Congr. Syst. Evol. Biol., Univ. British Columbia, Vancouver.* July 17-24, 1980, p. 105.
- Reinhardt, J.C.H. 1837. Ichthyologiske bidrag til den grønlandske fauna. *Copenhagen.* 114 p., pl. I - VIII. (also in *K. danske Vidensk. Selsk. Naturvid. Math. Afhandl.* 7: 83-196, pl. I - VIII.
- Reisman, H.M. 1961. The reproductive behaviour of the five-spined stickleback, *Eucalia inconstans* (Kirtland). In: *American Society of Zoologists, Fifty-eighth Annual Meeting, Denver, Colorado, December 1961.* *Amer. Zool.* 1 (4): 468. Abstract.
- Reisman, H.M. 1963. Reproductive behaviour of *Apeltes quadracus*, including some comparisons with other gasterosteid fishes. *Copeia*, 1963: 191-192.
- Reisman, H.M. 1968a. Effects of social stimuli on the secondary sex characters of male three-spined sticklebacks, *Gasterosteus aculeatus*. *Copeia*, 1968: 816-826.
- Reisman, H.M. 1968b. Reproductive isolating mechanisms of the blackspotted stickleback, *Gasterosteus wheatlandi*. *J. Fish. Res. Bd. Canada*, 25: 2703-2706.
- Reisman, H.M. and Cade, T.J. 1967. Physiological and behavioral aspects of reproduction in the brook stickleback, *Culaea inconstans*. *Amer. Midland Natur.* 77: 257-295.
- Reist, J.D. 1978. Predation as a factor in maintaining the pelvic polymorphism in a central Alberta population of *Culaea inconstans* (Kirtland), (Pisces: Gasterosteidae). *M.Sc. Thesis, Dept. Zoology, Univ. Alberta, Edmonton.*
- Reist, J.D. 1980a. Selective predation upon pelvic phenotypes of brook stickleback, *Culaea inconstans*, by northern pike, *Esox lucius*. *Can. J. Zool.* 58: 1245-1252.
- Reist, J.D. 1980b. Predation upon pelvic phenotypes of brook stickleback, *Culaea inconstans*, by selected invertebrates. *Can. J. Zool.* 58: 1253-1258.

- Reist, J.D. 1981. Variation in frequencies of pelvic phenotypes of the Brook Stickleback, *Culaea inconstans*, in Redwater drainage, Alberta. *Can. Field-Nat.* 95 (2): 178-182.
- Reitmayer, C.A. 1913. Zucht und Pflege des Stichlings. *Blätt. Aquar.-Terrar. Kunde*, 24. Jahrg. 339-340.
- Reitmayer, C.A. 1916. Das Stichlingsnest. Eine Antwort an viele Fragesteller. *Blätt. Aquar.-Terrar. Kunde*, 27. Jahrg: 65-70.
- Rembiszewski, J.M. 1964. Fishes (Pisces) of the rivers Jeziorka and Czarna Struga near Warszawa. *Frag. Faun.* 11: 83-102. In Polish.
- Remult, M. 1927. The influence of certain salts upon the development of young sticklebacks (*Gasterosteus aculeatus*). *Bull. Int. Acad. Polonaise Sci. Lett.* 1: 63-66.
- Resh, V.H. 1971. The maintenance requirement of the brook stickleback *Culaea inconstans* (Kirtland). *Trans. Ky. Acad. Sci.* 32: 32-35.
- Retzius, M.G. 1881. Das Gehörorgan der Wirbelthiere. I. Das Gehörorgan der Fische u. Amphibien. Stockholm. xi + 222 p., 2 fig., 35 pl.
- Rey, D.L.L. 1947. Peces ganoideos y fisostomos. *Mem. R. Acad. Madrid*, 11: 839 p., 20 plates.
- Richards, C.E. and Castagna, M. 1970. The fishes of Virginia's eastern shore (inlet and marsh, seaside waters). *Chesapeake Sci.* 11: 235-248.
- Richards, S.W. 1963. The demersal fish population of Long Island Sound. *Bull. Bingham Ocean. Coll.* 18: 101 p.
- Richardson, J. 1836. *Fauna Boreali-Americana; or the Zoology of the northern parts of British America... Part Third. The Fish.* Richard Bentley, London. xv + 327 p., pl. 74-97.
- Richardson, J. 1855. Appendix: Account of the fish p. 347-376, pl. XXIII-XXX. In: Belcher, E. *The last of the Arctic voyages; being a narrative of the expedition in H.M.S. 'Assistance'...* London, 2 vols., 40 pl.
- Richardson, L.R. 1944. Brief record of fishes from central northern Québec. *Copeia*, 1944: 205-208.
- Ridley, M. and Rechten, C. 1981. Female sticklebacks prefer to spawn with males whose nests contain eggs. *Behaviour*, 76 (1-2): 153-161.
- Rinkel, G.L. and Hirsch, G.C. 1940. Die Restitution des Eiweiss-Sekretes zum Nestbau beim Stichling *Gasterosteus* in Verbindung mit dem Arbeitsrhythmus der Niere. *Z. Zellforsch.* 64: 649-688.
- Risso, A. 1810. *Ichthyologie de Nice.* Paris. p. 191-193.

- Rivkin, V.B. and Vakhba, M.T. 1976. The effect of mammalian posterior hypophyseal extracts on spermatogenesis in the three-spined stickleback *Gasterosteus aculeatus*. Zh. Evol. Biokhim. Fiziol. 12: 197-198. In Russian. J. Evol. Biochem. Physiol. 12: 183-185. In English.
- Robinson, M.C. 1972. The diet, distribution, and parasites of the brook stickleback, *Culaea inconstans* (Kirtland) in Astotin Lake, Alberta. M.Sc. Thesis, Univ. Alberta, Edmonton, 87 p.
- Rode, P. 1929. Recherches sur l'organe sensoriel latéral des téléostéens. Bull. Biol. France et Belgique, 63: 1-84.
- Røed, K.H. 1979. The temperature preference of the three-spined stickleback *Gasterosteus aculeatus* L. (Pisces), collected at different seasons. Sarsia, 64 (3): 137-142.
- Rogers, D.E. 1962. Reproduction of threespine stickleback. Res. Fish. Contr. 139: 9-10.
- Rogers, D.E. 1967. Estimation of pelagic fish populations in the Wood River Lakes, Alaska, from tow net catches and echogram marks. Diss. Abstr. 28B: 1748.
- Rogers, D.E. 1968. A comparison of the food of sockeye salmon fry and threespine sticklebacks in the Wood River lakes. Univ. Wash. Publ. Fish. 3: 1-44.
- Rogers, D.E. 1973. Abundance and size of juvenile sockeye salmon, *Oncorhynchus nerka*, and associated species in Lake Aleknagik, Alaska, in relation to their environment. U.S. Natl. Mar. Fish. Serv. Fish. Bull. 71: 1061-1075.
- Rogers, H.M. 1939. Method of entrance of certain fish into an estuary. Science, n.s. 89: 412-413.
- Rohde, F.C., Burgess, G.H. and Link, G.W. 1979. Freshwater fishes of Croatan National Forest, North Carolina, U.S.A., with comments on the zoogeography of Coastal Plain fishes. Brimleyana, 1979: 97-118.
- Rohrbacher, L. 1915. Vom Stichling und seiner Zucht. Wochenschr. Aquar.-Terrar. Kunde, 12. Jahrg. 326-328.
- Rohwer, S. 1978. Parent cannibalism of offspring and egg raiding as a courtship strategy. Am. Nat. 112 (984): 429-440.
- Romanycheva, O.D. 1952. Is the stickleback harmless? Priroda, 12: 124. In Russian.

- Rombough, P.J., Barbour, S.E. and Kerekes, J.J. 1981. Freshwater fishes from northern Newfoundland. *Can. Field-Nat.* 95 (3): 359-361.
- Romer, A.S. 1966. *Vertebrate Paleontology*. 3rd Ed., Univ. Chicago Press, Chicago. ix + 468 p.
- Ross, S.T. 1973. The systematics of *Gasterosteus aculeatus* (Pisces: Gasterosteidae) in central and southern California. *Nat. Hist. Mus. Los Ang. Cty. Contrib. Sci.* 243: 1- 20.
- Roth, F. 1920. Über den Bau und die Entwicklung des Hautpanzers von *Gasterosteus aculeatus*. *Anat. Anz.* 52: 513-534.
- Roulé, L. 1931. Les poissons et le monde vivant des eaux. Vol. 4, Ch. 10. Les nids des épinoches, p. 138-171.
- Rouse, E.F., Coppenger, C.J. and Barnes, P.R. 1977. The effect of an androgen inhibitor on behavior and testicular morphology in the stickleback *Gasterosteus aculeatus*. *Horm. Behav.* 9: 8-18.
- Rowan, W. 1938. Light and seasonal reproduction in animals. *Biol. Revs.* 13: 374-402.
- Rowland, W.J. 1970a. Behavior of three sympatric species of sticklebacks and its role in their reproductive isolation. Ph.D. Thesis, State Univ. of New York at Stony Brook, 189 pp.
- Rowland, W.J. 1970b. Behavior of three sympatric species of sticklebacks and its role in their reproductive isolation. *Diss. Abst. Int.* 31B: 2373.
- Rowland, W.J. 1974a. Reproductive behavior of the fourspine stickleback, *Apeltes quadracus*. *Copeia*, 1974: 183-194.
- Rowland, W.J. 1974b. Ground nest construction in the fourspine stickleback, *Apeltes quadracus*. *Copeia*, 1974: 788-789.
- Rowland, W.J. 1979. Stealing fertilizations in the fourspine stickleback, *Apeltes quadracus*. *Amer. Nat.* 114: 602-604.
- Rozov, B.P. 1934. List of the species of Hanka ichthyofauna. *Rybnoe Khoz. Dal'nego Vostoka*, no. 1-2: 79-84. In Russian.
- Rubashev, S.J. 1935. Abweichungen von der elternformen in der Embyonalen etwicklung, der Bastarde von *Coregonus baeri* Kessl. x *Salmo fario* L. *Acta Zool. (Stockholm)*, 16: 387-408.
- Ruby, S.M. 1973. The role of the interstitium and associated cells in spermatogenesis of two teleosts. *Diss. Abst. Int.* 34B: 471.
- Ruby, S.M. and McMillan, D.B. 1970. Cyclic changes in the testis of the brook stickleback *Eucalia inconstans* (Kirtland). *J. Morphol.* 131: 447-466.
- Ruby, S.M. and McMillan, D.B. 1975. The interstitial origin of germinal cells in the testis of the stickleback. *J. Morphol.* 145: 295-318.

- Russell, E.S. 1931. Detour experiments with sticklebacks (*Gasterosteus aculeatus* L.). J. Exp. Biol. 8: 393-410.
- Rutter, C. 1896. Notes on the freshwater fishes of the Pacific slope of North America. 1. On the sticklebacks of California with special reference to individual variations. Calif. Acad. Sci., Proc. Ser. 2,6: 245-254.
- Ryan, P.M. 1980. Fishes of the Lower Churchill River, Labrador Canada. Can. Fish. Mar. Serv. Tech. Rep. 922: vii + 89 p.
- Ryder, J.A. 1882a. Notes on the development, spinning habits, and structure of the four-spined stickleback, *Apeltes quadraeus*. Bull. U. S. Fish. Comm. 1 (1881): 24-29.
- Ryder, J.A. 1882b. Structure and ovarian incubation of *Gambusia patruelis*, a top minnow. Am. Nat. 16: 109-118.
- Ryder, J.A. 1885. Development of the spines of the anterior dorsal of *Gasterosteus* and *Lophius*. Amer. Nat., Salem, 19: 415.
- Ryder, J.A. 1887. On the development of osseous fishes, including marine and freshwater forms. Rept. U. S. Fish. Comm. 1885, 13: 488-604, 30 pls.+ 7 figs.
- Saemundsson, B. 1926. Islansk Dyr: Fiskarnir. Eymundssonar, Reykjavik.
- Saemundsson, B. 1949. Marine Pisces. Vol. IV, Part 72. The Zoology of Iceland, Ejnar Munksgaard, Copenhagen and Reykjavik. 150 p.
- Salm-Horstmar, W.F. 1860. Ueber einen neuen Fish (*Gasterosteus* sp. ?) Arch. Naturgesch., 26. Janrg. 1: pt. 1, 119-120. Ann. Mag. Nat. Hist. Ser. 6, 3: 391.
- Salvatorelli, G. and Gulinati, A.M. 1972. Observations sur l'hématopoiése chez les Téléostéens. Rev. Suisse Zool. 79: 1148-1151.
- Sara, M. 1957. Problems of speciation in marine animals. Attualità Zool. 9 (1/2): 273-379. In Italian
- Saunders, J.T. 1914. A note on the food of freshwater fish. Proc. Camb. Phil. Soc. 17: 236-239.
- Saunders, R.L. and Gee, J.H. 1964. Movements of young Atlantic salmon in a small stream. J. Fish. Res. Board Can. 21: 27-36.
- Sauvage, H.E. 1874. Révision des espèces du groupe des épinoches. Nouv. Arch. Mus. Hist. Nat., Paris, 10: 5-38, pl.
- Sauvonsaari, J. 1971. Biology of the stone loach (*Nemachellus barbatulus* L.) in the lakes Päijänne and Pälkänevesi, southern Finland. Ann. Zool. Fenn. 8: 187-193.
- Savage, G.E. 1969. Some preliminary observations on the role on the telencephalon in food-reinforced behaviour in the goldfish, *Carassius auratus*. Anim. Behav. 17: 760-772.

- Scarola, J.F. 1973. Freshwater fishes of New Hampshire. New Hampshire Fish Game Dept., 131 p.
- Schell, S.C. 1973. Three new species of digenetic trematodes from Puget Sound fishes. Proc. Helminthol. Soc. Wash. 40: 227-230.
- Schlegel, H. 1869. Natuurlijke Historie van Nederland. De Visschen. Amsterdam, p. 51-55, pl. iv, fig. 3-5.
- Schlesinger, F.W. 1900. Beobachtungen beim Brutgeschäft des gemeinen Stichlings (*Gasterosteus aculeatus*). Mitt. Bad. Zool. Ver. 8: 139-143.
- Schlesinger, F.W. 1902. Beobachtungen beim Brutgeschäft des gemeinen Stichlings. Nerthus, 4 Jahrg. 204-206.
- Schlieper, C. 1930. Die Osmoregulation wasserlebender Tiere. Biol. Rev. and Biol. Proc. Cambridge Philos. Soc. 5: 309-356.
- Schmid, W.D. 1963. Covariation of some meristic characters of the brook stickleback, *Eucalia inconstans*, from the Red River drainage. North Dakota Acad. Sci. 17: 63-64.
- Schmidt, P.Yu. 1904. Fishes of the eastern seas of Imperial Russia. xi + 466 p., pl. In Russian.
- Schneider, Fr. 1909. Meine Stichlinge. Blätt. Aquar.-Terrar, Kunde, 20. Jahrg. 542-543.
- Schneider, G. 1904a. Ueber eine Fall von Hermaphroditismus bei *Gasterosteus aculeatus*. Helsingfors Medd. Soc. Faun. et Fl. Fenn. 30: 7-8.
- Schneider, G. 1904b. Ueber einer Fall von Hermaphroditismus bei *Gasterosteus aculeatus*. Medd. Soc. Fauna Flora Fenn. 29: 103-105.
- Schneider, G. 1926. Die Süßwasserfische des Ostbaltikums und ihre Verbreitung innerhalb des Gebietes. Arch. Hydrobiol. 16: 133-155.
- Schneider, L. 1969. Experimental investigations on the influence of day length and temperature on gonad development in the three-spined stickleback, *Gasterosteus aculeatus*. Oecologia, 3: 249-265. In German.
- Scholander, P.F., Flagg, W., Walters, V. and Irving, L. 1953. Climatic adaptation in arctic and tropical poikilotherms. Physiol. Zool. 26: 67-92.
- Schonevelde, S. 1624. Ichthyologia et nomenclaturae animalium marinarum, fluviatilium, lacustrium. Hamburg, p. 10-11, tab. 4.
- Schönherr, J. 1955. Über die Abhängigkeit der Instinkthandlungen vom Vorderhirn und Zwischenhirn (Epiphyse bei *Gasterosteus aculeatus* (L.)). Zool. Jahrb. Allg. Zool. u Physiol. Tiere, 65: 357-386.

- Schubel, J.R. 1975. Some comments on the thermal effects of power plants on fish eggs and larvae, p. 31-54. In: Saila, S.B. (Ed.). Fisheries and energy production: a symposium. Lexington Books, Maryland.
- Schuetz, E. 1980. The influence of background factors and nest materials on the nest-building behavior of the three-spined stickleback (*Gasterosteus aculeatus*). Behaviour, 72 (3/4): 242-317. In German.
- Schuetz, E. and Tschanz, B. 1971. The effect of nest material on the nest building behaviour of the three-spined stickleback (*Gasterosteus aculeatus*). Rev. Suisse Zool. 78: 793-805. In German.
- Schulz, U.K.T. 1968. How young pioneers observed the breeding biology of the three-pointed stickleback. Aquarien Terrarien, 15: 82-87.
- Schulze, L. 1915. Wo bleibt der Stichling im Winter? Blätt. Aquar.-Terrar. Kunde, 26 Jahrg. 90-91.
- Schwartz, F.J. 1965. Age, growth and egg complement of the stickleback *Apeltes quadracus* at Solomons, Maryland. Chesapeake Sci. 6: 116-118.
- Scofield, N.B. 1899. List of fishes obtained in the waters of Arctic Alaska. In: The Fur Seals and Fur Seals Islands of the North Pacific Ocean. Washington. Part 3, p. 498.
- Scott, W.B. 1955. Occurrence of the ninespine stickleback, *Pungitius pungitius*, in Newfoundland, Canada. Copeia, 1955: 56.
- Scott, W.B. 1967. Freshwater fishes of eastern Canada. Univ. Toronto Press, 2nd Ed. x + 137 p.
- Scott, W.B. and Crossman, E.J. 1964. Fishes occurring in the fresh waters of insular Newfoundland. Dept. Fisheries, Ottawa, Canada, iv + 124 p.
- Scott, W.B. and Crossman, E.J. 1969. Checklist of Canadian freshwater fishes with keys for identification. Life Sci. Misc. Publ., R. Ont. Mus. 104 p.
- Scott, W.B. and Crossman, E.J. 1973. Freshwater Fishes of Canada. Bull. Fish. Res. Board Can. 184: xi + 966 p.
- Scott, W.B. and Scott, M.G. 1965. A checklist of Canadian Atlantic fishes with keys for identification. Contr. Life Sci. Royal Ontario Mus. 66: 106 p.

- Seal, W.P. 1932. Breeding habits of the four-spined stickleback (*Apeltes quadracus*). Aquarium, Philadelphia, 1: 38-41.
- Seeley, H.G. 1886. The fresh-water fishes of Europe. Cassell and Co., Ltd., London, x + 444 p.
- Segaar, J. 1956. Brain and instinct with *Gasterosteus aculeatus*. Konink. Neder, Akad. Wet. Proc. Ser. C, 59: 738-769.
- Segaar, J. 1960. Etho-physiological experiments with male *Gasterosteus aculeatus*. In: Tower and Schadé, Editors. Structure and Function of the Cerebral Cortex. Elsevier Publishing Company: Amsterdam; D. Van Nostrand Company: Princeton, New Jersey, p. 301-305.
- Segaar, J. 1961a. Hersenfuncties ten aanzien van het aangeboren gedrag van de maanelijke Driedoornige Stekelbaars. Vakk. Biol. 41: 185-195.
- Segaar, J. 1961b. Telencephalon and behaviour in *Gasterosteus aculeatus*. Behaviour, 18: 256-287.
- Segaar, J. 1962. The function of the forebrain with respect to the congenital behaviour of the three-spined male stickleback (*Gasterosteus aculeatus* L.): With a contribution to the problem of neuron regeneration in the fish brain. Acta Morphol. Neerlando-Scand. 5: 49-64.
- Segaar, J. 1966. Wie "weiss" der Stichling das Alter seiner Embryonen? Umschau, 66: 333.
- Segaar, J. and Nieuwenhuis, R. 1963. New etho-physiological experiments with male *Gasterosteus aculeatus*, with anatomical comment. Anim. Behaviour, 11 (2/3): 331-344.
- Seligo, A. 1901. Biologische Mittheilungen über den Stichling. Schrift. Naturf. Ges. Danzig, n.s. 10: 53-56.
- Selys-Longchamps, E. de. 1842. Faune belge. Vertébrés. Liège, p. 223-224.
- Semler, D.E. 1971. Some aspects of adaptation in a polymorphism for breeding colours in the threespine stickleback (*Gasterosteus aculeatus*). J. Zool. (Lond.), 165: 291-302.
- Serov, N.P. 1953. Fish and fisheries of the Kurgaldzhin Lakes of the Akmolinsk Region. Trudy Inst. Zool. AN Kazak. SSR, 2: 105-111. In Russian.
- Sevenster, P. 1949. Modderbaarsjes (The stickleback fish, ninespine stickleback, *Pygosteus pungitius* L.). Levende Natuur. 52 (9): 161-168; (10): 184-189.
- Sevenster, P. 1951. The mating of the sea-stickleback. Discovery, 12: 52-56.



- Sevenster, P. 1961. A causal analysis of a displacement activity (fanning in *Gasterosteus aculeatus* L.). Behaviour, Suppl. 9: 1-170.
- Sevenster, P. 1968. Motivation and learning in sticklebacks. In: Ingle, D. (Ed.). The central nervous system and fish behavior, p. 233-245. Univ. Chicago Press.
- Sevenster, P. 1973. Incompatibility of response and reward. In: Hinde, R.A. and Stevenson-Hinde, J. (Eds.). Constraints on learning, p. 265-283. Academic Press, London and New York.
- Sevenster, P. and Goyens, J. 1975. Experience sociale et rôle du sexe dans l'ontogénèse de l'agressivité chez l'épinoche (*Gasterosteus aculeatus* L.). Neth. J. Zool. 25: 195-205.
- Sevenster, P. and Hart, M. 1974. A behavioral variant in the three-spined stickleback, p. 141-165. In: Van Abeelen, J.H.F. (Ed.). Frontiers of Biology, Vol. 38. The Genetics of Behaviour. North Holland Publ. Co. xix + 450 p.
- Sevenster-Bol, A.C.A. 1962. On the causation of drive reduction after a consummatory act. Arch. Neerl. Zool. 15: 175-236.
- Shafi, M. and Maitland, P.S. 1971. Comparative aspects of the biology of the pike, *Esox lucius* L., in two Scottish loch. Proc. R. Soc. Edinb. (B), 71: 41-60.
- Shaw, G. 1803. General Zoology. London, IV (2): 604-610.
- Shaw, T.H. 1932. On the occurrence of the nine-spined stickleback in the waters of Hopei province. Bull. Fan. Mem. Inst. Biol. 3: 339-343.
- Shimizu, M. and Takahashi, H. 1980. Process of sex differentiation of the gonad and gonoduct of the three-spined stickleback, *Gasterosteus aculeatus* L. Bull. Fac. Fish., Hokkaido Univ. 31: 137-148. In Japanese.
- Shmidt, P.Yu. 1950. Fishes of the Sea of Okhotsk. Akad. Nauk. SSSR, Trudy Tikhook Komit. IV: 370 p. + 20 pl. In Russian.
- Shtuil'ko, B.A. 1934. A Neogene fauna of fresh-water fishes from Western Siberia. Trans. Unit. Geol. Prosp. Serv. USSR, 359: 1-93, 9 pls. In Russian.
- Siebold, C.Th.E. von. 1863. Die Süßwasserfische von Mitteleuropa. Leipzig, 430 p.
- Siedlecki, M. 1903a. Sur la résistance des épinoches aux changements de la pression osmotique du milieu ambiant. C. R. Acad. Sci., Paris, 137: 469-471.
- Siedlecki, M. 1903b. L'action des solutions des sels alcalins et alcalino-terreux sur les épinoches. C. R. Acad. Sci., Paris, 87: 525-527.

- Siemssen, A.C. 1794. Die Fische Meklenburgs. Leipzig, p. 37-40.
- Simms, B. 1968. The variable sticklebacks. Freshwater and marine species and all ferocious! *Aquarist Pondkpr.* 32: 350-351.
- Sing, P.H. 1927a. Preliminary observations on the relative importance of the various factors responsible for the death of fishes in polluted waters. *J. Mar. Biol. Assoc. U.K.* 14: 729-740.
- Sing, P.H. 1927b. The ability of fishes to extract oxygen at different hydrogen ion concentrations of the medium. *J. Mar. Biol. Assoc. U.K.* 14: 741-748.
- Singh, B.N. and Boyle, W. 1938. The vitellogenesis of *Gasterosteus aculeatus* (the stickleback) investigated by the ultra-centrifuge. *Quart. J. Microsc. Sci.* 81: 81-106.
- Sisova-Kasatockina, O.A. and Dubovskaja, A.J. 1975. Proteinase activity in certain cestode species parasitizing vertebrates of different classes. *Acta Parasitol. Pol.* 23 (26-40): 389-393.
- Skalkin, V.A. 1963. Otoliths in some fishes in Far Eastern Seas. *Izv. tikhookean. nauchno-issled. Inst. Ryb. Khoz. Okeanogr.* 49: 159-199. In Russian.
- Slastenenko, E.P. 1938a. List of fishes of the Sea of Azov and Black Sea. *Trudy Novorossiiskoi Biologicheskei Stantsii*, 2 (2): 109-149. In Russian.
- Slastenenko, E.P. 1938b. Les poissons de la Mer Noire et de la Mer d'Azov. *Annl. scient. Univ. Jassy.* 25, part II (1): 1-196.
- Slastenenko, E.P. 1955. A review of the Black Sea fish fauna and general marine life conditions. *Copeia*, 1955: 230-235.
- Slastenenko, E.P. 1958. The freshwater fishes of Canada. Toronto, 388 p., 138 fig., 1 map.
- Slijkhuis, H. 1978a. Ultrastructural evidence for two types of gonadotropic cells in the pituitary gland of the male three-spined stickleback, *Gasterosteus aculeatus*. *Gen. Comp. Endocrinol.* 36: 639-641.
- Slijkhuis, H. 1978b. Light microscopic and electron microscopic study of the gonadotropic cells in the pituitary of three-spined stickleback, *Gasterosteus aculeatus*, in relation to gonadal maturation. *Gen. Comp. Endocrinol.* 34: 74 (abstract).
- Smiley, B.D. 1972. Reproductive biology of brook stickleback *Culaea inconstans* in Astotin Lake, Alberta. M.Sc. Thesis, Univ. Alberta, Edmonton, 51 p.
- Smirnov, A.I. 1951. Studies of the biology of the threespined stickleback *Gasterosteus aculeatus* L. *Doklady Akad. Nauk SSSR*, 80: 837:840. In Russian.

- Smith, J. 1962. Mortality of anadromous stickleback (*Gasterosteus aculeatus*) in fresh water. B.A. Thesis, Dept. of Zoology, University of British Columbia.
- Smith, J.M. 1977. Parental investment. A prospective analysis. *Anim. Behav.* 25: 1-9.
- Smith, M.W. 1935. A preliminary note on the fish population of Lake Jesse, Nova Scotia. *Trans. Am. Fish. Soc.* 65: 297-299.
- Smith, M.W. 1937. Fish production in three Nova Scotia lakes. *Prog. Rep. Atl. Stat. Fish. Res. Board Can.* 20: 6-7.
- Smith, M.W. 1938. A preliminary account of the fish populations in certain Nova Scotian lakes. *Trans. Am. Fish. Soc.* 67: 178-183.
- Smith, M.W. 1939. The fish population of Lake Jesse, Nova Scotia. *Proc. Nova Scotian Inst. Sci.* 19 (4): 389-427.
- Smith, M.W. 1968. Fertilization and predator control to increase growth rate and yield of trout in a natural lake. *J. Fish. Res. Board Can.* 25: 2011-2036.
- Smith, P.W. 1979. The fishes of Illinois. Univ. Illinois Press, Urbana. xxix + 314 p.
- Smith, R. 1884a. Notes on the fishes of Todos Santos Bay, Lower California. *Proc. U. S. Nat. Mus.* 6 (1883) 232-236.
- Smith, R. 1884b. Note on the occurrence of *Gasterosteus williamsoni* Grd., in an artesian well at San Bernardino, Cal. *Proc. U. S. Natl. Mus.* 6: 217.
- Smith, R.J.F. 1970a. A technique for marking small fish with injected fluorescent dyes. *J. Fish. Res. Board Can.* 27: 1889-1891.
- Smith, R.J.F. 1970b. Effects of food availability on aggression and nest building in brook stickleback (*Culaea inconstans*). *J. Fish. Res. Board Can.* 27: 2350-2355.
- Smith, R.J.F. and Hoar, W.S. 1967. The effects of prolactin and testosterone on the parental behaviour of the male stickleback, *Gasterosteus aculeatus*. *Anim. Behav.* 15 (2/3): 342-352.
- Smith, R.L. and Paulson, A.C. 1977. Osmoregulatory seasonality and freezing avoidance in some fishes from a subarctic eelgrass community. *Copeia*, 1977: 362-369.
- Smith, S. 1957. Early development and hatching, p. 323-359. In: Brown, M.E. (Ed.). *The physiology of fishes*. Vol. 1. Academic Press, New York.
- Smith, S.H. 1968. Species succession and fishery exploitation in the Great Lakes. *J. Fish. Res. Board Can.* 25: 667-693.

- Smith-Vaniz, W.F. 1968. Freshwater fishes of Alabama. Auburn Univ. Agricultural Experiment Station. vii + 211 p.
- Smitnov, A.I. 1951. On the biology of the threespine stickleback. Dokl. AN SSSR, 80, no. 5.
- Smitt, F.A. 1893-1895. A history of Scandinavian fishes. Rev. and compl., Fries, B.F., Ekström, C.U. and Sundevall, C.J. 1836-1846. Scandianviens fiskar mälade efter lefvande exemplar och ritade på sten af W. von Wright... Stockholm and Paris, 2 vols., atlas.
- Sodoffsky, W. 1849. Ueber die Störgattungen des Caspischen und Schwarzen Meeres. Corresp. Bl. d. Naturf. Ver. in Riga, 1849: 41-47, 69-81.
- Soin, S.G. and Zyuganov, V.V. 1979. Some features of spermatozoid activity and egg fertilizability in intraspecific forms of the White Sea three-spined stickleback (*Gasterosteus aculeatus*) in water of varying salinity. Biol. Nauki (Mosc.), 1979: 32-34.
- Soland, A. de. 1869. Etude sur les poissons de l'Anjou. Ann. Soc. Linn. Départ. Maine-et-Loire, 11: 189-276, 2 pl.
- Soldatov, V.K. 1923. The materials to the fish-fauna of Kara and East Barents Sea, based on the collections of the F. M. Sc. Institut and on those of M. Streljnikov. Berichte Wissenschaftl. Meeresinstituts, Moscow, 3: 71.
- Soldatov, V.K. 1928. Fishes and Fisheries (A course in special ichthyology) Moscow, xv + 320 p. In Russian.
- Soldatov, V.K. and Lindberg, G.J. 1930. A review of the fishes of the seas of the Far East. Bull. Pacific Sci. Fish. Inst. 5: XLVII + 576 p. In Russian.
- Solger, B.F. 1893. Notiz über die Nebenhöhle des Geruchsorgans von *Gasterosteus aculeatus* L. Zeitschr. Wiss. Zool. 57: 186.
- Soot-Ryen, T. 1926. Bidrag til kjendskaben om Finmarkens ferskvandsfisker (Fresh-water fishes from Finmark). Troms. Mus. Arshefter, 48 (2): 1-48.
- Spangler, G.R. and Berst, A.H. 1976. Performance of lake trout (*Salvelinus namaycush*) backcrosses, F, Splake (*S. fontinalis* X *S. namaycush*), and lake trout in Lake Huron. J. Fish. Res. Board Can. 33: 2402-2407.
- Speirs, G.D. 1974. Food habits of landlocked salmon and brook trout in a Maine lake after introduction of landlocked alewives. Trans. Am. Fish. Soc. 103: 396-399.
- Speirs, M.J. and Markle, G. 1969. Fishes of Beaverton River, Ontario County, Ontario. Ont. Field Biol. 23: 1-13.
- Spillmann, C.J. 1961. Faune de France. 65. Poissons d'eau douce. Lechevalier, Paris. 303 p.

- Sprague, V. and Vernick, S.H. 1966. Inst. light and inst. electron microscope study of developing stages of *Glugea microsporida* in the stickleback *Apeltes quadracus*. Amer. Zool. 6: 555-556.
- Sprague, V. and Vernick, S.H. 1968. Light and electron microscope study of a new species of *Glugea* (Microsporidia, Nosematidae) in the four-spined stickleback *Apeltes quadracus*. J. Protozool. 15: 547-571.
- Sprenger, W. 1901. Möchte einmal ergebenst anfragen, wie weit die Verbreitung der Stichlinge sich erstreckt? Blätt. Aquar.-Terrar. Kunde, 12. Jahrg. 308.
- Spurway, H. 1953. Territory and evolution in sticklebacks. New Biol. 14: 33-43.
- Stafford, J. 1907. Preliminary report on the trematodes of Canadian marine fishes. Contrib. Can. Biol., Fish. Res. Board Can. 1902-1905: 91-94.
- Stålberg, G. 1952. Försök med storspigg, *Gasterosteus aculeatus*, och *Mysis relicta* i vatten med ändrad salthalt. Fauna o. flora, 1952: 167-169.
- Stalknecht, H. 1975. Mitteilungen zum Territorialverhalten bei Schwarmfischen. Aquarien Terrar. Mschr. Ornith. Vivar. 22 (11): 374-377.
- Stankovic, S. 1960. The Balkan Lake Ohrid and its living world. Monographiae Biologicae, IX: 357 p. Junk, Den Haag.
- Stanworth, P. 1953. A study of reproduction in the three-spined stickleback *Gasterosteus aculeatus* L. with some reference to endocrine control. Ph.D. Thesis, Univ. Sheffield, England.
- Starks, E.C. 1902. The shoulder girdle and characteristic osteology of the hemibranchiate fishes. Proc. U. S. Nat. Mus. 25: 619-634.
- Starks, E.C. 1926. Bones of the ethmoid region on the fish skull. Stanford Univ. Publ. Biol. Sci. 4: 139-388.
- Stauder, F.R. 1942. The salinity of the habitat-water of freshwater animals as protection against injurious short-wave light. Zool. Jahrb. Abt. Allg. Zool. u. Physiol. Tiere, 60 (4): 345-386. In German.
- Stearns, W.A. 1883. Notes on the natural history of Labrador. Proc. U. S. Nat. Mus. 6: 123-124.
- Steindachner, F. 1865a. Ichthyologischer Bericht über eine nach Spanien und Portugal unternommene Reise. I. Zur Fisch-fauna des Albufera-Sees bei Valencia in Spanien. Sitzgsber. Akad. Wiss. Wien. 52: -
- Steindachner, F. 1865b. Catalogue préliminaire des Poissons d'eau douce du Portugal (Suite). Separate 5 p. (To be published in Mem. Acad. Sci. Lisboa).

- Steindachner, F. 1880. Über einige Fischarten aus dem nördlichen Japan, gesammelt von Professor Dybowski. SB. Ak. Wien, 82. Abth. 1: 256-266.
- Steindachner, F. 1881. Ichthyologische Beiträge. X. Sitzb. Akad. Wiss., Wien, 82: 238-266.
- Steindachner, F. 1899. Über das Vorkommen von *Gasterosteus platygaster* Kessl. im Stromgebiete der Donau. Sitz. ber. Akad. Wiss., Wien, 108: 539-542.
- Stejneger, L. 1883. Contributions to the history of the Commander islands. Proc. U.S. Nat. Mus. 6: 65.
- Stempel, W. 1904. Ueber *Nosema anomalum* Monz. Arch. Protistenkunde, 4: 1-42, 3 pls.
- Stempel, W. 1904. Ueber die Entwicklung von *Nosema anomalum* Monz. Vorläufige Mitt. Zool. Anz. 27: 293-295.
- Stenger, A.H. 1963. An apparent error in a report of structural hermaphroditism in an Alaskan threespine stickleback, *Gasterosteus aculeatus*. Copeia, 1963: 454-455.
- Stephanidis, A. 1943. Contribution à l'étude des poissons d'eau douce de la Grèce. Praktika Akad. Athenon, 18: 200-210.
- Stephanidis, A. 1971a. Poissons d'eau douce du Péloponnèse. Biologia Gallo-Hellen. 3: 163-212. In Greek.
- Stephanidis, A. 1971b. On some fishes of the Greek fresh waters. Biologia Gallo-Hellen. 3: 213-241. In Greek.
- Stephanidis, A. 1974. On some fish of the Ioniokorinthian region (W. Greece ect.): A new genus of Cyprinidae: *Tropidophoxinellus* n. gen. Biol. Gallo-Helle. 5: 235-258.
- Sterba, G. 1967. Aquarium care, a comprehensive guide. Studio Vista, London. 515 p.
- Stolk, A. 1966. Muscular dystrophy in fish. Bull. Off. int. Epizoot. 65: 1077-1084.
- Storer, D.H. 1836. Description of a new species of *Hydrargyra*; with some additions to the catalogue of fishes of Massachusetts in Hitchcock's Report. Boston J. Nat. Hist. (1836) 1: 418.

- Storer, D.H. 1837. Description of a new species of the genus *Gasterosteus*. Boston J. Nat. Hist. (1837) 1: 464-465.
- Storer, D.H. 1839. A report on the fishes of Massachusetts. Boston J. Nat. Hist. (1839) 2: 325-329.
- Storer, D.H. 1846. A synopsis of the fishes of North America. Mém. Amer. Acad. Arts Sci., n. s. 2: 314-317.
- Storer, D.H. 1850. Observations on the fishes of Nova Scotia and Labrador, with descriptions of new species. Proc. Boston Soc. Nat. Hist. 6 (2): 247-270, pl. VII, fig. 1-3.
- Storer, D.H. 1867. A history of the fishes of Massachusetts. Welch and Bigelow and Dakin and Metcalf, Boston. 287 p. + 39 pls.
- Stunkard, H.W. 1969. The Sporozoa: with particular reference to infections in fishes. J. Fish. Res. Board Can. 26: 725-739.
- Sudry, -. 1910. L'étang de Thau. Ann. Inst. Océanogr. 1 (10).
- Supryaga, V.G. and Mozgovoi, A.A. 1974. Biological characteristics of *Raphidascaris acus* (Anisakidae: Ascaridata), a freshwater fish parasite. Parazitologiya (Leningr.), 8: 494-503. In Russian.
- Svårdson, G. 1961. Young sibling fish species in Northwestern Europe. In: Blair, W.F. (Ed.). Vertebrate Speciation, p. 498-513. Univ. Texas Press, Austin.
- Svårdson, G. 1968. Gommalt och nytt om storspiggen. Svenskt Fiske, Sprotfiskaren, 1968: 20-23.
- Svetovidov, A.N. 1964. Fishes of the Black Sea. Akad. Nauk. SSSR, Moscow. 551 p. In Russian.
- Swainson, W. 1838-1839. On the natural history and classification of fishes, amphibians and reptiles or monocardian animals. London. 2 vols.
- Swarup, H. 1956. Production of heteroploidy in the three-spined stickleback, *Gasterosteus aculeatus* (L.). Nature, Lond. 178: 1124-1125.
- Swarup, H. 1957. Production of haploidy in experimentally treated eggs of *Gasterosteus aculeatus* (L.). Proc. Natl. Acad. Sci. India. Sect. B, 27 (6): 274-278.
- Swarup, H. 1958a. The reproductive cycle and development of the gonads in *Gasterosteus aculeatus* (L.). Proc. Zool. Soc. Calcutta, 11: 47-55.
- Swarup, H. 1958b. Abnormal development in the temperature-treated eggs of *Gasterosteus aculeatus* L. I. Cleavage abnormalities. J. Zool. Soc. India, 10: 108-113.
- Swarup, H. 1958c. Abnormal development in the temperature treated eggs of *Gasterosteus aculeatus* (L.). IV. Microcephaly. J. Zool. Soc. India 11 (2): 102-108.

- Swarup, H. 1958d. Stages in the development of the stickleback *Gasterosteus aculeatus* (L.). J. Embryol. and Exptl. Morphol. 6: 373-383.
- Swarup, H. 1959a. Abnormal development in the temperature treated eggs of *Gasterosteus aculeatus* L. II. Gastrulation abnormalities. J. Zool. Soc. India, 11: 1-6.
- Swarup, H. 1959b. Abnormal development in the temperature treated eggs of *Gasterosteus aculeatus* L. III. Twinning. J. Zool. Soc. India, 11: 7-10.
- Swarup, H. 1959c. Abnormal development in the temperature treated eggs of *Gasterosteus aculeatus* (L.); IV. Microcephaly. J. Zool. Soc. India, 11: 102-108.
- Swarup, H. 1959d. Independent origin and development of the crystalline lens in *Gasterosteus aculeatus* (L.). Current Sci. 28: 118-119.
- Swarup, H. 1959e. Production of triploidy in *Gasterosteus aculeatus* (L.). J. Genetics, 56: 129-142.
- Swarup, H. 1959f. Effect of triploidy on the body size, general organization and cellular structure in *Gasterosteus aculeatus* (L.). J. Genetics, 56: 143-155.
- Swarup, H. 1959g. The oxygen consumption of diploid and triploid *Gasterosteus aculeatus* (L.). J. Genetics, 56: 156-160.
- Swarup, H. 1967. Gonads in the triploid fish. Ichthyologica (Kanpur), 6: 41-52.
- Sweeting, R.A. 1974. Investigations into natural and experimental infections of freshwater fish by the common eye-fluke *Diplostomum spathaceum* Rud. Parasitology, 69: 291-300.
- Swinerton, H.H. 1902. A contribution to the morphology of the teleostean head skeleton based upon a study of the developing skull of the three-spined stickleback (*Gasterosteus aculeatus*). Quart. J. Micr. Sci. 45: 503-593, pl. 28-31.
- Swinerton, H.H. 1905a. The changes and variations in the position of the pectoral fin during development. Ann. Nat. Hist. (7) xv: 319-321, fig. 1-4.
- Swinerton, H.H. 1905b. A contribution to the morphology and development of the pectoral skeleton of teleosteans. Quart. J. Microscop. Sci. 49: 363-382.
- Swinerton, H.H. 1907. The stickleback; its personal and family history. 54th Ann. Rept. Nottingham Nat. Soc. 54: 34-40, pl.



- Symons, P.E.K. 1966. Analysis of spine-raising in the male three-spined stickleback. Behaviour, 26: 1-75.
- Symons, P.E.K. 1971. Spacing and density in schooling threespine sticklebacks (*Gasterosteus aculeatus*) and mummichog (*Fundulus heteroclitus*). J. Fish. Res. Board Can. 28: 999-1004.
- Tagliani, G. 1926. Sulla variabilita di alcuni caratteri quantitativi di *Gasterosteus aculeatus* L. del fiume Sarno (Campania) con una esposizione riassuntiva dei principali processi aritmetici statistica, biometrici. Arch. zool. Italiano, 11: 243-358.
- Tait, L. 1869. Tumours of the stickleback. J. Anat. Physiol. 5: 12-14.
- Tammes, P.M.L. 1957. Observations on the effect of temperature on the balance between entry of a poison and the process of detoxification. Physiol. Comparata et Oecol. 4: 277-294.
- Tanaka, S. 1915. Ten new species of Japanese fishes. Dobuts. Z., Tokyo, 27: 565-568. In Japanese.
- Tanaka, S. 1918. Figures and descriptions of the fishes of Japan. 27-29 (475-538), pls. cxxxii - cxxxix, Tokyo.
- Tanaka, S. 1935. Figures and descriptions of the fishes of Japan... Kazamshobo, Tokyo, 557 p.
- Taranetz, A.J. 1937. Handbook for identification of fishes of Soviet Far East and adjacent waters. Bull. Pacific Sci. Inst. Fish. Oceanog. 11: 200 p., map. In Russian.
- Taranets, A.Ya. 1937a. Ichthyofauna of the Upper Amur and the contiguous areas of the Ingoda, Selenga and Vitim Basins. Vestnik. Dal'nev. Filial Akad. Nauk SSSR, 27: 107-124. In Russian.
- Taranets, A.Ya. 1937b. Short key to fishes of the Soviet Far East and adjacent waters. Izv. Tikhook. Nauchno-Issled. Okean. Inst. Ryb. Khoz. 11: 200 p. In Russian.
- Taranets, A.Ya. 1937c. Data on the ichthyofauna of Soviet Sakhalin. Izv. Tikhook. Nauchno-Issled. Okean. Inst. Ryb. Khoz. 12: 5-50. In Russian.
- Taranets, A.Ya. 1938. Zoogeography of the Amur Transitory Region, based on a study of the freshwater ichthyofauna. Vestnik DVFAN SSSR, 32 (5): 99-115. In Russian.
- Targett, T.E. and McCleave, J.D. 1974. Summer abundance of fishes in a Maine tidal cove with special reference to temperature. Trans. Am. Fish. Soc. 103: 325-330.
- Tarleton, H.B. 1883. Notes on a collection of fishes made in Alaska and British Columbia. Proc. U. S. Nat. Mus. 6: 353.

- Teichmann, H. 1954. Vergleichende Untersuchungen an der Nase der Fische. Z. Morphol. Oekol. Tiere, 43: 171-212.
- Templeton, R. 1837. Irish vertebrate animals. Mag. Nat. Hist., n. s. 1: 409.
- Thart, M. 1978. Study of a short tern behaviour cycle-creeping through in three-spined stickleback (*Gasterosteus aculeatus* L.). Behaviour, 67. (1-2): 1-66.
- Thatcher, T.O. 1977. The relative sensitivity of Pacific Northwest fishes and invertebrates to chlorinated sea water. In: Jolley, R.L., Gorchev, H. and Hamilton, D.H. (Eds.). Water chlorination. Environmental impact and health effects, Vol. 2, p. 341-350. Ann. Arbor Science Publ., Michigan, xviii + 909 p.
- Thienemann, A. 1925. Die Süßwasserfische Deutschlands. Eine tiergeographische Skizze. Handb. Binnenfisch. Mitteleuropas, 3: 1-32.
- Thienemann, A. 1950. Verbreitungsgeschichte der Süßwassertierwelt Europas. Die Binnegewässer 18, 809S. Stuttgart.
- Thomas, B.O. 1962. Behavioral studies of the brook stickleback, *Eucalia inconstans* (Kirtland). In: Summer Meeting of American Society of Zoologists, Oregon State University, Corvallis, Oregon, August 1962. Amer. Zool. 2: 452. (Abstract).
- Thomas, G. 1974. The influence of encountering a food object on subsequent searching behaviour in *Gasterosteus aculeatus* L. Anim. Behav. 22: 941-952.
- Thomas, G. 1977. The influence of eating and rejecting prey items upon feeding and food searching behaviour in *Gasterosteus aculeatus* L. Anim. Behav. 25: 52-66.
- Thomas, M.L.H. 1966. Benthos of four Lake Superior bays. Can. Field-Nat. 80: 200-212.
- Thomas, M.M., Lucas, H.F. and Edgington, D.N. 1972. Mercury concentrations in fish taken from offshore areas of the Great Lakes. Proc. Conf. Great Lakes Res. 15: 192-197.
- Thomopoulos, A. 1953. Sur l'oeuf de l'épinoche (*Gasterosteus aculeatus* L.). Bull. Soc. Zool. France, 78 (2/3): 142-149.
- Thompson, W. 1834. Observations on some species of native Mammalia, Birds and Fishes including additions to the British fauna. Phil. Mag. 5: 299.
- Thompson, W. 1841. On the species of stickleback (*Gasterosteus* Linn.) found in Ireland. Ann. Mag. Nat. Hist., ser. 1, 7: 95-104.
- Thomson, K.S., Weed, W.H., Taruski, A.G. and Simanek, D.E. 1978. Saltwater fishes of Connecticut. State Geological and Natural History Survey of Connecticut, Bull. 105: vii + 186 p. (2nd Ed.).

- Threlfall, W. 1968. A mass die-off of three-spined sticklebacks (*Gasterosteus aculeatus* L.) caused by parasites. *Can. J. Zool.* 46: 105-106.
- Tilesius, W.G. 1809. Description de quelques poissons observés pendant son voyage autour du monde. *Mém. Soc. Nat. Moscou*, 2: 212-249, pl. 13-17.
- Tilesius, W.G. 1811. *Piscium Camtschaticorum*. *Mém. Acad. Sci., St. Petersburg*, 3: 225-237, tab. 8, fig. 1.
- Tiller, I.V. 1972. Age and growth rate of three-spine stickleback (*Gasterosteus aculeatus* L.) in Lake Dal'nee. *Izv. Tikhookean. Nauchno-Issled. Inst. Rybn. Khoz. Okeanogr.* 82: 219-225. In Russian. *Trans. No. 2916, Fish. Res. Board Can.*
- Tinbergen, N. 1951. *The Study of Instinct*. Clarendon Press, Oxford.
- Tinbergen, N. 1952. Derived activities; their causation, function and origin. *Quart. Rev. Biol.* 27: 1-32.
- Tinbergen, N. 1953. *Social Behaviour in Animals*. Methuen, London.
- Tinbergen, N. 1956. Stekels, veilig en voordelig (Spines, safe and advantageous). *Levende Natuur*. 59: 25-33.
- Tinbergen, N. 1957. The curious behaviour of the stickleback. In: *Scientific American, Twentieth-century Bestiary*, London, p. 26-34.
- Tinbergen, N. 1973. *The Animal in its World. Explorations of an Ethologist 1932-1972. Volume 2. Laboratory experiments and general papers*. Harvard Univ. Press, Cambridge, Mass., 231 p.
- Tinbergen, N. and Van Iersel, J.J.A. 1947. "Displacement reactions" in the three-spined stickleback. *Behaviour*, 1: 56-63.
- Titschack, E. 1922. Die sekundären Geschlechtsmerkmale von *Gasterosteus aculeatus* L. *Zool. Jahrb. (Zool. u. Physiol.)*, 39: 83-148, pl. i.
- Toner, G.C. 1933. Annotated list of fishes of Georgian Bay. *Copeia*, 1933: 133-140.
- Torchio, M. 1967. Osservazioni e considerazioni sulla presenza in acque Mediterranee costiere di ciprinidi, cipronodontidi e gasterosteidi. (Observations and considerations on the presence of cyprinids, cyprinodontids and gasterosteids found in the coastal waters of the Mediterranean). *Natura (Milano)*, 58 (3): 235-243.
- Tortonese, E. 1963. *Catalogo dei tipi di Pesci del Museo Civico di Storia Naturale di Genova (Parte III)*. *Ann. Mus. Civ. Storia Nat. Genova*, 73: 306-316.
- Tortonese, E. 1970. *Fauna d'Italia. Osteichthyes (Pesci Ossei)*. Parte Prima. Edizioni Calderini Bologna, xiii + 565 p.

- Tracy, H.C. 1910. Annotated list of fishes known to inhabit the waters of Rhode Island. Rhode Island Comm. Inland Fish. Ann. Rep. 40: 35-176.
- Trautman, M.B. 1957. The Fishes of Ohio with illustrated keys. Ohio State Univ. Press, xviii + 683 p.
- Troitskii, S.K. and Frolov, P.G. 1943. A study of the biology of the threespined stickleback in the Kuban' estuaries. Priroda, 2: 67-68. In Russian.
- Troitskii, S.K. and Frolov, P.G. 1949. Data on the biology and economic importance of the threespined stickleback in the Kuban' estuaries. Trudy Rybovodnoi biologicheskoi laboratorii Az-Cherrybvoda, 1: 183-204. In Russian.
- Tromp-Blom, N. 1959. The ovaries of *Gasterosteus aculeatus* (L.) (Teleostei) before, during and after the reproductive period. Proc. ned. Akad. Wet. Amst. 62C: 225-237.
- Truitt, R.V., Barton, A.B. and Fowler, H.W. 1929. The fishes of Maryland. Maryland Conserv. Dept. Conserv. Bull. 3: 120 p.
- Tschanz, B. and Scharf, M. 1971. Choice of nesting place and orientation to the nesting place of the stickleback. Rev. Suisse Zool. 78: 715-721. In German.
- Tsimbaljuk, E.M. and Semeshko, N.N. 1971. Cestodes from fishes of the intertidal zone of West Kamchatka. Parazitologiya, 5: 424-428. In Russian.
- Tsvetkov, V.I. 1973. Role of sense organs in adaptation to a change of hydrostatic pressure in the ninespine stickleback *Pungitius pungitius* (L.). Vopr. Ikhtiol. 13: 344-349. (In Russian). J. Ichthyol. 13: 289-294. (In English).
- Tsvetkov, V.I. 1979. Effect of changes in buoyancy of physoclistic fishes on the efficiency of their defense - food interrelations. Zool. Zh. 58: 871-879.
- Tubb, R.A., Copes, F.A. and Johnston, C. 1965. Fishes of the Sheyenne River of North Dakota. Proc. N. Dak. Acad. Sci. 19: 120-128.
- Tugendhat, B. 1960a. The normal feeding behaviour of the three-spined stickleback (*Gasterosteus aculeatus* L.). Behaviour, 15 (3/4): 284-318.
- Tugendhat, B. 1960b. The disturbed feeding behaviour of the Three-spined Stickleback: III. Electric shock is administered in the food area. Behaviour, 16 (3/4): 159-187.
- Turdakov, F.A. 1963. Fishes of Kirgizii. Izd. Akad. Nauk Kirgiz. SSR, Frunze, 283 p. In Russian.
- Turdakov, F.A. and Piskarev, K.V. 1955. On a stickleback *Pungitius platygaster aralensis*. Trud. Inst. Zool. Paras. Kirgiz. Acad. Sci. 3: 73:77. In Russian.

- Tuurala, O. 1957. Concerning the influence of osmotic change in the neurosecretion of the small fish *Gasterosteus aculeatus* L. and *Phoxinus laevis* L. from the brackish water of small Finnish bays. Ann. Acad. Sci. Fennicae Ser. A, IV Biol. 36: 1-9. In German.
- Tyler, A.V. 1963. A cleaning symbiosis between the rainwater fish, *Lucania parva* and the stickleback, *Apeltes quadracus*. Chesapeake Sci. 4: 105-106.
- Tylsova, M. 1927. Morfologi vnitruj struktura statolitu nasich Teleostei (Morphology and structure of statoliths of our Teleostean fishes). Rozpr. csl. Akad. Ved. (mat. prir.) 28: 402-411, 35 fig., + 1-12, pl. I-II and 36: 1-20, tab., 38 fig.
- Ueno, T. 1971. List of marine fishes from the waters of Hokkaido and its adjacent regions. Scient. Rep. Hokkaido Fish. Exp. Sta. 13: 61-102.
- Uhlich, H. 1937. Über die Schliemsekretion bei Fischen. Zool. Jahrb. Abt. Allg. Zool. u. Physiol. 57: 417-456.
- UN ENVIRON PROGRAMME. 1977. The effect of zinc and copper pollution on the salmonid fisheries in a river and lake system in central Norway. Eur. Inland Fish. Advis. Comm. Tech. Pap. 29: 1-33.
- Ure, J.M. 1962. The one-spined stickleback. Aquarist Pondkpr. 27: 198.
- Ure, J.M. 1963. Breeding the ten-spined stickleback. Aquarist Pondkpr. 28: 132.
- Uyeno, T. and Miller, R.R. 1962. Relationships of *Empetrichthys erdisi*, a Pliocene cyprinodontid fish from California, with remarks on the Fundulinae and Cyprinodontinae. Copeia, 1962: 520-532.
- Vainu, E.M. 1961a. O trekhigloi kolyushke v Rizhskom zalive. (Threespine stickleback in the Gulf of Riga). Ezheg. Obshchest Estestvoispyt Akad. Nauk Est SSR. 56: 147-156. From: Ref. Zh. Biol. 1965 No. 15182.
- Vainu, E.M. 1961b. Über dem Stichlung der Rigaer Bucht. Loodus. Selts. Tallinn. 56: 147-156.
- Valdez, R.A. 1974. Two parasites of three-spined stickleback from Amchitka, Aleutian Islands, Alaska, U.S.A. Trans. Am. Fish. Soc. 103: 632-635.
- Valdez, R.A. and Helm, W.T. 1971. Ecology of threespine stickleback *Gasterosteus aculeatus* Linnaeus on Amchitka Island, Alaska. Bioscience, 21: 641-645.
- Valdez, R.A., Helm, W.T. and Neuhold, J.M. 1977. Aquatic ecology. In: Merritt, M.L. and Fuller, R.G. (Eds.). The Environment of Amchitka Island, Alaska p. 287-313. National Tech. Inf. Serv. U.S. Dept. Commerce, Springfield, Va. xii + 682 p.

- Vallot, J.N. 1837. Ichthyologie française ou histoire naturelle des poissons d'eau douce de France. Dijon, p. 83-88.
- Van Den Assem, J. 1967. Territory in the three-spined stickleback, *Gasterosteus aculeatus*. An experimental study in intraspecific competition during reproduction. Behaviour, Suppl. 16: 1-164.
- Van Den Assem, J. 1970. The problems of territoriality in fish. Richard, G. (Ed.). Entretiens de Chize. Série Ecologie et Ethologie, No. 1. Territoire et domaine vital. Symposium, Masson et Cie Eds., Paris, 124 p. pp. 21-34.
- Van Den Assem, J. and Van Der Molen, J.N. 1969. Waning of the aggressive response in the three-spined stickleback upon constant exposure to a conspecific: I. A preliminary analysis of the phenomenon. Behaviour, 34: 286-324.
- Vanden Eeckhoudt, J-P. 1946. Recherches sur l'influence de la lumière sur le cycle sexuel de l'épinoche (*Gasterosteus aculeatus*). Ann. Soc. Roy. Zool. Belgique, 77: 83-99.
- Van Den Nieuwenhuizen, A. 1971. Het driedoornig stekelbaarsje, *Gasterosteus aculeatus*. Aquarium, Den Haag, 41: 274-278.
- Van Der Molen, J.N. 1969. Hypo-aggressiveness in the male three-spined stickleback as a result of habituation. Neth. J. Zool. 19: 283 (Abstr.).
- Van Iersel, J.J.A. 1953. An analysis of the parental behaviour of the male three-spine stickleback, *Gasterosteus aculeatus* L. Behaviour (Suppl.), 3: 1-159.
- Van Iersel, J.J.A. 1958. Some aspects of territorial behaviour of the male three-spined stickleback. Arch. néerl. Zool. 13, Suppl. 1: 383-400.
- Van Mullem, P.J. 1959. A histo- and cytological study on the pituitary of the stickleback, *Gasterosteus aculeatus* L. forma *trachura* Cuv., partly based on a new fixation procedure after freeze drying. Arch. Neerl. Zool. 13: 147-195.
- Van Mullem, P.J. 1967. On synchronization in the reproduction of the stickleback (*Gasterosteus aculeatus* L. forma *leiura* Cuv.). Arch. néerl. Zool. 17: 258-274.
- Van Mullem, P.J. and Van Der Vlugt, J.C. 1964. On the age, growth and migration of the anadromous stickleback *Gasterosteus aculeatus* L. investigated in mixed populations. Arch. néerl. Zool. 16: 111-139.

- Van Oordt, G.J. 1942a. The relation of the testis to the secondary sex-characters of the Ten-spined Stickleback. Tijdschr. Ned. Dierk. Ver. Helder, ser. 2, 19: 52-54.
- Van Oordt, G.J. 1942b. Secondary sex-characters and testis of the ten-spined stickleback (*Gasterosteus pungitius* L.). Proc. Roy. Acad. Amsterdam, 26: 309-314.
- Van Oordt, G.J. 1924c. Die Veränderungen des Hodens während des Auftretens der sekundären Geschlechtsmerkmale bei Fischen. I. *Gasterosteus pungitius* L. Arch. mikr. Anat. Entw. Berlin, 102: 379-405.
- Van Oordt, G.J. 1925. Crossbreeding experiments with the three- and ten-spined stickleback (*Gasterosteus aculeatus* L. and *Gasterosteus pungitius* L.). Proc. Acad. Sci. Amsterdam, 28: 470-474.
- Van Overbeeke, A.P. 1960. Histological studies on the interrenal tissue and the phaeochromis tissue in Teleostei. Munsters Drukkerijen, Amsterdam.
- Van Veen, T., Ekstrom, P., Borg, B. and Moller, M. 1980. The pineal complex of the three-spined stickleback, *Gasterosteus aculeatus* L. A light-, electron-microscopic and fluorescence histochemical investigation. Cell Tissue Res. 209 (1): 11-28.
- Van Vliet, W.H. 1971. Shore and freshwater fish collections from Newfoundland. Publ. Zool., Natl. Mus. Nat. Sci., Ottawa, 3: 30 p.
- Vanyatinskii, V.F. 1978. Morphobiological characteristics of infusoria of the genus *Chilodonella* (Ciliata, Chlamyodontidae). Parazitologiya (Leningr.) 12: 268-274. In Russian.
- Varley, M.E. 1967. British Freshwater Fishes. Factors affecting their distribution. Fishing News (Books) Ltd., London, 148 p.
- Vebl, A. 1934. The importance of the White Sea stickleback to fishery. Za rybnuyu industriyu Severa, No. 10. In Russian.
- Veenhuis, M. and Wendelaar Bonga, S.E. 1974. The membranes of the basal labyrinth in kidney cells of a teleost fish studied in thin sections and freeze-etch replicas after several preparatory procedures. Histochem. J. 6: 106-107.
- Veenhuis, M. and Wendelaar Bonga, S.E. 1976. The sub-microscopic localization of D-amino acid oxidase in teleost kidney peroxisomes by means of cerium ions. Ultramicroscopy, 2: 137 (abstract).
- Veenhuis, M. and Wendelaar Bonga, S.D. 1977. The cytochemical demonstration of catalase and D-amino acid oxidase in the microbodies of teleost kidney cells. Histochem. J. 9: 171-181.

- Venables, E. 1861. A guide to the isle of Wight. Zoologist, London, 19: 7303.
- Vialli, M. 1930. Ricerche morfologiche sulle formazioni coroidi dei Teleostei. Publ. Sta. Zool. Napoli, 10: 67-110.
- Vik, R. 1954. Investigations on the Pseudophyllidean cestodes of fish, birds and mammals in the Anøya water system in Trøndelag. Pt. 1. *Cyathocephalus truncatus* and *Schistocephalus solidus*. Nytt. Magasin for Zool. 2: 1-51.
- Vik, R., Halvorsen, O. and Andersen, K. 1969. Observations on *Diphyllobothrium plerocercoids* in three-spined sticklebacks, *Gasterosteus aculeatus* L., from the River Elbe. Nytt. Mag. Zool. 17: 75-80.
- Vinikour, W.S. 1975. Food preferences of the brook stickleback, *Culaea inconstans*, based on fish size. Trans. Ill. St. Acad. Sci. 68 (4): 357-363.
- Vinogradov, K.A. 1949. Seasonal changes in the composition of the ichthyofauna of the Avachinskii Bay (Eastern Kamchatka). Zool. Zh. 28: 573-574.
- Vladimirov, V.I. 1973. The effect of the growth of spawners on the survival and abundance of the progeny. J. Ichthyol. 13: 801-812.
- Vladykov, V.D. 1933. Biological and oceanographic conditions in Hudson Bay. 9. Fishes from the Hudson Bay region (except the Coregonidae). Contrib. Canadian Biol., Fish Res. Board Can. 8 (1933-1934): 13-61.
- Vladykov, V.D. and McAllister, D.E. 1961. Preliminary list of marine fishes of Quebec. Le nat. Canadien, 88: 53-78.
- Vladykov, V.D. and McKenzie, R.A. 1935. The marine fishes of Nova Scotia. Proc. Nova Scotian Inst. Sci. 19: 17-113.
- Volobuyev, V.V. 1976. Systematics and ecology of the Neyva (*Salvelinus neiva*) a char from Lake Uyeginskoye, Okhota River basin. J. Ichthyol. 16: 901-910.
- Von Bonde, C. and Marchand, J. 1929. A case of "Siamese Twins" in the spiny dogfish (*Squalus fernandinus*). Nature, Lond., 123: 795-796.
- Vontobel, R. 1976. A look at the world of the stickleback. Nature Canada, 5 (3): 38-41.
- Voronin, V.N. 1974. Some microsporidians (Microsporidia, Nosematidae) from sticklebacks *Pungitius pungitius* and *Gasterosteus aculeatus* of the Finnish Bay. Acta Protozool. 13: 211-220. In Russian.
- Voronin, V.N. 1976. Characteristics of the genus *Glugea* (Protozoa, Microsporidia) in the example of the type species *Glugea anomala* (Moniez, 1887) Gurley, 1893 and its varieties. Parazitologiya (Leningr.) 10: 263-267. In Russian.



- Voss, J., Danthinne, G., Hanon, L. and Ruwet, J.C. 1973. L'éthologie comparative: ses concepts, ses méthodes. Ann. Soc. R. Zool. Belg. 103: 293-319.
- Vrat, V. 1949. Reproductive behaviour and development of the eggs of the three-spined stickleback (*Gasterosteus aculeatus*) of California. Copeia, 1949: 252-260.
- Wagner, G. 1910. On the stickleback of Lake Superior. Science, 32: 28-30.
- Wahlgren, E. 1915. Det Öländska Alvarets Djurvärld. I. Arkiv. Zool. 9: 22
- Wai, E.H. and Hoar, W.S. 1963. The secondary sex characters and reproductive behaviour of gonadectomized sticklebacks treated with methyl testosterone. Can. J. Zool. 41: 611-628.
- Walbaum, J.J. 1792. Petri Artedi sueci genera Piscium in quibus systema totum ichthyologiae proponitur cum classibus, ordinibus, generum characteribus, specierum differentiis, observationibus plurimis. Ichthyologiae Pars III. Grypeswaldiae (Ed. II). 723 p., 3 pl.
- Walkey, M. 1967. The ecology of *Neoechinorhynchus rutili* (Müller). J. Parasitol. 53: 795-804.
- Walkey, M., Lewis, D.B. and Dartnall, H.J.G. 1970. Observations on the host-parasite relations of *Thersitina gasterostei* (Crustacea: Copepoda). J. Zool. Lond. 162: 371-381.
- Walkey, M. and Meakins, R.H. 1969. Energy transformation in a host parasite system. Parasitology, 59: 1 page Abstract.
- Walkey, M. and Meakins, R.H. 1970a. An attempt to balance the energy budget of a host-parasite system. J. Fish. Biol. 2: 361-372.
- Walkey, M. and Meakins, R.H. 1970b. Host parasite relationships, an energetics approach. J. Parasitol. 56 (4 Sec. 11 Pt. 1): 357-358.
- Wall, W.J. and Marganian, V.M. 1973. Control of salt marsh Culicoides and *Tabanus* larvae in small plots with granular organophosphorus pesticides, and the direct effect on other fauna. Mosq. News, 33: 88-93.
- Wallace, R.A. and Selman, K. 1978. Physiology of oogenesis in the stickleback (*Apeltes quadracus*). Am. Zool. 18: 607.
- Wallace, R.A. and Selman, K. 1979. Physiological aspects of oogenesis in two species of sticklebacks, *Gasterosteus aculeatus* L. and *Apeltes quadracus* (Mitchill). J. Fish. Biol. 14: 551-564.
- Wallace, R.L. 1969. Some aspects of the comparative ecology of fishes associated with juvenile sockeye salmon, *Oncorhynchus nerka* (Walbaum), in the lakes of the Naknek River system, Alaska. Ph.D. Thesis, Oregon State Univ. 160 pp.

- Walters, V. 1953. The fishes collected by the Canadian Arctic Expedition, 1913-18, with additional notes on the ichthyofauna of western Arctic Canada. Ann. Rep. Nat. Mus. Canada, 1951-52, Bull. 128: 1-18.
- Walters, V. 1955. Fishes of western Arctic America and eastern Arctic Siberia. Bull. Am. Mus. Nat. Hist. 106: 259-368.
- Warrington, R. 1852. Observations on the natural history of the water-snail and fish (*Gasterosteus leiurus*) kept in confined and limited portion of water. Ann. Mag. Nat. Hist. ser. 10, 2: 273-280.
- Warrington, E. 1855. Observations on the habits of the stickleback (being a continuation of a previous paper). Ann. Mag. Nat. Hist. ser. 16, 2: 330-332.
- Warpachowski, N. 1887. Notizen über die Fishfauna des Amur-Beckens und der angrenzenden Gebiete. Trudui St. Petersburg Nat. 18.
- Warwick, T. 1949. The colonization of bomb-crater ponds at Marlow, Buckinghamshire. J. Anim. Ecol. 18: 137-141.
- Wass, M.L. et al. 1972. A check list of the biota of Lower Chesapeake Bay with inclusions from Upper Bay and the Virginian Sea. Spec. Sci. Rep. Virginia Inst. Mar. Sci. 65: ix + 290 p.
- Weaving, A.J.S. 1955. Breeding and territory behaviour in the three-spined stickleback (*Gasterosteus aculeatus*). Mag. Blundell's Sch. Sci. Soc. No. 9: 21-24.
- Webster, B. 1969. Fishes in the upper Nene. J. Northampt. nat. Hist. Soc. 35: 696.
- Wehnert, S.D. and Woo, P.T.K. 1980. In vivo and in vitro studies on the host specificity of *Trypanoplasma salmositica*. J. Wildl. Dis. 16 (2): 183-188.
- Weiler, W. ?. Fossilium Catalogus. 1. Animalia Pars 117. Otolithi Piscium (Neubearbeitung). Junk, The Hague, 196 p.
- Weissenberg, R. 1967. Contributions to the study of the intra-cellular development of the microsporidium *Glugea anomala* in the fish *Gasterosteus aculeatus*. J. Protozool. 14 (Suppl.): 28-29.
- Weissenberg, R. 1968. Intracellular development of the microsporidan *Glugea anomala* Moniez in hypertrophying migratory cells of the fish *Gasterosteus aculeatus* L., an example of the formation of "xenoma" tumours. J. Protozool. 15: 44-45.
- Wells, J.W. and Tomokiyo, R.T. 1972. Chignik sockeye salmon studies. Res. Fish. Coll. Fish. Univ. Wash. 1971 (355): 16-17.

- Wells, La R. and McLain, A.L. 1973. Lake Michigan. Man's effects on native fish stocks and other biota. Tech. Rep. Great Lakes Fish. Comm. 20: i - v + 1-55.
- Wendelaar Bonga, S.E. 1973a. The effect of prolactin on kidney structure in the anadromous teleost *Gasterosteus aculeatus* f - *trachurus* during transfer from the sea to fresh water. A morphometrical study with light and electron microscope. J. Endocrinol. 57: 12-13.
- Wendelaar Bonga, S.E. 1973b. Morphometrical analysis with the light and electron microscope of the kidney of the anadromous three-spined stickleback *Gasterosteus aculeatus*, form *trachurus*, from fresh water and from sea water. Z. Zellforsch. Mikrosk. Anat. 137: 563-588.
- Wendelaar Bonga, S.E. 1976. The effect of prolactin on kidney structure of the euryhaline teleost *Gasterosteus aculeatus* during adaptation to fresh water. Cell Tissue Res. 166: 319-338.
- Wendelaar Bonga, S.E. 1978. The effects of changes in external sodium, calcium, and magnesium concentrations on prolactin cells, skin, and plasma electrolytes of *Gasterosteus aculeatus*. Gen. Comp. Endocrinol. 34: 265-275.
- Wendelaar Bonga, S.E. 1980. Effect of synthetic salmon calcitonin and low ambient calcium on plasma calcium, ultimobranchial cells, Stannius bodies, and prolactin cells in the teleost *Gasterosteus aculeatus*. Gen. Comp. Endocrinol. 40 (1): 99-108.
- Wendelaar Bonga, S.E. and Greven, J.A.A. 1975. A second cell type in Stannius bodies of two euryhaline teleost species. Cell Tissue Res. 159: 287-290.
- Wendelaar Bonga, S.E. and Greven, J.A.A. 1978. The relationship between prolactin cell activity, environmental calcium, and plasma calcium in the teleost *Gasterosteus aculeatus*: Observations on stanniectomized fish. Gen. Comp. Endocrinol. 36: 90-101.
- Wendelaar Bonga, S.E., Greven, J.A.A. and Mein, C. 1978. The relationship between external and internal calcium concentrations and prolactin cell activity in a euryhaline teleost. Gen. Comp. Endocrinol. 34: 91 (abstract).
- Wendelaar Bonga, S.E., Greven, J.A.A., Mein, C. and Veenhuis, M. 1976. Morphometrical study with light microscope and electron microscope of the role in ionic regulation of two endocrine cell types in Stannius bodies of sticklebacks. Gen. Comp. Endocrinol. 29 (2): 282.

- Wendelaar Bonga, S.E., Greven, J.A.A. and Veenhuis, M. 1976. The relationship between the ionic composition of the environment and the secretory activity of the endocrine cell types of Stannius corpuscles in the teleost *Gasterosteus aculeatus*. Cell Tissue Res. 175: 297-312.
- Wendelaar Bonga, S.E., Greven, J.A.A. and Veenhuis, M. 1977. Vascularization, innervation and ultrastructure of the endocrine cell types of Stannius corpuscles in the teleost *Gasterosteus aculeatus*. J. Morphol. 153: 225-244.
- Wendelaar Bonga, S.E. and Veenhuis, M. 1974a. The effects of prolactin on the kidney cells of the stickleback *Gasterosteus aculeatus* after transfer from the sea to fresh water studied by ultra-thin sectioning and freeze etching. Gen Comp. Endocrinol. 22: 382.
- Wendelaar Bonga, S.E. and Veenhuis, M. 1974b. The membranes of the basal labyrinth in kidney cells of the stickleback, *Gasterosteus aculeatus*, studied in ultrathin sections and freeze-etch replicas. J. Cell. Sci. 14: 587-609.
- Wendelaar Bonga, S.E. and Veenhuis, M. 1975. The effect of prolactin on the number of membrane - associated particles in kidney cells of the euryhaline teleost *Gasterosteus aculeatus* during transfer from seawater to freshwater: a freeze-etch study. J. Cell Sci. 16: 687-701.
- Went, A.E.J. 1946. Irish freshwater fish. Some notes on their distribution. Salmon Trout Mag., London, 118: 248-256.
- Werner, F. 1915. Der dreistachlige Stichling (*Gasterosteus aculeatus*). Blätt. Aquar.-Terrar. Kunde, 26 Jahrg. 321-324.
- Werner, C.F. 1928. Studien über die Otolithen der Knochenfische. Z. Wiss. Zool. 131: 502-587.
- Weselowski, R.F. 1974. Comparison of brook stickleback *Culaea inconstans* (Kirtland) with and without predation by a piscivorous fish. M.Sc. Thesis, Dept. of Zoology, Univ. Manitoba, Winnipeg.
- Westbeck, Z. 1754a. Beskrifning på sköt-spiggs fisket, och huru olia kokas af denna fisk. K. Swensk. Vetensk. Acad. Handl. 15: 261-266.
- Westbeck, Z. 1754b. Beschreibung der Sköt-Spiggs-Fischery, und wie aus diesen Fische ein Oehl gesolten wird. König. Schwed. Akad. Abhandl. 15: 265. (Translation of Westbeck, 1754a).
- Wheeler, A. 1969. The fishes of the British Isles and north-west Europe. MacMillan, London, xvii + 613 p.

- Whitaker, J.W. 1968. Habitat selection and competition in Saskatchewan stickleback (*Gasterosteidae*) during the ice-free season. M.A. Thesis, University of Saskatchewan, Saskatoon, Sask. 58 p.
- White, H.C. 1953. The eastern belted kingfisher in the Maritime Provinces. Bull. Fish. Res. Bd. Canada, 97: 1-44.
- Whitear, M. 1970. The skin surface of bony fishes. J. Zool. (London), 160: 437-454.
- Whitear, M. 1971a. The free nerve endings in fish epidermis. J. Zool. (London), 163: 231-236.
- Whitear, M. 1971b. Cell specialization and sensory function in fish epidermis. J. Zool. (London), 163: 237-264.
- Whitley, G.P. 1950. New fish names. Proc. roy. zool. soc. N.S.W. 1948-49: 44.
- Whitworth, W.R., Berrien, P.L. and Keller, W.T. 1968. Freshwater fishes of Connecticut. State Geol. Nat. Hist. Survey Connecticut, Bull. 101: vi + 134 p.
- Wichand, B. 1904. Meine beobachtungen beim Brutgeschäft des drei und zehnstacheligen Stichlings (*Gasterosteus aculeatus* und *G. pungitius*) im Aquarium. Nerthus, Altona, 6: 349-354; 374-378.
- Wikström, L. 1965. Storspiggen vid västerboltens kusten (*Gasterosteus aculeatus* along the Bothnian coast of Sweden). Fauna flora, 5: 208-218.
- Wiles, M. 1975. The glochidia of certain Unionidae (Mollusca) in Nova Scotia and their fish hosts. Can. J. Zool. 53: 33-41.
- Wilimovsky, N.J. 1964. Inshore fish fauna of the Aleutian archipelago. Proc. 14th Alaskan Science Conference, Anchorage, Aug. 27-30. 1963: 172-190.
- Wilkins, S. 1881. On a nest-building fish, the stickleback (*Gasterosteus*). Midland Nat. 4: 106-111.
- Wilkonska, H. and Zuromska, H. 1977. Growth of fry in the heated Konin Lakes complex. Roczn. Nauk Roln. Ser. H Rybactwo, 97: 91-111.
- Willemse, J.J. 1966. The host-parasite relationship between fresh-water fish and tapeworms of the genus *Proteocephalus*. Bull. Off. int. Epizoot. 65: 1055-1060.
- Willemse, J.J. 1967. The host-parasite relation between fresh-water fishes and tapeworms of the genus *Protocephalus*. Archs. néerl. Zool. 17: 289-291.
- Williams, D.D. and Coad, B.W. 1979. The ecology of temporary streams. III. Temporary stream fishes in southern Ontario, Canada. Int. Rev. Ges. Hydrobiol. 64 (4): 501-515.

- Williams, G.C. 1960. Dispersal of young marine fishes near Woods Hole, Massachusetts. Publ. Mus. Michigan State Univ., Biol. Ser. 1 (10): 329-368.
- Williams, M.O. 1966. Studies on the morphology and life cycle of *Diplostomum (Diplostomum) gasterostei* (Strigeidae: Trematoda). Parasitology, 56: 693-706.
- Williams, R. and Harcup, M.F. 1974. The fish populations of an industrial river in South Wales. J. Fish. Biol. 6: 395-414.
- Willock, T.A. 1969. Distributional list of fishes in the Missouri drainage of Canada. J. Fish. Res. Bd. Canada, 26: 1439- 1449.
- Wilz, K.J. 1967. The organization of courtship behaviour in sticklebacks. D. Phil. Thesis, Oxford Univ.
- Wilz, K.J. 1968. An analysis of the dorsal pricking response and "displacement" nest activities in the courtship of the three-spined stickleback *Gasterosteus aculeatus*. Am. Zool. 8: 695.
- Wilz, K.J. 1969. The disinhibition hypothesis and the displacement nest activities in the courtship of the three-spined stickleback, *Gasterosteus aculeatus*. Amer. Zool. 9: 565.
- Wilz, K.J. 1970a. Causal and functional analysis of dorsal pricking and nest activity in the courtship of the three-spined stickleback *Gasterosteus aculeatus*. Anim. Behav. 18: 115-124.
- Wilz, K.J. 1970b. Self regulation of motivation in the three-spined stickleback (*Gasterosteus aculeatus*). Nature, Lond. 226: 465-466.
- Wilz, K.J. 1970c. Reproductive isolation in two species of stickleback (*Gasterosteidae*). Copeia, 1970: 587-590.
- Wilz, K.J. 1970d. The disinhibition interpretation of the "displacement" activities during courtship in the three-spined stickleback, *Gasterosteus aculeatus*. Anim. Behav. 18: 682-687.
- Wilz, K.J. 1971. Comparative aspects of courtship behavior in the ten-spined stickleback, *Pygosteus pungitius* (L.). Z. Tierpsychol. 29: 1-10.
- Wilz, K.J. 1972. Causal relationships between aggression and the sexual and nest behaviours in the three-spined stickleback (*Gasterosteus aculeatus*). Anim. Behav. 20: 335-340.
- Wilz, K.J. 1973. Quantitative differences in the courtship of two populations of three-spined sticklebacks, *Gasterosteus aculeatus*. Z. Tierpsychol. 33: 141-146.
- Wilz, K.J. 1975. Cycles of aggression in the male three-spined stickleback (*Gasterosteus aculeatus*). Z. Tierpsychol. 39: 1-7.

- Winn, H.E. 1960. Biology of the brook stickleback *Eucalia inconstans* (Kirtland). Amer. Midland Nat. 63: 424-438.
- Wintrebert, P. and Ko-Ching, Y. 1926. La contraction protoplasmique des ébauches embryonnaires chez l'épinoche et l'épinochette. (Protoplasmic contractions of the embryonic primordia in the Sticklebacks). Compt. Rend. Acad. Sci. (Paris), 183 (8): 455-456.
- Wolski, T. 1927. Contribution à la connaissance d'espèce *Pygosteus pungitius* on Pologne. Arch. Hydrobiol. Rybactwa Suwalki, 2: 119-141. In Polish.
- Woodward, A.S. 1901. Catalogue of the fossil fishes in the British Museum. Pt. 4, London.
- Wootton, R. 1973a. The metazoan parasite-fauna of fish from Hanningfield Reservoir, Essex in relation to feature of the habitat and host populations. J. Zool., Proc. Zool. Soc. Lond. 171: 323-331.
- Wootton, R. 1973b. Occurrence of *Bunodera luciopercae* (Digenea: Allocreadiidae) in fish from Hanningfield Reservoir, Essex. J. Helminthol. 47: 399-408.
- Wootton, R. 1974. Observations on strigeid metacercariae in the eyes of fish from Hanningfield Reservoir, Essex, England. J. Helminthol. 48: 73-83.
- Wootton, D.M. 1957a. The life history of *Cryptocotyle concavum* (Creplin, 1825) Fiscoeder, 1903 (Trematoda: Heterophyidae). J. Parasitol. 43: 271-279.
- Wootton, D.M. 1957b. Notes on the life-cycle of *Azygia acuminata* Goldberger, 1911 (Azygiidae-Trematoda). Biol. Bull. 113: 488-498.
- Wootton, R.J. 1969. A comparative study of test procedures and measures of behaviour in the male three-spined stickleback. Ph.D. Thesis, Univ. British Columbia.
- Wootton, R.J. 1970. Aggression in the early phases of the reproductive cycle of the male three-spined stickleback (*Gasterosteus aculeatus*). Anim. Behav. 18: 740-746.
- Wootton, R.J. 1971a. Measures of the aggression of parental male three-spined sticklebacks. Behaviour, 40: 228-262.
- Wootton, R.J. 1971b. A note on the nest-raiding behavior of male stickleback (*Pungitius pungitius*). Can. J. Zool. 49: 960-962.
- Wootton, R.J. 1972a. The behavior of the male three-spined stickleback in a natural situation: A quantitative description. Behaviour, 41: 232-241.

- Wootton, R.J. 1972b. Changes in the aggression of the male three-spined stickleback after fertilisation of eggs. *Can. J. Zool.* 50: 537-558.
- Wootton, R.J. 1973a. The effect of size of food ration on egg production in the female three-spined stickleback, *Gasterosteus aculeatus* L. *J. Fish. Biol.* 5: 89-96.
- Wootton, R.J. 1973b. Fecundity of the three-spined stickleback, *Gasterosteus aculeatus* (L.). *J. Fish. Biol.* 5: 683-688.
- Wootton, R.J. 1974a. The inter-spawning interval of the female three-spined stickleback, *Gasterosteus aculeatus*. *J. Zool., Lond.* 172: 331-342.
- Wootton, R.J. 1974b. Changes in the courtship behaviour of female three-spined sticklebacks between spawnings. *Anim. Behav.* 22: 850-855.
- Wootton, R.J. 1976. The Biology of the Sticklebacks. Academic Press, London, x + 387 p.
- Wootton, R.J. 1977. Effect of food limitation during the breeding season on the size, body components and egg production of female sticklebacks (*Gasterosteus aculeatus*). *J. Anim. Ecol.* 46: 823-834.
- Wootton, R.J., Allen, J.R.M. and Cole, S.J. 1980a. Energetics of the annual reproductive cycle in female sticklebacks, *Gasterosteus aculeatus* L. *J. Fish. Biol.* 17: 387-394.
- Wootton, R.J., Allen, J.R.M. and Cole, S.J. 1980b. Effect of body weight and temperature on the maximum daily food consumption of *Gasterosteus aculeatus* L. and *Phoxinus phoxinus* (L.): selecting an appropriate model. *J. Fish. Biol.* 17: 695-705.
- Wootton, R.J. and Evans, G.W. 1976. Cost of egg production in the three-spined stickleback (*Gasterosteus aculeatus* L.). *J. Fish. Biol.* 8: 385-395.
- Wootton, R.J., Evans, G.W. and Mills, L. 1978. Annual cycle in female three-spined sticklebacks (*Gasterosteus aculeatus* L.) from an upland and lowland population. *J. Fish. Biol.* 12: 331-344.
- Worgan, J.P. and Fitzgerald, G.J. 1981. Habitat segregation in a salt marsh among adult sticklebacks (Gasterosteidae). *Env. Biol. Fish.* 6 (1): 105-109.
- WORLD HEALTH ORGANISATION, DIVISION OF MALARIA AND OTHER PARASITIC DISEASES. 1973. Manual on larval control operations in malaria programmes. WHO, Geneva, 199 p.
- Wourms, J.P. 1973a. Stickleback nest cement: an extracellular matrix secreted by kidney tubule cells. *J. Cell. Biol.* 59: 370.



- Wourms, J.P. 1973b. The cellular origin of stickleback nest cement: a study in multiple differentiated states of fish kidney cells. In: Long Island Sound Conference, Current Research in an Urban Sea, Montauk, New York, Dec. 1973, p. 1-2.
- Wrede, Th. 1909a. Der Stichling und seine Zucht im Zimmeraquarium. Wochenschr. Aquar.-Terrar. Kunde, 6. Jahrg. 309-312.
- Wrede, Th. 1909b. Die Zucht des dreistachligen Stichlings (*Gasterosteus aculeatus*) im Zimmer-Aquarium. Blätt. Aquar.-Terrar. Kunde, 20. Jahrg. 736-740.
- Wunder, W. 1928. Experimentelle Untersuchungen an Stichlingen (Kämpfe, Nestbau, Laichen, Brutpflege). Zool. Anz., (Suppl.) 3 (Verh. Deutsch. Zool. Ges. 32): 115-127.
- Wunder, W. 1930. Experimentelle Untersuchungen am driestachligen Stichling (*Gasterosteus aculeatus* L.) während der laichzeit (Kämpfe, Nestbau, Laichen, Brutpflege). Z. Morph. Ökol. Tiere. 16: 453-498.
- Wynne-Edwards, W.C. 1952. Freshwater vertebrates of the Arctic and Subarctic. Bull. Fish. Res. Board Can. 94: 28 p.
- Yakolev, V.E. 1869-1870. List of Teleostean fish found at the mouth of the Volga. Trudy Obshch. Estest., Kazan, 1 (2): 101-111. In Russian.
- Yamamoto, M. and Ueda, K. 1978. Comparative morphology of fish olfactory epithelium. 5. Gasterosteiformes, Channiformes and Synbranchiformes. Bull. Jap. Soc. Sci. Fish. 44 (12): 1309-1314.
- Yamamoto, T. 1961. Physiology of fertilization in fish eggs. Int. Rev. Cytol. 12: 361-405.
- Yamamoto, T.S. 1963. Eggs and ovaries of the stickleback, *Pungitius tymensis*, with a note on the formation of a jelly-like substance surrounding the egg. J. Fac. Sci. Hokkaido Univ. (VI) Zool. 15: 190-201.
- Yarrel, W. 1830. Additions to the British fauna. Fishes. Ann. Mag. Nat. Hist. 3: 521-523, fig. 127.
- Yarrel, W. 1836-1839. A history of British fishes, illustrated by nearly 400 wood-cuts. J. Van Voorst, London. 2 vols. 1: xxxvii + 408 p., 2: 472 p., 1839 suppl. vi + 48 p. (2nd Ed., 1841 with suppl.) (3rd Ed., 1859, additional species by J. Richardson, 1: xxxviii + 675 p., 2: 670 p., 522 fig.).
- Yarzhombek, A.A. and Rozhdestvenskaya, V.I. 1978. Fatigue and electrically-induced fatigue in fish. Vopr. Ikhtiolo. 18: 935-942.
- Yurkowski, M. and Tabachek, J.L. 1979. Proximate and amino acid composition of some natural fish foods, p. 435-448. In: Halver, J.E. and Tiews, K. (Eds.). Finfish Nutrition and Fishfeed Technology, Vol. 1. Heenemann Verlag. Berlin, x + 593 p.

- Zakharov, V.M. and Zyuganov, V.V. 1980. Evaluation of asymmetry of bilateral features as a population characteristic. *Ekologiya*, 1980 (1): 10-16. In Russian.
- Zander, C.D. 1979. On the biology and food of small-sized fish from the North and Baltic Sea area. II. Investigation of a shallow stony ground off Møn, Denmark. *Ophelia*, 18 (2): 179-190.
- Zbytyniewski, Z. and Pautsch, F. 1973. Effect of phospho-gypsum on the protein and alpha-amine nitrogen level and on the tyrosine activity in the hemolymph of *Crangon crangon*. *Oikos* (suppl. 15): 232-235.
- Zhiteneva, L.D. 1971. Blood composition of the ninespine stickleback (*Pungitius pungitius* L.) under unfavorable oxygen conditions. *Vopr. Ikhtiol.* 11: 509-517. In Russian. *J. Ichthyol.* 11: 409-417. In English.
- Zhukov, P.I. 1965. Fishes of Byelorussia. *Nauk i Tekhnika*, Minsk. 415 p. In Russian.
- Zorbidi, Zh. Kh. 1977. Daily feeding rhythm of the coho *Oncorhynchus kisutch* (Walbaum) in Lake Azabach'ye. *Vopr. Ikhtiol.* 17: 182-184. In Russian.
- Zyuganov, V.V. 1978. Factors determining morphological differentiation in *Gasterosteus aculeatus* (Pisces, Gasterosteidae). *Zool. Zh.* 57: 1686-1694. In Russian.
- Zyuganov, V.V. and Khlebovich, V.V. 1979. Analysis of mechanisms which determine differences in the reaction of spermatozoa to water salinity in the three-spined stickleback marine and fresh-water forms. *Ontogenez.* 10 (5): 506-509. In Russian.

RECENT SYLLOGEUS TITLES / TITRES RECENTS DANS LA COLLECTION SYLLOGEUS

- No. 21 Brunton, D.F. (1979)  
THE VASCULAR PLANT COLLECTIONS OF JOHN MACOUN IN ALGONQUIN  
PROVINCIAL PARK, ONTARIO. 20 p.
- No. 22 Warkentin, John (1979)  
GEOLOGICAL LECTURES OF DR. JOHN RICHARDSON, 1825-26. 63 p.
- No. 23 Cody, William J. (1979)  
VASCULAR PLANTS OF RESTRICTED RANGE IN THE CONTINENTAL NORTHWEST  
TERRITORIES, CANADA. 57 p.
- No. 24 Haber, Erich and James H. Soper (1979)  
VASCULAR PLANTS OF GLACIER NATIONAL PARK, BRITISH COLUMBIA, CANADA.
- No. 25 Danks, H.V. (1980)  
ARTHROPODS OF POLAR BEAR PASS, BATHURST ISLAND, ARCTIC CANADA.  
ii, 68 p.
- No. 26 Harington, C.R. (ed.) (1980)  
CLIMATIC CHANGE IN CANADA. 246 p.
- No. 27 White, David J. and Karen L. Johnson (1980)  
THE RARE VASCULAR PLANTS OF MANITOBA. / LES PLANTES VASCULAIRES RARES  
DU MANITOBA. 52 p. / 53 p.
- No. 28 Douglas, George W., George W. Argus, H. Loney Dickson, & Daniel F.  
Brunton (1981)  
THE RARE VASCULAR PLANTS OF THE YUKON. / LES PLANTES VASCULAIRES  
RARES DU YUKON.
- No. 29 Brodo, I.M. (1981)  
LICHENS OF THE OTTAWA REGION. (English edition)  
LICHENS DE LA REGION D'OTTAWA. (L'édition française)
- No. 30 Manning, T.H. (1981)  
BIRDS OF TWIN ISLANDS, JAMES BAY, N.W.T., CANADA. 50 p.
- No. 31 Ferguson, R.S. (1981)  
SUMMER BIRDS OF THE NORTHWEST ANGLE PROVINCIAL FOREST AND ADJACENT  
SOUTHEASTERN MANITOBA. 23 p.
- No. 32 Ouellet, H. et F.R. Cook (1981)  
LES NOMS FRANCAIS DES AMPHIBIENS ET REPTILES DU CANADA: UNE LISTE  
PROVISOIRE. 7 p.
- No. 33 Harington, C.R. (ed.) (1981)  
CLIMATIC CHANGE IN CANADA 2. 220 p.
- No. 34 Bousfield, E.L. and N.E. Jarrett (1981)  
STATION LISTS OF MARINE BIOLOGICAL EXPEDITIONS OF THE NATIONAL  
MUSEUM OF NATURAL SCIENCES IN THE NORTH AMERICAN PACIFIC COASTAL  
REGION, 1966 TO 1980.

CALIF ACAD OF SCIENCES LIBRARY



3 1853 10004 4861